OCTOBER, 1928

MONTHLY

No. 273

MACHINE TOOL BLUE BOOK

DIRECT MAIL ADVERTISING

to

Industrial Machine Shops Automotive Plants Railway Mechanical and Purchasing Departments

> AND ALL OTHER MACHINE TOOL USERS

Controlled Circulation 25,000 Monthly

Published By

HITCHCOCK PUBLISHING CO. 508 So. DEARBORN ST. CHICAGO More for your money/



This new Reliance Across-the-Line Motor makes it possible for you to get more for your money when buying 7½ to 30 h. p. induction motors.

For the same price as the ordinary motor and starting compensator you can have Type AL Motors and pushbutton control. This new combination is also a money saver after it is on the job. It saves time by making starting easy and convenient. It saves on upkeep because starters require less attention and fewer replacements.


Our Bulletin No. 1093 gives all the details

Reliance Electric & Engineering Co.

Branches: Boston; New York; Pittsburgh; Cincinnati; St. Louis; Detroit; Buffalo; Philadelphia; Chicago; Birmingham

RELIANCE MOTORS

Get the most out of your Milwaukees with Standard Attachments for Production, for Maintenance



If you have not received a copy of Catalog No. 30 you should have it.

Clip this page and send it in. No obligations whatsoever

Name Position

Company

KEARNEY & TRECKER Corp.

MILWAUKEE, WIS.

-

The New "American Auto-Oiled"



The "Auto-Oiled" is the result of 41 years of active participation in shaper development.

Its points of excellence are—Tremendous cutting power; unparalleled rigidity; permanent accuracy; automatic forced lubrication; multiple splined shafts; Timken roller bearings; multiple disc clutch and brake; V-type ram; improved table support; helical gears, alloy steel, hardened; tu-piece bull wheel; centralized control. Accessories and attachments for every conceivable kind of shaper operation.

We want every shaper user to know all about the "American Auto-Oiled"—how it does faster work and better work, with greater profit. Mail us your request for complete information today; don't delay—you'll not be obligated in any way.

The American Tool Works Company

Cincinnati, Ohio, U.S.A.

LATHES

RADIALS

SHAPERS

More Holes Per Dollar

With SUPER-SERVICE Radials



Less Handling Time - More Time for Drilling

No time is lost in walking from one end of the machine to the other for each change in spindle speed or location. The operator controls 36 speeds, 18 feeds, power column clamping and power rapid traverse without moving from the spindle.

The Cincinnati Bickford Tool Co.

-814

BAKER KEYSEATERS



Built in Five Sizes

for Miscellaneous
Keyseating and
Slotting

No. 0 KEYSEATER Capacity 1* Wide-9* Maximum Stroke

Exclusive advantages in securing Accuracy and High Production are:

- 1. Draw Stroke Drive.
- 2. Upper Support for Cutter Bar.
- 3. Tilting Table (for Taper Keyseats).
- 4. Simplicity In Operation.

Write for Catalogue

BAKER BROTHERS, INC., Toledo, Ohio

Builders of Boring, Drilling, Tapping, Keyseating and Slotting Equipment.

The Conway Disc Clutch



A splendid product that enhances the smooth functioning of the machine you build, that insures its full power development, that adds appearance and safety to its moving parts, that brings a compelling sales feature to its distribution.

It is enclosed and balanced, has centripetal action, accurate, rigid adjustment, easy engagement, instant release, dragfree idling. It is powerful in engagement, and cannot be affected by centrifugal force when idle.

It is the Conway Disc, a splendid clutch. It will give a new "feel" to the control of your machine. Its inherent refinements will appeal to you when you watch it perform under your own conditions. Order one in.

Bulletin DC gives the necessary data

The Conway Clutch Co.
West 6th Street, Cincinnati, Ohio



SIMONDS SAW AND STEEL CO.'S

Steel Mills

"No one ever regretted buying steel quality"

If you are interested in an unusually high grade

HIGH SPEED STEEL POWER SAW BLADE

Write us about

SIMONDS

Red Streak Blades



Steel Quality

There's another big reason why the

SIMONDS Hack Saw Blades

wear longer.


Genuine Tungsten Steel Made in Our Own Steel Mill

Simonds Saw and Steel Co.

SAWS - FILES - TOOL BITS Fitchburg, Mass.

Cincinnati Lathes

have demonstrated over 20 years in shops everywhere to give longest satisfactory service. Seldom you find them offered in second hand lists.



We furnish our latest lathes either Cone Type as in cut No. 153 or Geared Head type with single pulley belt drive as in cut No. 154 that may be converted over to motor drive at any time after installation. Sizes 16* to 32* furnished with standard or special attachments if required.




Specify Cincinnati Lathes and be sure of the quantity also quality of work you produce.

The Cincinnati Lathe and Tool Co. 3207-3211 North St., Oakley, Cincinnati, O.

Modernize Your Lathe Equipment with

Monarch Ball Bearing Helical Geared Head Lathe



Monarch Helical Geared Lathes combine speed (productive capacity), smooth work (no gear tooth marks), noiseless operation and an ease of handling (time saving), that has never heretofore been obtained.

The Helical Gears have 3½ teeth always in mesh. In operation they are noiseless, smooth and powerful.

Greater production is insured, because of the higher speeds obtainable and of the many operating conveniences.

Glad to tell you how these modern lathes, from 14 to 30 in., increase production; how they are built; how the Monarch Dual-Control and other features save time. Write—

The Monarch Machine Tool Co.

Sidney, Ohio, U. S. A.

Improved Design

THE CLEVELAND OPEN SIDE PLANER has fewer parts—easier control—greater accuracy—more all around efficiency. Entire driving mechanism is easily accessible and operates above the floor level, eliminating expensive foundations. All levers are reached from one position, saving operator's time and steps. It will pay you to investigate the CLEVELAND.

26

The Cleveland Planer Company

Established 1900

Cleveland, Ohio

3148 Superior Ave.,
Send
for
Folder

1100

Installations



The Open Side Planer with the Column Base Cast Integral with its Closed Top Bed.



Shift One Lever-Obtain Any Spindle Speed



16"x6' New Design Weight 1900 lbs.

\$525.00

18"x8' New Design Weight 2100 lbs.

\$585.00

3-step cone, double back gear, quick change gear, graduated compound rest, steady rest, lead screw and feed rod, tool post, centers, countershaft and wrenches, ready to run.


A lathe in the INEXPENSIVE class, for your shop equal to, in all respects, lathes of much higher price, having all their features:

> Alignment and Precision Speed in Production Ease of Operation Ability on all Work Low cost of Upkeep INEXPENSIVE COST to YOU

Made in 16⁸ and 18⁸ swing from 6¹ to 18¹ length of bed. Either 3-step cone belt drive or All Geared 9-Speed Drive Head for 2 H. P. Motor.

Write us for full information and PRICES

The Rahn - Larmon Co. 2943 Spring Grove Ave., CINCINNATI, OHIO



A prominent valve manufacturer found, after a thorough trial of CLE-FORGE High Speed Drills, that the drills had accomplished three things for him:

Per Year


- They increased hole production per hole and per drill;
- They reduced drill, machine and labor cost by 17%;
- And, permitted the drill press operator to earn 14½% more money.

CLE-FORGE High Speed Drills effected in this plant a net saving of \$476.23 per year. This saving amounted to about five times the original cost of the drills used!

Full details of this interesting performance are contained in an eight page typewritten survey which makes interesting reading. We shall be glad to send you this survey upon request. Simply ask for Survey No. 58.



Wide Range and Efficiency



Defiance No. 5-A Horizontal Boring, Milling, Drilling, and Tapping Machine

In designing these machines, range and efficiency were both considered, both provided for. Simplicity, great strength and ample power secure the operating conveniences necessary to handle the wide range of work with efficiency and profit.

Four in One-And All Efficient!


Boring, Milling, Drilling and Tapping to meet every requirement of machine tool users where intensive production and precision work is a factor of importance. Objectionable features, such as complication and inaccessibility, have been carefully guarded against. The speed mechanism feed mechanism and contents of the spindle housing are of unit construction, and each unit affords full access without disturbing parts of other units.

Write for the descriptive folder, or for the complete Catalog of "The Defiance Line" of Cylinder Boring Machines, Heavy Service Drilling Machines, Rolling Machines, Multiple Drilling Machines, Multiple Tapping Machines and Valve Grinding Machines.

The Defiance Machine Works Defiance, Ohio

Designers and Builders of Precision-Production Machine Tools and Special Woodworking Machinery 2½ Ft. - \$1575. 3 Ft. - \$1675.

Dreses Simplex Radials




We also build a complete line of Multi Duty Ball Bearing Radial Drills.

The Dreses Machine Tool Co. CINCINNATI, OHIO

HAMMOND

Drilling and Tapping Machines



Write for Circular

The Hammond Mfg. Co.



No. 9 High Duty Single Spindle

A single spindle Hi Duty Drilling machine that is capable of meeting the requirements of modern machine shop practice. Has a capacity of a 1½ inch drill in steel. Furnished with belt or motor drive.

We are manufacturers of

Standard Adj. Multiple Fixed Center Multiple Single Purpose Auto. Hi Duty Single Spindle Horizontal Duplex

Multiple Drill Heads
ltiple Universal Joints
uto. Quick Change Holders
pindle Rotary Tables
Ex Fixtures
Drillers—Tappers

The National Automatic Tool Co.
Richmond, Indiana

Better Aurora Drilling Machines Are Ready To Serve You



FORMERLY-SPECIAL BASE REQUIRED
FOR MOTOR DRIVE
NOW-MOTOR BASE IS STANDARD EQUIPMENT

Four production shops have already purchased 117 Better Auroras. They'll satisfy your requirements also. Just make one purchase and settle all arguments.


The Aurora Tool Works

3317 Colerain Avenue, Cincinnati, Ohio, U. S. A.

Increase Your Production

By Using

BRADFORD



Above Three-Way Machine drills three 5/16"—two 33/64" and one 5/8" holes horizontally and one 7/16" hole at 40 degree angle, simultaneously in shock absorber body at the rate of 100 pieces per hour.

Send Us Your Drill Problems


The Bradford Machine Tool Co.

657-671 Evans Street

CINCINNATI, OHIO

Precision Lathe Builders Since 1840

Designed for High Speed Work



Total height, 41°. Vertical adjustment of head, 7½°. Diameter of spindle, 5%°. Travel of spindle, 3½°. Maximum distance of bottom of chuck to base table, 10°1/2. Size of base table, 9½°x12½°.

Speed of spindle, 3,400-5,600-10,000. Largest size of drill, 5/16". Distance from column to center of ap. 73/4". Size of ap. pulley, 11/2" - 23/4-3" a 1 1/4" face. Bench space, 15" a 20". Net weight, 180 pounds. Crated weight, 220 pounds.

Complete Information gladly furnished

Canedy-Otto Manufacturing Company

Main Offices and Factory—Chicago Heights, Illinois
New York Branch
Complete stock
San Francisco Bran

407 Broome St.

Complete stock carried at branches San Francisco Branch 955 Folsom St. The Improved Canedy-Otto No. 29



The Improved Canedy-Otto Sensitive Bench Drill comes complete with toggle switch, cord, socket, 1½ endless leather belt, and chuck. The motor is adjusted on a sliding base that maintains the proper tension on the belt at all times, and cuts lost motion and vibration to the minimum. Now equipped with a 3-step cone pulley which gives three spindle speeds of 720, 1430 and 3000 R. P. M. Complete information, with close price, upon request.

Canedy-Otto Manufacturing Company

Main Offices and Factory—Chicago Heights, Illinois
New York Branch
407 Broome St.

Complete stock
carried at branches
955 Folsom St.

The **avey**



Makes
Big Jobs
Look
Small

The Avey Drilling Machine Co.
CINCINNATI, OHIO



A Single Spindle Footburt Sipp Sensitive Drill

Made in three sizes of single and multiple spindle models

More holes with this machine

Why? Because you can change speeds in two seconds or belts in ten seconds—because the automatic idlers keep the belt pulling to capacity at all times—because the full ball bearing equipment and accurate machining gives a smooth, fast cut.

Write for No. 650 Folders

The Foote-Burt Company, Cleveland, O.

FOOTBURT

Threading at 3000 R. P. M.

These rods are being threaded with a No. 8-32 thread 5-16" long, at an average production of 1400 pieces per hour on our Standard High Speed Tapping Machine.




How about your threaded work?

Leland-Gifford Company, - Worcester, Mass., U.S.A.

BRANCHES
BOSTON CHICAGO CLEVELAND
DETROIT NEW YORK
PITTSBURGH ROCHESTER

LELAND GIFFORD



11 ROCKWELL HARDNESS TESTERS

are used on

WHIRLWIND MOTORS

At the Wright Aeronautical Corp., Paterson, N. J.

The first was installed April, 1926 and the eleventh, September, 1928.

Over 3,000 Rockwells are now in use.

Specifications in Rockwell Hardness are understood everywhere.




735 East 143rd Street,

New York

27

BELOIT

Punches-Shears-Bending Rolls



Initial Type

Sheet and Plate Bending Rolls

These Bending Rolls are built to fill the demand for strong, efficient and quick acting rolls for forming sheets and plates into cylindrical shapes. Adapted to the requirements of sheet metal and light plate working parts, and indispensable in any plant having a metal working department.

The modern design of this type makes it possible for the operator to curve plates completely to the edge, thus getting away from the undesirable flat near the edge of the sheet.


Strong, compact, easy to operate, conservatively rated and amply back geared to require the minimum of power.

Made in Initial Type, as shown above, or in Pyramid Type. We also make various types and styles of Punches and Shears. Write for complete descriptions.

Hendley & Whittemore Co.

100 S. State St., BELOIT, WIS.

PUNCHES-SHEARS-BENDING ROLLS



RECISION Ball and Roller Bearings, built to meet the exacting requirements of those with whom dependable bearing performance is the one conclusive measure of bearing value.

Catalogs 904, 905, and 917

Norma-Hoffmann Bearings Corp'n. Stamford, Conn., U. S. A.

PRECISION BEARINGS





RHODES Shaper and Slotter

Reduces Costs on Dies, Tools, Models, And All Kinds of Light Work



3½ in. Slotter Stroke


Figure your shaping and slotting requirements! Doesn't most of your work fall within the capacity of this machine?

The Rhodes has the essential features of larger machines in everything but size, and handles all work within its capacity with greater facility. Then, too, its costs of maintenance and operation are substantially less.

Ask your dealer or write for CATALOG H22

The Rhodes Mfg. Company 944 Park Road, -- Hartford, Conn.

SHAPERS-RHODES-SLOTTERS-



We offer the No. 2 Metal Cutting Saw Sharpener as a universal saw tooth grinder for shops and plants where the expense of installing an automatic unit is not warranted. It is so simple in operation and set up that with an average operator we have found it faster than an automatic machine.

It handles coarse and fine pitch metal cutting saws, inserted tooth and solid milling saws alternate bevel and straight teeth with equal efficiency. Its range with or without index is from 6" to 40" dia. Furnished with or without motor drive.

Huther Bros. Saw Mfg. Co., Inc. Rochester, N. Y., U. S. A.

Illinois Plain and Surface Grinder



With Hand Feed Table

Cross Slide

This machine has been designed to meet the demand of shops requiring an inexpensive grinder for surface grinding.

Special Features

Base: Box type construction with liberal bearing surface for knee, insuring accuracy.

Knee: Supported by elevating screw having ball thrust bearing. Hand wheel graduated in thousandths. Long bearing on column.

Spindle: Made of High Carbon Steel, heat treated, and runs in four Timken tapered roller bearings with adjustment collars to each

bearing. Also furnished with Bronze Bearings if desired.

Table and Cross Slide: Have dovetailed ways and tapered gibs. Table working surface 24*x6*.

Countershaft: Ball bearing with tight and loose pulley and belt shifting devise. Loose pulley equipped with two ball bearings.

Lubrication: Alemite system for spindle and countershaft.

Write for Complete Specifications and Prices

Illinois Machine & Mfg. Co. LaSalle, Illinois



Grand Rapids Combination Twist Drill & Tap Grinders

Drills and Taps Sharpened on a Grand Rapids Grinder

Cut Faster — Stay Sharp Longer Produce More and Better Work

BULLETIN ON REQUEST

Gallmeyer & Livingston Co. 342 Straight Ave. S. W., Grand Rapids, Mich.

PEERLESS

SURFACING MACHINES

for

Grinding and Finishing

Flat Work



Larger Machines in Both Horizontal and Vertical Styles

SEND FOR FOLDER

PEERLESS SURFACING MACHINE CO., Inc.

BATH Universal Grinders

SELF CONTAINED



10"x25"

12"x36"

also

Plain Cylindrical, Valve Seat and Tappet Grinders

Fitchburg Grinding Machine Corp.

Fitchburg, Mass., U.S.A.

25

GATERMAN

No. 10 Heavy Duty Pneumatic Oscillating Tapping Machine

Also recommended for Multiple Head Tapping

Used by leading automobile manufacturers—Cadillac, Packard, Nash, Ford, Chevrolet, Reo, Hupp, etc.—to obtain maximum production. Send for folder giving more complete list and data.



W. GATERMAN MFG. CO., Manitowoc, Wis., U.S.A.

JUST WHAT YOU HAVE BEEN LOOKING FOR

A direct connected motor driven

METALWORKER

built with the same careful precision as a high grade machine tool



PATENT APPLIED FOR

Will cut, in soft steel, Flats \$\frac{1}{16}\text{x3}\text{*}\$, Rounds up to \$\frac{3}{6}\text{*}\$; Angles, \$90\times, \$\frac{1}{3}\text{x2}\times, \$\frac{1}{3}\text{miles}, \$\frac{1}{3}\times, \$\frac{1}{3}

AGENTS WANTED IN OPEN TERRITORIES

SHAW-PALMER-BAKEWELL CO. LOS ANGELES, CALIFORNIA

409-11 East 3rd Street

Faber 4621

Lewis Seam-Welding Head



No structural change is necessary to your spot welder simply clamp the Lewis Welding Head to the upper horn. Remove lower horn and bolt on the proper electrode for either transverse or longitudinal welding. Please note the electrode "drive" is a separate unit and NOT attached to spot welder.

Let us send you our bulletin No. 128 which gives interesting information on seam welding in general and This Proven Seam Welder in Particular.

Welding Appliance Co. 2111 West Lake St., Chicago, Ill., U.S.A.

TAYLOR-WINFIELD WELDERS





NEED for constant reduction in finishing has widened the field of ball burnishing unbelievably. Twenty years ago ABBOTT ball burnishing barrels were accepted as the ideal means of finishing small work such as buttons, buckles, etc. To-day improved ABBOTT barrels are producing results on stampings, spun and threaded work, castings and forgings—on safety pins and safety razors.

Let us submit a burishing analysis on your work. Send samples.

The Abbott Ball Company 1043 New Britain Ave., Hartford, Conn. Taylor & Fenn Belt Driven

No. 12 Spring Press



UNIFORM BLOW SPRING PRESSES

Are made in three sizes, with either single or double action

Our No. 12 Belt Driven Spring Press, illustrated above, has a stroke of 3½ inches. The foot treadle operates a safety clutch attached to the flywheel, which automatically stops the machine after each stroke regardless of whether the treadle is released or held down by the operator. The clutch can be adjusted for a continuous stroke if desired.

Descriptive circular gladly sent upon request

The Taylor & Fenn Co. Hartford, Conn., U. S. A.

41



A RAPID FIRE FILER

Sharp Saws At 5¢ Each

That is all it costs when RESHARPENED on this machine

SAVES TIME REDUCES WORK ADDS EFFICIENCY

That's Why

Amer. Brass have
Continental Fibre28
Formica Insulation10
and over 100
Newspapers use them

The Model J

at a speed of 70 TEETH A MINUTE sharpens all medium, soft or spring tempered CIRCULAR SAWS up to 18" in diameter Teeth from as small as 32 to 1" up to ½" spacing.

Write for Catalog


THE WARDWELL MFG. CO.

Makers of automatic machines for sharpening—Hack Saws, Hard Tempered Band Saws, Milling, Slitting and Screw Slotting Saws and all Woodworking Saws.

Manufacturers of the largest line of Saw Filers made in U. S. A.

108 Hamilton Ave., CLEVELAND, OHIO

"Thread It Separately"



That's the Modern Way Up-to-Date Plants are Saving Money

> The Machine to Use? The

Rickert-Shafer Automatic Single-Purpose Threading Machine

Production time on automatics is always governed by the time of the longest operation-threading. To get more out of expensive automatics the trend in modern plants is to do the threading on low-priced single machines. To cover this field we have designed a full line of Rickert-Shafer Threading and Second Operation Machines, made in single and double spindles-magazine, hopper or hand feed. Adaptable to almost every job of threading, from the simplest to the most complicated. Combination tools can be supplied so that chamfering, reaming, facing, etc., can be done simultaneously with the threading and with but one chucking.

> Send for complete details, or estimates of your work threaded on one of these machines

RICKERT-SHAFER CO., Erie, Penna.

Type RF-M4 Machine



Strand

Capacity-1/4H.P.

For

Rotary Filing Grinding And Polishing

10,000 R. P. M. Attachment Furnished Extra when Required. See Illlustration.

Attachments



N. A. STRAND & CO.

Manufacturers
5001 No. Lincoln Street
CHICAGO

PATENT APPLIED FOR





Investigate and Know-

why many well known plants are so completely satisfied with results obtained on the Marvel Metal Band Saw No. 8.

Among other advantages it offers ball bearing band wheels, ball bearing blade guide rollers, ball bearing blade frame carriage, big roomy bed or work table, three cutting speeds, a pump for projecting cutting compound—increasing blade life—a cut stop that can be set at any point desired, NEW adjustable blade pressure that indicates the feed pressure on the blade in POUNDS, and the ability to cut at any angle to 45%. Capacity up to and including 18°.

Armstrong - Blum Mfg. Co.

1 Keyseat — or 1,000 Use the Rapid CATLIN



The picture above shows the No. I CATLIN, belt driven, with three step cone pulley. Our other sizes, for belt or motor drive, cover practically all key-seating requirements. Send for the Catalog describing these time and money awing machines.

HETHER you need one keyseat or a thousand, the rapid CATLIN will cut them to even better than 1000th of an inch accuracy. On some classes of work it is possible to keyseat piece after piece without clamping down the work or stopping the machine.

Speed with Accuracy

In ordinary shop practice, without any effort at record making, the CATLIN has cut a keyseat 10° long, 1½° wide and ½6° deep in a cast iron hub, in three minutes, In cast steel it has cut a keyseat 6° long, 1° wide and ½6° deep in three minutes.

Write today for the Catalog

Chattanooga Machinery Company 2401 Bennett Ave., Chattanooga, Tenn.

Speedy Keyseating On a Great Variety of WorkThe "Davis"

DAVIS No. 1. Cuts 1/16 to 16 Keyways



Built in two sizes

The Davis Keyseater is profitably used on quantity production of standard parts; yet it is so versatile and lends itself to such quick set-ups, that it is indispensable for the mixed runs of every day job work.

It occupies little floor space and gives such service cutting keyways, oil-slotting and grooving pulleys, gear blanks, bell cranks, crank handles, etc., that it soon pays for its moderate cost. You'll wonder how you ever got along without a "Davis."

The table of cutting time tells the story

Davis Keyseater Company

255½ Mill Street,

Rochester, N. Y., U. S. A.

Etchograph Trade Mark John




Time Saving

Using the original ETCHOGRAPH enables you to mark your tools or parts in one-fifth the time other methods require. No acids—no fuss—write as if with a pencil. Six stages of heat give you six variations in the size of marking—an advantage no other machine can offer.

Write for complete details, stating power available

William Brewster Company
50 Church St., New York



caused by the old fashioned open end wrench.

Time wasting motions avoided with the



FAVORITE Reversible Ratchet WRENCH

Its socket form of head cannot slip off the nut, and its quick ratchet movement turns the nut rapidly without the usual lost motion.

Why plug away with the old fashioned open end wrench when the FAVOR-ITE wrench means real economy.

Built Strong to Stand Rough Usage

Greene, Tweed & Co.

Sole Manufacturers

109 Duane St... New York

KASTER-IZE Your Factory Trucks



Pioneer Truck Casters

will move your product with the least possible effort

They are practically indestructible and will render long and continuous service.

Most Durable—Economical and Efficient casters on the market. Made in many sizes, Anti-friction Steel Roller Bearing—Ball Bearing—Double Wheel and Stationary patterns.

A Caster for every purpose.

Complete illustrated catalog on request-interesting prices.


Write today for full Information— No obligation

Pioneer Caster & Mfg. Co. Elkhart, Indiana

Automatic Reversible

ROLL FEED

For Any Punch Press



A universal, flexible feed, for automatically feeding Metal, Paper, Leather, Brake Lining, or any stock from coils—from wire to 8" widths and lengths of 0" to 36" at each stroke of the press at rated catalog speed or faster.

This feed mounts on either right or left side of the Bolster Plate, either as a Push or Pull feed. May also be mounted in tandem, one on the right and one on the left as a Push-Pull feed for paper or light stock.

The drive is by chain from a sprocket on the crank shaft, using any sprocket ratio desired.

PRICE \$195.00 F. O. B. Chicago

Wittek Manufacturing Co.

DEPT.3

2532 So. Kedzie Ave.,

Chicago, III.

Genesee Hollow Mills

With Adjustable Replaceable Blades Are Productive, Accurate, Economical



PRODUCTIVE—because their seven sizes cover the entire range from ½ to 2, and machine all sizes within their capacity to 1000 he of an inch.

ACCURATE—because the hollow mills cannot change in size or clog with chips as do solid tools. They can be ground to any angle required to point work or turn sharp tapers.

ECONOMICAL to buy, because one Genesee Hollow Mill covers several sizes—economical in upkeep, because they outlast from five to seven ordinary tools; then too the blades are replaceable at a small cost—economical in operation, because they give a maximum efficiency, cutting up to 15⁸ a minute in steel, or to capacity of machine.


Send for detailed information

Genesee Manufacturing Co., Inc. 141 North Water Street, Rochester, N. Y.

Manufacturers of Genesee Rapid Production Tools.

F-4 1000

If Figures Talk-



Here are some about the Reynolds Magazine Feed Screw Driving Machine that merit YOUR attention

Showing Magazine Feed of the Reynolds Automatic

Experienced operators can drive from 16,000 to 20,000 screws per day.

Apprentices can drive from 6,000 to 10,000 screws per day.

1 machine does the work of 5 men using hand methods.

With average use, the REYNOLDS pays for itself in 3 or 4 months.

Savings of 65 to 85% are commonly reported.

Reduces the number and sizes of screws needed.

Drop us a line, giving dimensions over all of your work and length and gauge of screws used. We'll send further facts and figures that may surprise you.

The Reynolds Machine Company
Dept. H. H., Massillon, Ohio

Punch



Capacity 3/4" thru 3/4" Iron Weight, 81/2 lbs.

No. 8 Roller Bearing Punch



Operating handles will not become disengaged.

CAPACITY-1/4" hole thru 1/4" iron. Weight, 16 lbs.

Made in 3 sizes: Nos. 7, 71/2 and 8.

No. 20 Ball Bearing Punch



Capacity, 1/2-inch hole through 1/2-inch iron

Weight, Complete 20 lbs.

No. 10 Ball Bearing Angle Iron Combination No. 455



Shears, Notches and Bends a 2-inch by 2-inch by 1/4-inch Angle Iron in One Minute Flat.

No. 6 Slitting Shear Roller Bearing



Capacity % thickness. Throatless Drop Forged

Write for Catalog and Price List on Entire Line

Whitney Metal Tool Co. 95 Forbes Street, Rockford, Illinois

Have YOU Tried the



New
U. S. Tool
Steel
Base
SubPress

)

A Trial Will Prove Its Value

YOU can put your costly dies through the toughest kind of service and be sure of perfect work without injury to the dies if they are mounted on U. S. Tool Steel Sub Presses.

RiGID inspection insures exact *initial* alignment. The surplus strength of U. S. Tool *Steel* Sub Presses prevents any distortion and maintains exact alignment of the plunger and steel base under the heaviest production strains.

9 Big Features—

- Surplus strength prevents breaking.
- 2. Ruggedness prevents distor-
- 3. Exact alignment—always.
- 4. Self-lubricating.
- Self-lubricating.
 Extra wide base.

- Larger die space.
 Two styles cover all require-
- ments.
- 8. Price no higher than ordinary
- sub presses.

 9. Quick shipment from large stock.

Send for Complete List of Styles and Prices

U. S. Tool Company, Inc.



MAKERS

From Stock

Die Sets Dowel Pins Springs

(Pressure Pad, Knock-Out, Stripper Plate)

Stripper Bolts

(Socket & Fillister Head)

Socket Head Cap and Set Screws

Leader Pins and Bushings Machine Clamps

Write for new issue of catalogue, a valuable book, no obligation.

DANLY MACHINE SPECIALTIES, INC.

2116 So. 52nd Ave., Chicago, Ill.

Detroit, Mich. 1549 Temple Ave. Long Island City, N. Y. 36-12 34th St.

"Straight Line" Machine Vises



Swivels 180° Either in a Horizontal or Vertical Plane. STRONG - DURABLE - ACCURATE Made in Four Sixes

Ordered repeatedly by leading machine tool users for accurate heavy duty milling. Interchangeable parts.

Adjustable Dial Index Center



With work dogged between centers, and latch pin in, the dial can be turned to bring work in position where wanted as to relation with machine cutter or emery wheel, then bound to start indexing from such setting. Regular dial is drilled for three and four stations. Can be used for re-cutting or grinding flutes in taps and reamers or teeth in cutters.

Also Manufacturers Of

Double end horizontal drills, milling machines and attachments, dividing heads, index centers, single and multiple spindle, hand screw machines, cutter grinders, screw slotters, hand lathes, collet chucks, oval chucks, rotary tables, hex-square milling fixtures.

WRITE FOR CATALOG

JOHN B. STEVENS INC.

25 Cleveland Place,

NEW YORK CITY

SHELDON MACHINE VISES



The swivel vise is the plain vise with the addition of a circular base, graduated in degrees. It can be removed from the circular base and used as a plain vise if desired.

Specifications and Prices

	Width Jaws	Depth Jaws	Jaws Open	Plain Vise		Swivel Vise	
No.				Weight	Price	Weight	Price
3 4 6 8	31/4 41/2 61/3	136° 136° 236° 236°	21/4 31/4 41/4 61/2	15 lbs. 30 lbs. 70 lbs. 160 lbs.	\$16.00 \$20.00 \$30,00 \$45.00	25 lbs. 45 lbs. 90 lbs. 225 lbs.	\$20.00 \$24.00 \$40.00 \$60.00

SHELDON DRILL PRESS VISE



SHELDON MACHINE CO. 3251 Cottage Grove Ave., CHICAGO, ILLINOIS

\$24.00

"Champion" Emery Wheel Dresser

Outlasts a Dozen Cheaper Dressers



The cutters are made of a special steel, heat-treated and tempered by a special process.

The sleeve, furnished with each set of cutters, revolves on the spindle and the cutters in turn revolve on it, providing a more perfect bearing for the cutter wheels.

The patented *spindle bearing*, which is made of steel and thoroughly hardened, serves as a bearing for spindle and a guide for cutting wheels, and it cannot turn in the handle; makes wobbling impossible.

The patented *handle* is heavy and strong, designed for long service, efficiency and economy.

The patented *handle cap* eliminates the old-fashioned set screw and serves as an upper-clamp for spindle bearing. Further, there are no moving parts. On account of absence of wear, the life of handle and handle cap is indefinite.

Our Catalog also describes

Champion Tool Holders, Champion Expanding Mandrels, Machinists' Vises and Clamps, etc., and our large line of practical, hard-to-beat Shop Furniture. Copy upon request.

The Western Tool & Mfg. Co. SPRINGFIELD, OHIO



GRINDER PUMP



VOLUME PUMPS



MOTOR DRIVEN UNITS % to 5 H. P. 5 to 75 G. P. M.

SFULFLO delivers coolant in volumes which promotes efficiency in cutting tools.

The full, copious flow from the Fulfio is needed to make the best tool, with the best coolant, most effective.

FULFLO does not clog, therefore it always

works. It's the trouble proof pump.

No machines stopped to unclog pump. All the chips you can get into it pass through without harm.

FULFLO has longest life because its only pumping part does not wear.

MANUFACTURED BY

FULFLO SPECIALTIES CO.,

BLANCHESTER, OHIO

Leading Machine Tool Manufacturers



Are Using

"Gusher Pumps"

There Must Be A Reason

Model T-L-O

Write for complete Catalog of "Gushers," with facilities from 12 to 75 gallons per minute, belt or motor drive

The Ruthman Machinery Co. 528-534 E. Front St., CINCINNATI, OHIO

Universal Die Sinking and Engraving Machines

designed to save time and money on the production of light and heavy dies, molds, stamps and general engraved work—

in brass, steel or cast iron. Built by a firm having over thirty years of experience, having equipped many prominent work-shops.

Catalog sent on request

George Gorton Machine Co. Racine, Wisconsin



SHAPERS

12°, 14°, 16° Plain Crank. 16°, 20°, 25° B. G. Crank, either Cone Driven or through Speed Box.

Belt Shifter Regular Equipment All Cone Driven Shapers.

32° Back Geared Crank, Single Pulley Drive.



The Smith & Mills Co., Cincinnati, O., U.S.A.

DO YOU KNOW

about this NEW C. & J. LATHE?



LET US SHOW how it meets MODERN needs

Carroll & Jamieson Machine Tool Co. Batavia, Ohio

The NEW HAMILTON



are unsurpassed for strength and accuracy. Most convenient heavy duty quick change gear lather for production and tool room use. Single and double back gear with cone drive. Geared head with belt and motor drive.

Sizes 16'-18'-20'-22' and 24'
Send for new catalogue bulletin

The Hamilton Tool Co., Hamilton, Ohio

X





ALL TYPES: Spurs, Internals, Bevels, Mitres, Helicals, Spirals, Worms, Worm Gears, Sprockets, Ratchets. ANY MATERIAL: Steel, Cast Iron, Brass, Bronze, Aluminum, Fibre, Bakelite, Rawhide.

Made in Small and Medium Sizes, all of One Quality—the very best. We also carry a full line of Stock Gears for immediate delivery. Write us.

MASSACHUSETTS GEAR & TOOL CO. 36 Nashua St., Woburn, Mass.

HARDINGE

SUPREME SERVICE



The Cataract Line

of Lathes embodies the highest standards of Quality and Workmanship. Catalog on request.

Hardinge Brothers Inc.

Universal Joints

In Steel and Bronze



Send for Special Circular giving specifications and prices on complete line

BOSTON GEARS

BOSTON GEAR WORKS SALES CO. Norfolk Downs, Mass.

BOSTON NEW YORK PHILADELPHIA CLEVELAND CHICAGO

Sensitiveness and Precision

are the leading characteristics of

The A. M. Sensitive Drilling Machine

A self-contained, mobile bench unit of vertical type that can be used for a variety of operations coming within its capacity. Its prime purpose is drilling from .010° to sizes that can be handled on the ordinary drill press. Also adaptable for reasing, chambring, chambring, dramakeening and some clauses of end milling. Economies effected by its use seldom fall under 25% and often production is doubled. Three sizes, unconditionally and permanently guaranteed against any defect.

Write for Booklet "C"



ADOLPH MUEHLMATT
434-436 Elm St., Cincinnati, Ohio

NEW ROGERS

Segment Grinding Wheel



14^t Rogers Chuck

CHUCK

To facilitate faster grinding we announce a new grinding wheel chuck. The outstanding feature is the simplicity of construction, the chuck being so constructed that it can be used on face or surface grinders of any make. Adjustments for changing segments are very simple.

The chuck is now made in 3 sizes, 12°, 14°, and 18°.

We also make a complete line of light face and knife grinders up to 13' capacity.

SAMUEL C. ROGERS & CO. 211 Dutton Ave., Buffalo, N. Y.



Die Making Machines

save an average of 50%

Dies, templets, experimental parts, gages and the like can be sawed, filed and lapped on the Oliver of Adrian Die Making Machine much easier, more accurately and in a fraction of the time ordinarily required for handwork.

We also manufacture a line of

Point Thinners.

Drillpointers.

Cutter Grinders



Send

for

Bulletins

Oliver Instrument Company, ADRIAN, MICH.

GEARS All Kinds—Small



The most accurate made and prices reasonable. We carry a complete line of gears in stock for immediate shipment. Can also quote on special gears of all kinds. Send us your inquiries.

Write for Catalogue No. 70

CHICAGO STOCK GEAR WORKS
105 South Jefferson Street, Chicago, Ill.

MIKRON



SMALL PRECISION

Gear Hobbers Gear Cutters Pinion Hobbers Thread Millers Hob Grinders

Catalogs On Request

Triplex Machine Tool Corp.

50 Church St., New York City

-PEERLESS-UNIVERSAL SHAPING SAW



Different Principles Greater Efficiency

Give The Most Of—

Accuracy Blade Economy

6*x6*--9*x9*--13*x13* PEERLESS

HIGH SPEED HACK-SAWS 6"x6" 9"x9" 13"x16" Sturdy--Efficient--Reliable

Peerless Machine Co. 1218 Sixteenth St. Racine, Wisconsin Write for Details



For Any Cutting Job

You can handle all small cutting jobs in wood and metal to advantage with the Racine Duplex Band Saw.

This is essentially a quality tool. It is accurate to a fine degree and so sturdily built it will last for years.

Write for literature that outlines the work you can do with the Duplex Band Saw.

Racine Tool & Machine Co.
1429 Junction Ave., Racine, Wisconsin

RAGINE

METAL CUTTING MACHINES

Machine Steel Discs From Stock or Cut to Order!



Phone, wire or write, and your order will be

your order will be Shipped

Promptly
We can supply any size

Machine Steel Discs from 1" to 12" in diameter, one inch and wider and in any quantity from one to a thousand or more. This new service will save you time and money.

Writing us for quotations places you under no obligation

PASSMAN BROS., 707 Washington Blvd., Chicago Telephones: Monroe 6960—6961

"Saved Its Cost the First Month'



That was the interesting—and profitable—experience of one of the users of the

"CANTON" Portable Crane, Hoist and Truck

"The Portable Floor Crane has proven the best investment we ever made. We believe we saved its cost the first month we used it. Our big saving has been in the handling of our heavy die blocks in our machine shop, as one of our helpers can now with ease do the work of 6 to 8 men."

Write for Interesting Booklet showing the several sizes

CANTON FOUNDRY & MACHINE CO., Canton, Ohio

New York Office: 101 West 31st Street

E-Z THREAD DIAL

Thread cutting on engine lathes made easy, and at ower cost. Made in four sizes. Can be easily attached to all size lathes. A reliable device that will aid the operator in the work of cutting threads. With it threads can be cut close up to shoulders as easily as the ordinary thread.



Eliminates stopping or reversing the lathe.

The many repeat orders received prove it is satisfactory after trial.

Can be shipped within two days after receipt of order.

Sent on thirty days' trial. Send for latest folder today.

JAMES M. COLVEN, 20 Wolffe Street, Yonkers, N. Y.

Accuracy—Speed—Efficiency "HOPKINS" 3-Jaw Chuck



"HOPKINS" original design, selected materials and the Dust-Proof feature guarantee continuous production at lowest costs.

Greater gripping power, lessened vibration and increased centering precision are guaranteed in each "HOPKINS" Chuck.

"HOPKINS" Two and Three Jaw Chucks are made in the following diameters: 8", 10", 12" and 14"—all carried in stock.

Write for Bulletin-No. 3-28

TOMKINS-JOHNSON CO.

600-610 Mechanic St.,

Jackson, Mich.





Armstrong Tools



Tool Holders

Over 100 shapes and sizes for every operation on Lathe, Planer, Shaper, Slotter, etc.—the only complete line. Better have our Tool Holder Catalog.

Ratchet Drills

For all purposes—"Packer," for rough service; "Standard," for general use; "Weston," extra heavy; "Universal" and "Short Ratchet." Ask for Ratchet Drill Catalog.

Drop Forged Wrenches

All kinds. All sizes. Highest quality. Write for Catalog of Steel Wrenches.

Clamps and Dogs

Drop forged. All shapes and sizes. Highest quality. Alloy steel screws. Separate Catalog.

Armstrong Bros. Tool Co.

"THE TOOL HOLDER PEOPLE"

308 N. Francisco Ave., Chicago

BURKE 10-in. Sensitive Bench Drills

Are considered standard equipment by the majority of the machine tool dealers in the United States.

There must be

No. 1 Belt Driven \$19 No. 1 Belt Driven \$22

No 1 Motor Driven \$42 to \$47

We also build a 12-inch Beach Drill 9-16* Capacity

ills
tandard
majorine tool
United
No. 1

The Burke Machine Tool Co., 297 E. 16th St., Conneaut, Ohio



This clutch was designed to drive wood, steel or cast iron pulleys, gears, drums, rope sheaves, etc., on the sleeve.



It is lined with burnproof brake lining, which permits it to be operated continuously, and used in dirty and dusty places.

Edgemont Friction Clutches are made for all purposes. Our engineering department will gladly advise you on the proper clutch installation.

Write for Catalog

Correspondence invited

Edgemont Machine Co., Inc., DAYTON, OHIO

The Carroll Friction Clutch



CARROLL clutches operate in a perfect manner on all machinery moved by wheels, without loss of power, with no end thrust on the shaft, run without noise, and very little wear. They do away with all shifting of belts on tight and loose pulleys. They are simple in construction, readily understood and easy to adjust.

Write for prices and dimensions for your particular needs

L. W. Carroll Manufacturing Co. 2046 Ross Ave., Norwood, Cincinnati, Ohio



Tool Post or Center Grinder

Without Horizontal Feed

Also made with Horizontal Feed

Especially adapted for grinding Lathe Centers, Cutters, Reamers, Dies, Rolls and various kinds of work on Lathe, Milling Machine, Shaper or Planer.

Bearings are made of Phosphor Bronze, and they are split taper adjustable to wear and dust proof.

Angle Plate Grinders, Electric Drills, Grinding, Polishing and Buffing Machines in various types and sizes.

Established 1912

Write for Late Catalog

THE STANDARD ELECTRICAL TOOL CO.
1938 W. 8th St., Cincinnati, Ohio

Put Your Idle Motor to Work, with Mall Attachable Shafts

Your Motor-16-1/3 horse power Plus Mall Attachments Plus Green Rubber Shaft No. 2220 Equals a Handy Outfit.



In addition to this shaft we also manufacture the well knowm RED RUB-BER covered flexible shafts, over 100 different machines to fill every flexible shaft need, and a complete line of working tools and attachments.

Write for Catalog

Mall Tool Company 7740 So. Chicago Ave., CHICAGO, ILL.

Makers of the Largest Assortment of Flexible Shaft Machines and Attachments.

Mall
Attachable Shafts

\$3500 (Gren Rubber
Covered)

Add 5% Danage and West

SIEWEK RAPID DRILL JIGS

SIMPLE - QUICK ACTING - TIME SAVING



Illustration shows Type A tooled up. All types can be furnished either tooled up or not, as you prefer. Ideal for making right or left hand parts in same jig, or drilling several parts in one jig. The Cashion Clamp conserves human energy and reduces loading time, thereby increasing production. Has plenty of load, chip and lubricating clearance. Close ranges of sizes and models. You can reduce operating costs to a minimum with Siewek Rapid Drill Jigs.

Write for Catalog illustrating the various styles and sizes

SIEWEK TOOL & DIE COMPANY

10234 Woodward Ave.,

Detroit, Mich.

Safety — Speed — Strength



(PATENT PENDING)

GREENE QUICKACTING VISE

No. 3-3'

No. 4-4' \$10.00

No. 6-6' \$20.00 Instant adjustment—positive grip obtained by use of Special Screw and Open Nut, the threads of which are oppositely undercut—no sticking—no binding—no stripping of threads. Unbreakable steel back bone for slide. Portable—suitable for bench or machine.

Write for our Special Introductory Offer

Central Distributing Co.


946 Harper Ave.,

Detroit, Mich.

Mail Orders Solicited-Agents Wanted

75

Lourie Hydraulic High Speed and Heavy Duty Presses



For Every Purpose

Submit Us Your Inquiry

Lourie Mfg. Co. 565 W. Washington Blvd., CHICAGO, ILL.

Let the HANDNIB, A Combined Shear and Nibbler, WORK FOR YOU.

Save Time! - Save Money!

BE SATISFIED!

We want you to get this "Handnib" and prove to yourself its time and money saving ability. This New, Scientifically designed nibbler does accomplish wonders. You can cut your template and gauge making costs more than one-half.

SEND IN YOUR ORDER NOW! We assume all responsibility and guarantee you complete satisfaction.

Write for full information

National Machine Tool Co. 1536B Clark St., Racine, Wisconsin Special Blades for Special Jobs







Cuts


any shape anywhere!

. .



The Whirlwind Buffer and Grinder

Will cut the cost on any unhandy grinding or polishing job




Send for our latest bulletin

Stow Flexible Shaft Co., 3454 Ludlow St., Philadelphia, Pa.

The Best Since 1876

"SAUNDERS" New No. 1 Improved Pipe Threading and Cutting Machine



A new, ruggedly built machine for use in those plants where a PORTABLE machine on the job, or one for PER-MANENT installation for all round pipe shop use is required.

Has I h. p. constant speed motor, reversing switch; one adjustable expanding dichead with interchangeable chasers for threading pipe from \(\frac{4}{3}\) to 2\(\frac{9}{3}\) inclusive; rotary oil pump lubrication; reaming and cutting off attachment, and is adaptable for the threading of boits and use of solid dies.

We also make other machines to meet all conditions for threading from \(^1\)\delta\" to 18\" inclusive.

Complete Catalog Sent Upon Request

D. Saunders' Sons, Inc. 31 Atherton Street, Yonkers, N. Y.

FEDERAL Bench Gauge Model 35

Table can be operated by foot, leaving both hands of operator free. Can also be used as a comparator for gauging long stock by swinging table to one side. Table is 3° in dia., base is 4° square. Post 12° in height unless otherwise specified. Equipped with the famous FEDERAL Model 60 Dial Indicator.

Write for Complete Catalog of the FEDERAL Line



Federal Products Corporation PROVIDENCE, R. I.

Western Branch: 7338 Woodward Ave., Detroit, Mich.

T.H.L. Front Lever Bench Punch

Malleable iron body; working parts hardened. Steel shaft and plunger. Die cannot lose alignment with punch. All parts interchangeable. Built for hardest, toughest work.

PRICE \$40

Extra Punches, 20 cents each; extra dies, 30 cents.

Capacity 13/32* thru 1/4* steel, 11/32* thru 5 16*. Punches up to 1/2*. Weight, 70 lbs-

A good buy; can ship promptly

T. H. LEWTHWAITE MACHINE CO.

(Est. 1890) 311 E. 47th St., NEW YORK



The Spirit Of the Times



is reflected in the speed and stamina of Rockford High Duty Punch Presses.

They are built to produce and maintain Hi-Production—and they do it.

Wide range of sizes and types.

Write today for new catalog

Rockford Iron Works
Rockford, III.



VICTORY POLISHER

Timken or Ball-Bearing

\$75

For Single Tight Pulley Machine

\$95.00 For Tight and Loose Pulley Machine

America's Greatest Value Spindle 1¼ between flanges and 50 overall



Send for Catalog H

Abolish Expensive Hand Finishing

with a



Simplex-M Abrasive Band Grinder

This Grinder accelerates production and cuts costs. Hand emerying or filing operations are antiquated in comparison. The use of this new modern machine assures straight grain finishes with sharp edges. Details of this and other styles and sizes on request.

WALLS SALES CORP., 96 Warren Street NEW YORK

Bending Rolls

Bends angles, tees, beams, channels, squares, rounds, flats, pipes, and tubing — without heating.

Write for Bulletin

Buffalo Forge Co.

161 Mortimer St. Buffalo, N. Y.

In Canada: Canadian Blower and Forge Co., Ltd. Kitchener, Ont.





Let Your Losses Stop With the Broken Tap

Don't halt production and pay skilled mechanics to dig it out, often injuring the work.

A Handy Walton Tap Extractor

Will forestall these unnecessary losses. Insert its flutes into the broken tap, twist the end—an apprentice can do it in a jiffy—and the tap backs out without injury to the threads.

Made in three and four-flute styles.

Let us send it to you for a sixty-day trial

The Walton Company 302 Pearl St., Hartford, Conn.

Perpetually Sharp Tools



This ideal is most nearly realized with the improved

Thompson Universal Grinder

Has no equal for all plain, surface, edge, die, cutter and internal grinding. All Thompsons are now equipped with the new auxiliary coarse cross feed for surface grinding. Capacity 12*x36*.

Let us send you the Illustrated Booklet today!

The Thompson Grinder Company 1534 West Main St., :-: Springfield, Ohlo

Hartford Milling Vise

Speed-Power-Convenience



Jaw width	5*
Jaw depth	14"
Maximum	opening3½*
Weight	40 lbs.

Also made in the swiveljaw type with hard or soft jaws, maximum opening

In point of service the Hartford is unusual, Its specialized design includes a lower cam-faced handle that insures speedy opening and return, and a top eccentric lever handle that gives tremendous binding power. The steel parts are drop forged, hardened and ground—base is made of special fron. The Hartford will stand up under every demand that may be made upon it.

Our catalog gives details and describes its many uses

We also Build Machinery on a Contract Basis and Design and Develop Special Automatic Machinery—Gears Cut to Order.

Hartford Special Machinery Co., 285 Homestead Ave., HARTFORD, CONN.

Fall River Screw Press



Here is a new screw press which is large enough and strong enough to take care of every job that comes into the average shop. It is built of high grade steel throughout, with special attention given to those parts subject to the hardest strain. 42 inches wide and table is 8 inches. Capable of exerting over 65 tons pressure.

Write for further information

Fall River Grinding & Machine Co. JESSE ST., FALL RIVER, MASS.



Atlas Arbor Presses For All Forcing Operations

Illustration shows our No. 55 Power Drive Press, which is adaptable for fast production work and capable of supplying ten tons pressure.

Write for our Bulletinshowing 30 different sizes

Atlas Press Co.

Department B, Kalamazoo, Michigan

"D&W" Flat & Magnetic Chucks





Our Extensive Line covers a wide range. They save time and cut costs holding iron and steel pieces. Glad to investigate and report on any problem you may have in connection with the use of Flat and Rotary Magnetic Chucks. Address

J. & H. Electric Co. 159 Clifford St., Providence, R. I.

WODACK General TOOL



DRILLS GRINDS BUFFS POLISHES

Substantial-Dependable-Low Priced

New "keyless" Handlocking Chuck provides firm gripping of drill-bit—no possibility of slipping. No key to lose or misplace. Timken roller bearing and ball bearing on spindle insures wear-resistance. Drills from the smallest to and including %" in metal; ½" in wood. Quick-change table to hold drill vertically or horizontally can be supplied. G-E motor 110-220 d. c. or a. c.

Send for Bulletin 100

Wodack Electric Tool Corp.

Also Makers of Portable Electric Hand Saws, Grinders, Mortisers, Routers

Fulton STEEL BODY Universal

Scroll



Chucks

AT THE PRICE OF A CAST IRON CHUCK

A one-piece body of solid cast steel. Impossible to break or split. Unconditionally guaranteed.

Send us your trial order without obligation on your part.

All Sizes Always in Stock

UNITED HARDWARE & TOOL CORP., 50-52 Howard Street, NEW YORK

"PROCUNIER"

SAFETY TAPPING ATTACH-MENT with the "Procunier" Safety Friction and "Double-Jaw" tap holder gives

> GREATER ACCURACY and LESS TAP BREAKAGE

The Procunier Safety Friction Device is very easily adjusted. With it blind holes can be tapped just as easily as through holes, and without danger of breakage.

Catalogue 102-B gives complete details of PROCUNIER Tapping Devices, Quick Change Chucks and Stud Setting Tools

Procunier Safety Chuck Co.

14 So. Clinton St., CHICAGO, ILL.

U. S. Sensitive 14" Floor Drill Driven


A simple, rugged, convenient drill; built by machine tool manufacturers. Drills holes up to ½"-quickly, accurately and economically.

Price with motor, \$115

Or with Counter- \$70

Steel spindle, ground to size, with ball thrust bearing; vertical adjustment to head; tables for long and short work; three speeds, etc. Write for folder, or better still send in your order.

The U.S. Machine Tool Co.





Any Pattern Multiple Drilling

With this attachment on your "hole-at-a-time" spindle you can drill two or more holes, utilizing the same speeds and feeds you use for one. The—

U. S. Multiple Spindle Drill Head

has a patented double adjustment which permits drilling in any pattern. It does the work of a multiple spindle drill press at a fraction of the cost.

> Send as work or a blueprint for cost estimate

The United States Drill Head Co., CINCINNATI, O.

Michigan Agents-National Sales Engineering Corp., Detroit, Mich.

Winterhoff Portable Production Drills

No. 0 JUNIOR DRILL 101/2" Swing, 0 to 3/6" Capacity



Equipped with ¼ h. p. motor, two step cone pulley giving speeds of 1100 and 2300 r. p. m., horizontal drive gives full power to the 1¼ endless belt furnished with machine. Driven cone has bearing support at each end; all parts accurately machined and interchangeable. Positively the greatest value ever offered in a machine of this kind. Furnished with square machined base at same price.


Drills, Grinders, Disc Grinders, Saws, Sanders. All motor driven.

Send for circulars describing these machines or see your Dealer.

Winterhoff Tool & Machine Co.
109 South Elkhart Ave., Elkhart, Ind., U. S. A.

The KELLERFLEX "BK"

"The Machine of 100 Uses"



 $\frac{1}{4} - \frac{1}{3} - \frac{1}{2}$ H. P. Speeds up to 10,500




COMPLETE LINE OF ACCESSORIES

Rotary Files—

Emery Wheels-Sanding Drums-Wire Brushes, Etc.

Keller Mech. Engineering Corp., 58A Washington St., Brooklyn, N.Y.

Combined Automatic Pointing and Threading Machines



For Bolts and Cap Screws Capacity—3/16"x1" to 1"x6"

Write for Full

THE ECONOMY ENGINEERING

Automatic Shaving Machines




Shaves top and underneath head of Cap Screws
Capacity 1/4 "x3/4" to 3/4 "x51/2"

Information

COMPANY, - Willoughby, Ohio

LeBLOND Heavy

Cone Type or Singl



The R. K. LeBlond M Cincinnati

C

Duty MILLERS

gle Pulley Driven



A general massive design, rugged simplicity, tremendous driving power and operative convenience are reflected in increased productive capacity. Rapid power traverse is offered on the plain machines in the larger sizes, an important production-increasing feature. Built in a complete line of sizes, cone type and geared driven, plain and universal, for all milling requirements.

Our service department will gladly assist in an analysis of your milling problems and will submit recommendations and estimated production upon receipt of your blue prints.

chine Tool Company

KRW Hydraulic and Sensitive ARBOR PRESS



K. R. WILSON, 10-14 Lock St., BUFFALO, N.Y., U.S.A.

Rigidity—Power—Economy

Are Combined In This

1-Man 4-Post Screw Press

So powerful is this machine that your tool-maker will require no help in handling any dies.-Its perfect alignment, its delivery of 80 tons pressure, and the simplicity of its operation, enable one man to do more work in less time than two men can do on any other

type of screw press.

Also three smaller sizes



A Surface Grinder

that is a revelation in quiet efficiency. Its rigidity insures accuracy; feeds have graduated dialsruns silently without chatter.

Details and price on request

JARECKI MACHINE AND TOOL CO.

Department A MICHIGAN GRAND RAPIDS.





Style G Style G Style A










TUCKER

Oil Hole Covers





Send for Catalogue No. 12



Style F



W. W. & C. F. TUCKER, INC., 612 Capitol Ave., Hartford, Conn. FOREIGN AGENTS: Fenwick Freres & Co., Paris, France Alfred Herbert, Ltd., Yokohama, Japan

SAVE CUTTING

Tolhurst Chip Wringers reclaim 6 to 15 gallons per load and handle three to four loads per hour. Basket sizes 20" to 48".

TOLHURST MACHINE WORKS, Inc., Troy, N. Y.

For Servicing Machines or Storage





FOR SERVICING.—They keep material beside lathe or screw machine, ready for instant use. Being neatly piled and sorted, operator loses no time in selecting stock. Saves time, steps, and space.

FOR STORAGE—Keeps pipe, shafting and bar stock neatly piled and assorted in smallest space, making it easy to handle and count. May be set against wall for a single-arm tack or out on Boor as double-arm tack.

Re-Orders Prove Usefulneas

One manufacturer recently ordered as follows: May 4, (3); May 17, (3); August 9, (4) and Sept. 12, (8). Another ordered his first three in August and 8 more in September. And so on.

Shipped on Trial if You Wish

Wm. S. Yohe Supply Co. 503 Mahoning Road, N. E., Canton, Ohio

DEPENDABLE

Hollow Bored Forgings-Steel Shafts



A dependable source of supply saves a great deal of worry and often prevents serious mistakes. "American" Hollow Bored Forgings and Steel Shafts for lathe spindles, hydraulic cylinders, rams, clutch shafts, etc., can be depended upon invariably. The quality is unvarying, delivery prompt, and prices are most reasonable.

Send Blueprints for Trial Quotation

American Hollow Boring Co. Erie, Penna.



Industrial Hose Couplings

These bronze couplings swivel freely but NEVER LEAK and can't be put out of commission. Just push together Quick-As-Wink, that's all! Can not become disconnected accidentally. Guaranteed for one year. Made in sizes from 1/8" to 4". Get descriptive bulletin and prices.

C. B. HUNT & SON - - - SALEM. OHIO

High Speed Sensitive Tapping



can be tapped with an Ettco tapper. The Ettco taps blind holes as easily as those which go through-and it eliminates broken taps.

Anything that can be tapped by hand

appers

There is no friction to adjust in the Ettco.

Production increased 100% to 500% on many jobs.

Don't condemn the taps you are using: try an Ettco tapper for ten days without obligation.

No. 1 Ettco Lapper - capacity 1/4-inch. No. 2 Elico Tapper—capacity %-inch. No. 3 Etteo Tapper—capacity %-inch.

Tins."

Eastern Tube & Tool Co., Inc., BROOKLYN, N. Y.

Gem Drill Press Vise

Holds tapered and irregular shaped pieces firmly



Made in three sizes up to 10½ in.

ITS STRENGTH, capacity, adaptability and quickness of setting make it the most efficient vise on the market. Swivel jaw adjusts automatically to odd shaped pieces. Adapted to an unusual variety of drilling and milling operations. A big time saver. Worth more than it costs.

Write for folder, illustrating some of its many uses.

J. E. Martin Tool & Die Works, Springfield, O.



SIGOURNEY No. 0

All Ball Bearing High Speed Sensitive Bench Drill Press

AN UNUSUALLY sensitive drill for accurate work at high speeds. Like all Sigourney Drills, it is sold on quality rather than price. All parts are interchangeable.

Sigourney Drills are made with one to four spindles. They are all extremely sensitive, accurate and durable.

Write for our Booklet today

THE SIGOURNEY TOOL CO., HARTFORD, CONN.

No. 2 ALTO Three Speed Tapping Machine

Saves TIME and TAPS

Sensitive for small tapping and powerful enough to drive taps through % C. R. Steel. Motor driven, 3 speeds—150, 300 and 450 r. p. m. forward, 300, 600 and 900 r. p. m. reverse. Friction clutch, well lubricated, easy shift belt.

We can also furnish smaller high speed tappers.

Write for descriptive folders and low prices.



The Alto Mfg. Co., 1647-51 Wolfram St.

Nicholson Expanding Mandrels




TURNING a solid mandrel up for every job is nearly as bad shop practice these days, as making a solid reamer for every job instead of using an expansion reamer.

Write us about expanding mandrels

W. H. Nicholson & Co.

117 Oregon St., Wilkes-Barre, Pa.

Lobee Pumps



For Circulating Lubricants, Etc. Easy To Attach.

Made For 3/8", 1/2", 1", 11/4" Standard Pipe Connections

Lobee Pump & Machinery Co.

128 Dearborn St.,

BUFFALO, N. Y.





GAIRING

MULTIPLE - OPERATION

CUTTERS

SOLID

AND

INSERTED BLADE

Our business is the planning and production of end cutting tools upon which we have concentrated our thoughts and efforts for many years.

Our Technical dept. devotes its time exclusively to planning and designing tools to suit your requirements.

Send us your Blue Prints or parts to be machined, we will design and suggest tools to produce holes most economically.

No obligation, merely a willingness to be helpful. Tool Catalog and Engineering Reference mailed on request.

THE GAIRING TOOL COMPANY

1635-37 W. Lafayette Blvd.,

DETROIT, MICH.

Representatives In Principal Cities

End Mill Economy



Make Straight Shank End Mills equal to Solid Taper Shank "SCULLY-JONES" CUTTER CHUCKS make this possible; they "CENTER BY THE SHANK" and "DRIVE BY THE SQUARE".

All sizes of CHUCKS and END MILLS in stock. "Try the combination and be convinced."

Write for copy of our Small Tool Catalog No. 36 which completely lists and describes these tools as well as all other "SCULLY-JONES" Production Tools.

Scully-Jones & Company

Tool Division

1901 S. Rockwell St.,

Chicago, Ill.

Twentieth Century Balancing Tool

Always on the level

The most practical, sensitive and inexpensive device manufactured for balancing pulleys, cones, armatures, fly wheels,

armatures, fly wheels, polishing wheels, etc.

> Will set anywhere and is easily portable. In sizes

up to 24,000 pounds capacity.

Ask for the Bulletin

Sundstrand Machine Tool Co.



Towsley Trucks PAY 500%



Glad to tell you how

TOWSLEY TRUCKS

repay their cost every two to three months.

Every style for every need.

Write for facts and figures; you'll never regret it

John T. Towsley Mfg. Co., Cincinnati.

Equip with

BRIDGEBILT

Factory Seating

Adjustable for comfort---steel for long life

Select the chairs and stools for your factory from this line. They will meet your particular needs and stand up under any wear you give them.

Write for prices and illustrated folder



The Chicago Wire Chair Co.

616 No. LaSalle St., Chicago, Ill.

"Utility Tools"

Cut Replacement Costs

This Interchangeable Counterbore and Spot Facer is equipped to serve you better, longer and with greater economy—because of

Four Points of Superiority

- (1) Pilots cannot break or twist off.
- (2) Cutters cannot break and are easily removed.
- (3) Set screws cannot loosen.
- (4) The drive is the utmost in simplicity and power.

If you are interested in tool economy, send for catalog; it will pay you

The J. C. Glenzer Company

6469 Epworth Blvd., Detroit, Mich.

Vanderbeek Universal Joints



represent the practical refinements of 25 years experience in manufacturing Universal Joints. All parts are generous sized, fully protected against dirt, and are practically self-oiling. Exceptionally strong, they transmit full power up to 700.

Vanderbeek Joints are in daily use on thousands of machines.

Write today for our Descriptive Catalog.

American Tool Works, Inc. Hartford, Conn., U. S. A.



Utility, Speed and Finish In Riveting—



UTILITY: no corner is too inaccessible or too awkward for a Grant to place a rivet. Simplicity in manipulation admits its being operated by cheap labor.

SPEED: one rivet per second.

FINISH: rivets are headed to the exact degree of tightness you require, they are perfectly formed, and carry no marks of mutilation.

Tell us your needs—or better still send us samples for riveting.

The Grant Mfg. & Machine Co. C. E. Station, Bridgeport, Com.



"Borgeson Universal Joints"

Are you a user of Universal Joints? If so!

Remember well and bear in mind that a good Universal Joint is hard to find. But if you want one tried and true, you will want the "Borgeson" before you are through.

You will become not only a "Buyer" but a "Booster" for "Borgeson."

SIZES: 3/6, 1/2, 5/6, 3/4, 7/6, 1, 11/6, 11/4, 11/2, 13/4, 2, 21/2, 23/6.

Should you require Special Universal Joints, be sure to write for quotation.

Complete description gladly furnished upon request

The Borgeson Mfg. Co., Inc.



The Acme of Convenience



Made in Three sizes Each a real Time saver

Wherever straightening is needed, the Springfield gives satisfaction. Whether in shop, tool room, or garage. It can be operated with such accuracy and speed that usern have named it the acme of consenience.

Placed near lathe or bench, for example, a tool maker can straighten any length of rough or unfinished work without leaving his post.

A Springfield quality product! Let us send a catalog

The Springfield Machine Tool Company 633 West Southern Avenue. SPRINGFIELD, OHIO

We also manufacture Engine Lathes and Shapers

Balancing Ways

Anderson Improved are Always Ready



Made in six sizes for balancing anything that turns on a shaft, up to 24,000 lbs.—pulleys, gin brushes, turbine rotars, crank shafts, polishing wheels, fly wheels, etc.; also for testing straightness of shafts, crank shafts, etc. No centers required; no leveling. Always ready and accurate; very sensitive.

"Swing"	20"	40*	60°	72*	96"	72*
Greatest distance bet, standards Capacity in lbs.	20° 1000	30° 2000	30° 2000	66° 5000	88* 10000	20 ¹ 24000
Approx. shipping weight	45 Bend	90 Bid	150 Bis	350 Bib	650 Bes	

Any of above can be furnished with longer shafts

Anderson Bros. Mfg. Co.

1915 Kishwaukee St., Rockford, Ill.



ETCHED METAL NAME PLATES



THE SCHWERDTLE STAMP CO. BRIDGEPORT, CONN.

Brighten Up that Corner



Or Any Dark Spot with an

AUTEX Extention Reel

Good workmanship depends greatly upon good light. Banish gloom—insure accuracy—eliminate eye-strain and fatigue by using AUTEX in your plant. Goes anywhere you want or need it, repays its small cost many times over during the course of a year. The dark months are ahead—ORDER NOW!

Approved by the Underwriters

Equipped with Rubber Covered Cord

Write for descriptive circular

The Cincinnati Specialty Mfg. Co., Inc. 1903 Powers St., Cincinnati, Ohio

Used In

The

Drill Press

This keyseater needs no other accessories. It is complete within itself.

Catalog O is yours

National Machine Tool Co.

2268 Spring Grove Ave. .

Cincinnati, O.



Keyseats Shafting In Place

Anywhere, in any position



The BURR Portable Keyseater

Cuts accurate Keyways up to 12* long anywhere, in any position, in shafts up to 5* diameter.

XI

DON'T WAIT until you need it, when you would gladly pay 10 times its cost to have one—ORDER NOW.

Over 10,000 in use. Will you be the next to play safe?

JOHN T. BURR & SON

422 Kent Ave., Brooklyn, N. Y.

Steel Spacing Washers-

Made of a good grade of Cold Rolled Strip Steel, also known as Shim Steel



Stock sizes for arbors of following diameters: 3/4.

Stock thicknesses: .002, .003, .004, .005, .006, .007, .008, .010, .012, .015, .020, .025, .032, .047, .063, .093 and .125 inch.

Other thicknesses up to 3.000" made to order, with keyways if so ordered.

Ask us to send samples; you'll like them

Detroit Stamping Company 3443 West Fort St.,

Detroit, Mich.

LINLEY Equipment for Rotary Rivet Spinning Machines



Roll Holders Roll Holder Screws Riveting Rolls Burnishing Tools

Burnishing Tool Holders Anvils Hammers or Piens Used Rolls Refinished

In producing and marketing LINLEY EQUIPMENT for RIVET SPINNING MACHINES, the main idea we had was to produce equipment of superior quality.

Our experience in this line enables us to offer you tools hat are made of the correct materials, properly heat treated and machined to close limits where accuracy is necessary. They will give you longer service and at a saving in every case.

Send for Descriptive Folder

Linley Brothers Company 579 Fairfield Ave., Bridgeport, Conn.

on & Ce ., W. H., Wilkes-Barre, Pa.

Angle Plates sman Bros., 707 W. Washington, Chicago

Auto-Gages For Dies Danly Machine Specialties, Inc., 4913 Lincoln Ave., Chicago

Automatics New Britain Machine Co., New Britain, Conn.

Balancing Ways
Anderson Bros. Mfg. Co., Rackford, III.
Sundstrand Machine Tool Co., Reckford, III.

Balls, Bearing and Burnishing Abbott Ball Co., Hartford, Conn.

Band Saw Machines, for Metal Armstrong-Blum Mrg. Co., 341 N. Francisco Av., Chicago Portar-Cable Machine Co., Racine, N. Y. Bacine Tool & Machine Co., Racine, Wis.

Barrels, Tumbling
Abbott Ball Co., Hartford, Conn.
Scully-Jones & Co., 1901 Bo. Bockwell St.,
Chicago

Bearings, Ball Norma-Hoffman Bearings Corp., Stamford, Conn.

Bearings, Roller Norma-Hoffman Bearings Corp., Stamford,

Bearings, Thrust Norma-Hoffman Bearings Corp., Stamford,

Beach Legs, Steel New Britain Mche. Co., New Britain, Conn. Pollard Bros. Mfg. Co., 4038 N. Tripo Ave., Chicago

Bending Machines, Hand and Power Armstrong-Blum Mig. Co., 341 N. Francisco Ave., Chicage Hendley & Whittomere Co., Bejoit, Wis Lawthwaite Mche. Co., T. H. 417E. 31st., N.Y. Lourie Mig. Co., 565 Washington, Chicago Fadrick Tool & Machine Co., Philadelphu

Bending Rolls Bendley & Whittemore Co., Beloit, Wis.

Bolt and Nut Machinery Economy Engineering Co., Willought Foote-Burt Co., Cleveland, O. Gaterman Mfg. Co., Manitowee, Wis.

Bolt and Nut Threading Attachments unders' Sons, D., Inc., Yonkers, N. Y.

Bolt Threading Dicheads aunders' Sons, D., Inc., Yonkers, N. Y. Boring Bars Pedrick Tool & Machine Co., Philadelphia

Boring Bars, Cylinder Pedrick Tool & Machine Co., Philadelphia Boring, Drilling & Milling Machines

Boring and Drilling Mches., Vertical Baker Brothers, Inc., Boring and Turning Machines, Vertical

Boring Machines, Horizontal vey Drilling Machine Co., Cincinnati imbert Mche. & Engine'g Co., Clevaland, O., drick Tool & Machine Co., Philadelphia **Boring Tools**

Rickert-Shafer Co., Erle, Pa.

Brands, Burning Schwerdtle Stamp Co., Bridgeport, Cons.

Bulldsners, Hydraulic Lourie Mfr. Co., 565 Washington, Chicago

Burnishing Equipment, Ball

Bushing Finishing Machines, conomy E gineering Co., Willoughby, O. Casters, Truck

Honoor Caster & Mfg. Co., Elkhart, Ind.,

Centering Machines neistrand Machine Tool Co., Rockford, Ill.

Chucking Machines Chucking Machines New Britain Mche, Co., New Britain, Conn. Springfield Machine Tool Co., Springfield, O. Stevens Inc., John B., 27 Cleveland Place, New York

Chucks, Automatic and Quick Change Gaterman Mrg. Co., Manitowoc, Wis. Procunier Safety Chuck Co., 18 S. Clinton St., Chicago

Chucks, Cellet Hardings Brothers, Inc., 1770 Serteau Ave., Chicago Procunier Safety Chuck Co., 18 S. Clinton St., Chicago

Chucks, Drill
Eastern Tube & Tool Co., Inc., 580 Johnson
Ave., Brooklyn, N. Y
Hartford Special Mchy, Co., Hartford, Conn
Scully-Jones & Co., 1901 So. Rockwell St.
Chrag

Chucks, Drill and Tap
Procunier Safety Chuck Co., 18 S. Clinton
St., Chicage
Scully-Jones & Co., 1901 So. Rockwell St.,
Lairage

Chucks, Keyway Cutting Scully-Jones & Co., Ry. Exch. Bldg., Chicago

Chucks, Lathe. Stevens Inc., John B , 27 Cleveland Place, Tomkins-Johnson Co., Jackson, Mich. United Hardware & Tool Corp., 50 Howard St., New York

Chucks, Magnetic Chucks, Segment Wheel Rogers & Co., Samuel C., Buffalo, N. Y.

Clamps, Die Clamps, Die Danly Machine Specialties, Inc., 4913 Lincoln Ave., Chicago

Clutches, Friction
Carroll Mfg. Co., L. W., Butavia, Ohio
Conway Clutch Co., Cincinnati, O.,
Mdgemont Machine Co., Dayton, O.
Foote Bros. Gear & Machine Co., 213 Curtin

Cold Saws Burke Machine Tool Co., Connegut, Ohio Collets Hardingo Brothers, Inc., 1770 Sartesu Ave., Chicago

Comparators
Federal Products Corp. Providence, R. I. Contract Work Wanted Burke Machine Tool Co., Conneaut, O.

Core Drills siring Tool Co., Detroit, Mich.

Gairing Tool Co., Detroit, mice.

Gairing Tool Co., Detroit, mice.

Gairing Tool Co., Detroit, Mich.

Glenner Co., J. C., Detroit, Mich.

Couplings, Flexible

Foots Bros., Gear & Machine Co., 213 Certis

Foots Bros., Gear & Machine Co., 213 Certis

Total Co., Detroit, Blenner, Brosse, Edit, Chicago W. H., Wilkes-Barre, Fu.

Nicholson Co., W. H., Wilkes-Barre, Fa.
Cosplings, Friction Clutch
Cosplings, Shaft
Cosplings, Shaft
Nicholson Co., W. H., Wilkes-Barre, Pa.
Cranes, Portable
Ganedr-Otto Mfg. Co., Chinage Heighta, Ill.
Canten Foundry & Micho. Co. Conton, Oble

Crank Pin Turning Machine

Cutters, Keyseating Davis Keysester Co., Bochaster, N. Y. Scully-Jones & Co., 1901 So. Bockwell St., Chicago Cutters, Keyseating

Cutters, Milling Genesee Mfg. Co., Rochester, N. Y. Cylinder Boring Machines, Portable

rick Tool & Machine Co., Phil Demagnetizers J. & H. Electric Co., Providence, B. I.

Dial Indicators Federal Products Corp., Providence, B. I.

Die Making Machines Oliver Instrument Co., Adrian, Mich.

Dies, Automatic Self-Opening Rickert-Shafer Co., Erie, Pa. Die Sets

Danly Machine Specialties, Inc., 4913 Line U. S. Teol Co., Inc., Ampere, N. J. Die Sinking and Engraving Machines

Gorton Machine Co., Geo., Racine, Wis, Keller Mech. Eng. Corp., 58A Washington St., Brooklyn, N. Y. Discs, Machine Steel

Dividing Heads Stevens Inc., John B., 27 Cleveland Place New York

Drill Jigs Siewek Tool & Die Co., Detroit, Mich.

Drill Racks Pecriesa Machine Co., Racine, Wis.

Drilling Heads, Multiple
National Automatic Tool Co., Rickmond, Ind.
United States Drill Head Co., Cincinnati

Drilling Machines, Automatic Baker Brothers, Inc., Toledo, Ohio, National Automatic Tool Co., Richmond, Ind.

National Automatic Yook vo., resemble Drilling Machines, Bench.
Aver Brilling Machine Go., Clinclonath Builden Fourse Co., Builden Concept. On the Co., Policy Concept. Ohio Concept. Ohio Concept. Ohio Resemble Concept. Ohio Resemble Concept. Ohio Resemble Concept. Ohio Resemble Concept. Ohio Con

Taylor & Fenn Co., Hartford, Conn. Winterhoff Tool & Machine Co., Ekkart, Ind.

Winterbut Tool Co., Cakley, Cincinnati, Ohio

Drilling Machines, Gang Baker Brothers, Inc., Toledo, Ohlo, Cincinnati Bickford Tool Co., Oakley, Cincinnati, Ohio

Drilling Machines, Horizontal National Automatic Tool Co., Richmond, Ind., Stevens and., John B., 27 Cleveland Place, New York

Drilling Machines, Multiple Spindle
Avey Drilling Machine Co., Cincinnati
Baker Brothers, Inc., Toledo, Ohio.
Cincinnati Bickford Tool Co., Oakley,
Cincinnati, Ohio Foots-Burt Co., Cleveland, Clincinnati, Ohio National Automatic Tool Co., Richmend, Ind., Sigourney Tool Co., Hartford, Conn. Taylor & Fenn Co., Hartford, Conn.

Drilling Machines, Portable Electric ncinnati Electrical Tool Co., Cincinnati, O. sey-Wolf Machine Co., Cincinnati, O. all Tool Co., 7780 S. Chicago Ave., Chicago Standard Electrical Tool Co., Cincinnati, 'O., Stow Flaxible Shaft Co., Philadelphia, Pa., Strand Co., N.A., 5001 N. Lincoln St., Chige Winterhoff Tool & Machine Co., Elikhart, Ind., Wodack Electric Tool Corp., 4629 W. Huron St., Chicaro. St., Chicago.

Drilling Machines, Post Canedy-Otto Mfg. Co., Chirago Heights, III, Hammond Mfg. Co., Cleveland, Obio.

Drilling Machines, Radial Drilling machines, Radial American Tool Works Co., Clincinnati, O. Canedy-Otto Mfg. Co., Chicago Heights, Ill. Cincinnati Bickford Tool Co., Uskley Cincinnati, Ohio

Dreses Machine Tool Co., Cincinnati, O. Hammond Mfg Co., Cleveland, Oblo. Taylor & Fenn Co., Hartford, Conn.

Drilling Machines, Sensitive Drilling Machines, Sensitive
Aver Drilling Machines, Cincinnati
Baker Brothers, Inc., Toledo, Ohlo,
Buffalo Forger Go., Buffalo, N., Sur., Ohlo
Ganedy-Otto Mrg. Co., Chicase Heights, Ill.
Foote-Burt Co., Chicase Heights, Ill.
Foote-Burt Co., Chicase Heights, Ill.
Called Gifferd Co., Worcester, Machinett, Adobb, Cincinnatt, G.,
Sigourasy Tool Co., Hartford, Coon., Ave.,
Stocker Co., Chan., 3633 M. General Chicase
Ave.,

Taylor & Fenn Co., Hartford, Conn. U. S. Machine Tool Co., Cincinnati, O. Drilling Machines, Vertical

Drilling Machines, Vertical
Avey Drilling Machine Cs., Cincinnatt
Ruffalo Forga Co., Buffalo, N. Y.
Clacinnatt Bickford Teo Clacinnatt, Ohio
Feota-Burt Ce., Circeland Cincinnatt, Ohio
Leiand Cufford Cs., Werestee Werend, Ohio
National Automatic Teol Co., Elechandt, Ohio
National Automatic Teol Co., Elechandt, Ohio
Conterlein Machine Co., Cincinnatt, Ohio
Standard Electrical Teol Co., Cincinnatt, Ohio
Cheene Co., Chan, 2852 N. Greenview Ave., Others of Cheene

Taylor & Fenn Co., Hartford, Conn. Drills, Twist Cleveland Twist Drill Co., Cleveland, Ohio.

Emery Stands Carroll Mfg. Co., L. W., Batavia, Ohio **Emery Wheel Dressers and Cutters**

Taylor & Fenn Co., Hartford, Conn. Western Tool & Mfg. Co., Springfield, O. Engravers, Mechanical and Hand rdtle Stamp Co.,

Etching Machines, Electric Brewster Co., Wm., Inc., 50 Church St. Luma Electric Equipment Co., Toledo, Ohio,

Feeders, Oil and Soda Water New Britain Machine Co., New Britain, Conn.

Filing Machines liver Instrument Co., Adrian, Mich.

Simonds Saw & Steel Co., Fitchburg, Mass.

Flexible Shaft Machinery Keller Mech. Eng. Cerp., 58A Washington 9t., Brooklyn, N. 7. Mail Tool Co., 7730 S. Chicago Ave., Chicago

Canedy-Otto Mfg. Co., Chicago Hetglate. Ill. Forgings, Hollow Bored

w Boring Co., Erie, Pa. American Hollow norms.
Furniture, Machine Shop
New Britain Machine Co., New Britain, Conn.
Pollard Bros. Mfg. Co., 4038 N. Tripp Ave.,
Chicago Western Tool & Mfg. Co., Springfield, O.

Gauges, Cylindrical and Thread

Gauges, Taper Hartford Special Mchy. Co., Hartford, Conp.

Gear Cutters Triplex Machine Tool Corp., 50 Church St., New York

Gear Hobbers Gear Hobbers
Triplex Machine Tool Corp., 50 Church St.,
New York

Boston Gear Werks Sales Company, Norfolk Downs, Mass. Chicago Stock Gear Works, 106 S. Jefferson Foote Bros. Gear & Machine Co., 213 Curtis Massachusetts Gear & T. Co., Weburn, Mass.

Grinding Machines, Belt Gallmeyer & Livingston Co., Grand Rapid Peerless Surfacing Machine Co., Troy, N. Y. Walls Sales Corp., 96 Warren St., New York

Grinding Machines, Bench Carroll Mfg. Co., L. W., Batavia, Ohio Galimeyer & Livingston Co., Grand Rapide,

Hill-Curtle Co., Kalamazoo, Mich. Hisey-Wolf Machine Co., Cincinnati, O. Standard Electrical Tool Co., Cincinnati, O.

Grinding Machines, Cutter, Reamer and Tool Gallmoyer & Livingston Co., Grand Rapids, Jarocki Mohe, & T. Co., Grand Rapids, Mich. LeBind Mch. Tool Co., H. K., Clincinnati, O., National Machine Tool Co., Racrier, Wis., National Machine Tool Co., Racrier, Mich. Oliver Instrument Co., Adrian, Mich. Stevens Inc., John B., 27 Cleveland Place, New York Thompson Grinder Co., Springfield, Ohio

Grinding Machines, Cylindrical Jarecki Mche. & T. Co., Grand Rapida, Mich. Thompson Grinder Co., Springfield, Ohio

Grinding Machines, Die Gallmeyer & Livingston Co., Grand Ras Jarecki Mche. & T. Co., Grand Rapids, Mich. Thompson Grinder Co., Springfield, Obio

Grinding Machines, Disc limeyer & Livingston Co., Grand Rapids Porter Cable Machine Co., Syracuse, N. Y. Grinding Machines, Drill Gallmeyer & Livingston Co., Grand Rapide, Oliver Instrument Co., Adrian, Mich.

Grinding Machines, Face Rogers & Co., Samuel C., Buffalo, N. Y. Taylor & Fenn Co., Hartford, Conn.

Grinding Machines, Flexible Shaft Keller Mch. Eng. Corp., 58A Washington St., Breeklyn, N. Y.

Grinding Machines, Internal
Mail Tool Co., 8389 S. Chicago Ave., Chgo,
National Machine Tool Co., Racine, Wis.
Taylor & Fenn Co., Hartford, Conn.
Thompson Grinder Co., Springfield, Oblo

Grinding Machines, Knife and Shear Blade Rogers & Co., Samuel C., Buffalo, N. Y.

Grinding Machines, Pertable Electric Cincinnati Electrical Tool Co., Cincinnati, O. Hisey-Wolf Machine Co., Cincinnati, O. Keller Mech. Eng. Co., 584 Washington St., Brooklyn, N. Mail Tool Co., 7730 S. Chicago Ave., Chg.

National Machine Tool Co., Racine, Wis. Porter-Cable Machine Co., Syracuse, N. Y. Rogers & Co., Sarmuel C., Buffalo, N. Y. Standard Electrical Tool Co., Cincinnati, Stow Flexible Shaft Co., Philadelphia, Ps. Strand Co., N. A., 5601 N. Lincoln Nt., Chigo Wodack Electric Tool Corp., 4823 W. Sturen Huron

Grinding Machines, Snagging
Gallmeyer & Livingston Co., Grand Rapida.
Mich. Hill-Curtis Co., Kalamasoo, Mich. Jarocki Mche. & T. Co., Grand Rapids, Mich,

Grinding Machines, Surface
Gallmeyer & Livingston Co., Grand Rapido,
Mich. Gamey.

Illinois Machine & Mfg. Co., LaSaile, Ill
Rogers & Co., Samuel C., Buffaio, N. Y
Stevens Inc., John B., 27 Cleveland P
New Y

npeon Grinder Co., Springfield, Obio Grinding Machines, Tap Galtmeyer & Livingston Co., Grand Rapids,

Grinding Machines, Teol Hill-Curtis Co., Kalamazoo, Mich. Standard Electrical Tool Co., Cincinnati, O. Taylor & Fenn Co., Hartford, Conn. Grinding Machines, Universal Galimeyer & Livingston Co., Grand Rapids, Mich.

Thompson Grinder Co., Springfield, Ohio Hack Saw Blades Armstrong-Blum Mfg. Co., 341 N. Fran Peerless Machine Co., Racine, Wis. Bacine Tool & Machine Co., Racine, Wis. Stmonds Saw & Steel Co., Pitchburg, Mass.

Hack Saw Machines Armstrong-Blum Mfg. Co., 341 N. Fraccisco Armstrong-Blum Mfg. Co., 341 N. Fraccisco Av., Chicago Poorlona Machine Co., Racine, Wis. Racine Tool & Machine Co., Eastine, Wis.

Hammers, Electric Drill Wedack Electric Tool Corp., 4629 W. Huron St., Chicago.

Handles, File Hyro Mfg. Co., 352 W. 18th, New York.

Handles, Soldering Iron Hyro Mfg. Co., 352 W. 13th, New York, Hardness Testers Wilson-Maculen Co., Inc., 735 E. 143rd St New Yor

Triplez Machine Tool Corp., 50 Church

Hoists, Portable
Canton Foundry & Machine Co., Canton, Ohio Hose Couplings Hunt & Son, C. B., Salem, Ohlo

Hydraulic Machinery Lourie Mfg. Co., 565 Washington, Chicago Index Centers, Single and Multi Spdl. Stevens Inc., John B., 27 Cleveland Place, New York

Jigs and Fixtures Hartford Special Mehy. Co., Hartford, Conn. Siewek Tool & Die Co., Detroit, Mich.

Keyseating Machines Asyseating Machines
Baker Brothers, inc., Toledo, Ohio.
Burr & Son, John T., Brookiyn, N. Y.
Chattanooga Mchy, Co., Chattanooga,
Davis Keyseater Co., Rochester, N. Y.
National Machine Tool Co., Clininati

Lathe Accessories and Attachments Cincinnati Lathe & Tool Co., Cincinnati, O Sidney Machine Tool Co., Sidney, Ohio

Lathe Turrets
Maxwell Products Co., Cleveland, O.

Lathes, Bench Hardings Brothers, Inc., 1770 Bertsau Ave.

Monarch Machine Tool Co., Sidney, O.

Menarce Macques as Lathes, Engine American Tool Works Co., Cincinnati, O. Bradford Machine Teol Co., Cincinnati, O. Carroll & Jamleson Mch. Tool Co., Batavia, O. Hamilton Tool Co., Hamilton, O. Hamilton Tool Co., Hamilton, O. Chese, Charles, C. Chicago, C. C

Le Riond Meh. Tool Co., R. K., Cinchinage, Le Riond Meh. Tool Co., R. K., Cinchinage, McCabe Lathe & Machinery. Commati, O. McCabe Lathe & Machinery. Commati, O. McCabe Lathe & Machinery. Co., Bidney, O. Forter-Cable Machine Tool Co., Bidney, O. Forter-Cable Machine Tool Co., Spracuse, N. Y. Sidney Machine Tool Co., Springfield, O., Springfield, Machine Tool Co., Springfield, O., Springfield, O., Springfield, O., Springfield, O.

Lathes, Extension Bed Gap

Hahn-Larmon Co., Cincinnati, O. LaBlond Mch. Tool Co., R.K., Cincinnati, O.

Lathes, Gap Lettlond Meh. Tool Co., R.K., Cincinnati, O.

Lathes, Hand Stavens Inc., John B., 27 Cleveland Place. New York

Lathes, Manufacturing Clucinnati Lathe & Tool Co., Cincinnati, Ohi Bundatrand Machine Tool Co., B K., Cincinnati, O Leblend Mcb. Tool Co., B K., Cincinnati, O Lathes, Precision

Cincinnati Lathe & Tool Co., Cincinnati, Ohio Latlond Mch. Tool Co., S. K., Cincinnati, O.

Lathes, Short Bed Menarch Machine Tool Co., Sidney, O., Forter-Cable Machine Co., Syracuse, N. Y. Sidney Machine Tool Co., Sidney, Ohio

Lathes, Tool Room Cincinnati Lathe & Tool Co., Cincinnati, Oblo-Cisco Machine Tool Co., Cincinnati, Oblo-

Lathes, Turret
Bradford Machine Tool Co., Cincinnati, O.,
C neinnati Lathe & Tool Co., Cincinnati, Ohio
Monarch Machine Tool Co., Sidney, O.,

Mandrels, Expanding Nicholson & Co., W. H., Wilhes-Barre, I Western Tool & Mfg. Co., Springfield, O.

Mandrels, Hallow Hyro Mig. Co., 353 W. 48th, New York.

Mandrels, Solid Nicholson & Co., W. H., Wilkes-Barre, Pa

Metalworker Metalworker Shaw-Palmer-Bakeweil Co., Lon Angeles, Calif.

Milling Attachments
Burke Machine Tool Co., Conneaut, Ohio
Kearney & Tecker Corp., Milwaukee, Wis.
Lettlend Mch. Tool Co., E. K., Checkment, O.,
Porter-Calle Machine Co., Syracuse, N. Y.,
Stevens Inc., John B., 27 Cleveland Place,
New York

Taylor & Fenn Co., Hartford, Conn Milling Machines, Beach turke Machine Tool Co., Conneaut, Ohio lundstrand Machine Tool Co., Bookford, Ill.

Milling Machines, Hand Burke Machine Tool Co., Conneaut, Ohle Sundstrand Machine Tool Co., Rockford, III. U. S. Machine Tool Co., Cincinnati, O.

Milling Machines, Horizontal esterioln Machine Co., Cincinnati, Oblo

Milling Machines, Manufacturing Kearney & Tracker Corp., Milwankee, Wis.

Milling Machines, Plain Milling machines, Flore
Burke Machine Tool Co., Conneaut, Ohio
Galimeyer & Livingston Co., Grand Rapids Kearney & Trecker Corp., Milwaukee, Wis. Letiond Mch Tool Co., R.K., Cincinnati, O. Sundstrand Machine Tool Co., Bockford, Ill.

Milling Machines, Portable
Padrick Tool & Machine Co., Philadelphia

Milling Machines, Spline Taylor & Fenn Co., Hartford, Conn.

Milling Machines, Universal Kearney & Trecker Corp., Milwaukee, Wis. Leftland Mch. Tool Co., R K., Cincinnati, O.

Milling Machines, Vertical Burke Machine Tool Co., Conneaut, Oble Kearney & Trecker Corp. Milwaukee, Wis. Leillond Mch. Tool Co., R.K., Cincinnatt, O. Taylor & Fann Co., Hastrord, Conn.

Mills, Adjustable Hollow Genesee Mfg. Co., Rochester, N. Y.

Mortisers, Electric Hand Wodsck Electric Tool Corp., 4629 W 20 W. Huron 20, Chicago.

Meters, Electric Reliance Electric & Eng. Co., Cleveland Name Plates, Etched and Stamped

Nut Setters, Electric Hand Wodack Electric Tool Corp., 4829 W., Huron St., Chicago.

Oil Cups Gits Bros. Mfg. Co., 1940 S. Kilbourn Ave., Chicago

Tocker, W.W. & C.F., Hartford, Conn.

Oil Extractors Tolhurst Machine Works, Troy, N. Y.

Oil Hole Covers Tucker, W. W. & C.F., Inc., Hartford, Conn.

Pattern Shop Machinery Townley Mfg. Co., John T., Cincinnati

Pins, Leader And Dowel
Danly Machine Specialties, Inc., 4913 Lincoln
Ave., Chicago Pipe Bending Machines
Pudrick Tool & Machine Co., Philledelphia

Pipe Cutters, Hand

Pipe Cutting and Threading Machines Gaterman Mfg. Co., Manitowoc, Wis. Saunders' Sons, D., Inc., Yonkers, N. Y.

Pipe Threading Dieheads ders' Sons, D., Inc., Yonkers, N. Y.

Pipe Vises ders' Sons, D., Inc., Yonkers, N. Y.

Planers, Valve Seat, Portable Pedrick Tool & Machine Co., Philadelphia

Planing Machines Cincinnati Planer Co., Cincinnati, Ohio Cleveland Planer Co., Cieveland, Ohio

Point Thinning Machines Oliver Instrument Co., Adrian, Mich.

Polishing and Buffing Machines Feindreg and Butting Machines Cincinnath Biectrical Tool Go., Cincinnath, O. Hill-Curtin Go., Kalamanoo, Mich. Blaey-Wolf Machine Go., Cincinnath, O. Mail Tool Co., 773 S. Chicago Ave., Chicage New Britain Machine Go., New Britain, Gonn North Side Tool Co., Dayton, Ohio Standard Electrical Tool Co., Cincinnath, O.

Presses, Arber
Atlas Press Co., Kalamazoo, Mich.
Lourie Mir. Co., 565 Washington, Chicago
Nicholaon & Co., W. H., Wilkes Harre, Ya
Sheldon Machine Co., 3253 Cottage Grow,
Ave., Chicago Wilson, R. K., Buffalo, N. Y. Ave.,

Presses, Breaching surie Mfg. Co., 565 Washington, Chicago

Presses, Drawing Lourie Mfg. Co., 565 Washington, Chicago Presses, Flanging Lourie Mfg. Co., 565 Washington, Chicago

Presses, Foot Reckford Iron Works, Rockford, III. Taylor & Fenn Co., Hartford, Conn.

Presses, Forcing Learie Mig. Co., 565 Washington, Chicago

Presses, Ferming Lourie Mfg. Co., 565 Wanhington, Chicago

Presses, Power lendley & Whittemore Co., Beloit, Wie-ourie Mfg. Co., 565 Washington, Chicago lockford fron Works, Rockford, Ill.

Presses, Punch .ewthwaite Mche.Co., T.H., 417E.31st., N.Y. leckford Iron Works, Rockford, Ill.

Presses, Screw all River Grinding & Machine Co., Fall River, Mass. Jarocki Mche. & T. Co., Grand Rapide Townley Mfg. Co., John T., Chelenal

Presses, Wheel Lourie Mig. Co., 565 Washington, Chicago

Profiling Machines Oliver Instrument Co., Adrian, Mich. Pulley Machinery

Avey Drilling Machine Co., Cincinneti Pulleys, Iron, Solid and Split Conway Clutch Co., Cincinnati,

Pumps, Coolant Fulflo Specialties Co., Blanchester, O. Lobee Pump & Mchy. Co., Buffalo, N. Y.

Pumps, Hydraulic Lohee Pump & Mchy. Co., Huffalo, N. Y. Lourie Mfg. Co., 565 Washington, Chicago

Pumps, Lubricant Buthman Machinery Co., Cincinnati, O. Punch Press Feeds

Punch Fress recom-Reckford fron Works, Rockford, III. Wittek Mfg. Co., 2532 S. Kedsie Ave., Chicago Punch, Shear and Bender, Hand Armstrong-Blum Mfg. Co., 841 N. Franci Ave., Chica

Punches, Hand
Armstrong-Blum Mig. Co., 841 N. Francisco
Hendiby & Whittemore Co., Best., Chicage
Hyro Mig. Co., 382 W. 131b. New York
Lawthwales Miche, Co., T. H., 417 E. 31nf 81.,
Whitney Metal Tool Co., Bockford, III.

Punches, Power endley & Whittemore Co., Beloit, Wis.

Punches and Dies

Hendley & Whittemore Co., Beleit, Wis, Lewthwaite Mche.Co., T.H., 417E. Sist., N.Y. Bockford Iron Works, Beckford, Ill.

Pyrameters
Wilson-Maculen Co., Inc., 785 E. 143rd St.,
New York

Racks, Bar Stock

New Britain Machine Co., New Britain, Cone. Pollard Bros. Mfg. Co., 4038 N. Tripp Ave., Chicage Yohe Supply Co., Wm. S., Canten, O.

Reamers, Adjustable Cleveland Twist Drill Co., Cleveland, Oblo. Schellenbach-Hunt Tool Co., Cincinnati, U.

Reamers, Expanding ambert Mehe & Engine's Co., Cleveland, O.

Reamer Holders Nicholson & Co., W. H., Wilkenbarre, Pa.

Reels, Extension Cincinnati Specialty Mfg. Co., Cincinnati, O.

Riveting Machine Equipment Linley Bros. Co., Bridgeport, Conn.

Riveting Machines Grant Mfg. & Mche. Co., Bridgeport, Com-**Rod Cutters**

Red Cutters Armstrong-Bum Mfg. Co., 341 N. Francisco Hendley & Whittemore Co., Beloit, Wis. Wis. Co., T. H. 417E-31st., N. Y. Av., Chleage Hendley & Whittemore Co., Beloit, Wis. Lewthwaite Mche.Co., T. M., 417E.31nt., N.Y. Tucker, W.W. & C. F., Inc., Hartford, Conn.

Rotary Tables, Hand Feed Rotary Tables, Hand Feed Stavens Inc., John B., 27 Cleveland Place, New York

Saw Sharpening Machines
Huther Bres. Saw Mfg. Co., Rochester, N.Y.
Bogers & Co., Samuel G., Buffalo, N.Y.
Wardwell Mfg. Co., Cleveland, O.

Wardwell Mrg. co... Saws, Electric Hand Wodack Electric Tool Curp., 4629 W. Huron St., Chicago

Saws, Metal Cutting Circular and Band Huther Bros. Saw Mfg. Co., Rochester, N.Y. Simonda Saw & Steel Co., Fitchburg, Mass. Scraping Machines, Hand & Pneumatic

Screw Drivers, Electric Screw Driving Machines, Automatic Reynolds Machine Co., Massillon, Ohlo

Screw Machines, Automatic New Britain Mche. Co., New Britain, Conn

Seam Welders, Electric
Welding Appliance Go., 2111 W. Lake St.,
Chicago

Set-Up Appliances Standard Shop Equip. Co., Philadelphia, Pa.

Shafts, Flexible
Keller Moch. Eng. Corp., 58A Washington St.,
Mail Tool Co., 7730 S. Chicago Ava., Chro.
Stow Flexible Shaft Co., Philadelphia, 7-8
Strand Co., N. A., 8001 N. Lincoln St., Chgo.

Shafts, Steel American Hollow Bering Co., Erie, Pa.

Shaping Machines American Tool Works Co., Cincinnesti, O. Osborne & Sexten Machy, Co., Columbus, O. Bhoden Hy, Co., Hartford, Conn., Smith & Mills Co., Cincinnesti Springfield Machine Tool Co., Springfield, O.

Shears, Alligator Canton Foundry & Machine Co., Canton, G.

Shears, Hand Shears, Hand Armstrong-Blum Mfg. Co. 341 N. Francisco Av., Chicago Hendley & Whittemore Co., Beloit, Wis. Lewthwaite Machine Co., T.H., 417 E. 31st St., New York St., New York Tucker, W.W. & C.F., Inc., Hartford, Conn. Whitney Metal Tool Co., Rockford, Ill.

Shears, Power more Co., Baloit, Wis.

Mandley & Whittenness Stating Machines
Shotting Machines
Stotting Machines, Screw Head
Stevens Inc., John B., 27 Cieveland Place,
New York

Spacing Washers Detroit, Mich. etroit Stamping Co., Detroit, Mi Special Tools and Machinery

Rradford Machine Tool Co., Cincinnati, O., Foote Bros. Gear & Machine Co., 213 Curtis Gaterman Mig. Co., Manitowec, Wis. Hitneis Machine & Mr. Co., LaSalle, Ill. Stacher Co., Chan., 2452 N. Greenview Ave.,

S. Tool Co., Inc., Ampere, N. J. Speed Reducers

Foote Bros. Gear & Machine Co., 213 Curtis St., Chicago Sprockets

Footo Bros. Gear & Machine Co., 213 Curtis Massachusetts Gear & T. Co., Woburn, Mass.

Manachusetts Gear & T. Co., Woburn, Man Stamps, Steel and Rubber Schwerdtle Stamp Co., Bridgeport, Conn. Stencils, Brass and Oil Board Schwerdtle Stamp Co., Bridgeport, Conn. Stools and Chairs, Factory Chicago Wire Chair Co., 519 N. La Selle St

Peliard Bree, Mfg. Co., 4008 N. Tripp Ave., Chicago

Straightening Machines Springfield, O. Springfield Machine Tool Co., Springfie Townley Mfg. Co., John T., Cincinnati Whitney Metal Tool Co., Rockford, Ill.

Stud Setters Safety Chuck Co., 18 S. Clinton St., Chicago

Tap Extractors Hartford, Conn. Tap Holders

Gaterman Mig. Co., Manitowoc, Wis. Procunier Safety Chuck Co., 18 S. Clinton St., Chicago

Tapping Machines and Attachments
Alto Riv. Co., 1647 Wolfram Rt. Cheago.
Aver Drilling Machine Co., Chicinostal
Baker Brothers, Inc., Toledo, Ohio,
Baker Brothers, Inc., Toledo, Ohio,
Baker Brothers, Inc., Toledo, Ohio,
Bartes Machine Tool Co., Lonneaut, Ohio
Bastern Tube & Tool Co., Inc., 500 Johnson
Gaterman Mgr. Co., Manltowec, Wis. Y.
Hammend Mgr. Co., Cleveland, Ohio
Leland, Gilford Co., Worseter, Mass.
Procunier Safety Chuck Co., 28, Chicage
Bickart. Shafer Co., Erie, 28, Chicage
Bickart. Shafer Co., Erie, 28

Rickert Shafer Co., Erie, Fa. Whitney Metal Tool Co., Rockford, III.

Thread Dials olven, J. M., You Thread Millers Yonkers, N. Y.

Triplex Machine Tool Corp., 50 Church St.,

Threading Machines Gaterman Mfg. Co., Manitewee, Wis. Bickert-Shafer Co., Erie, Pa.

Threading Tools Armstrong Bros. Tool Co., Sun N. Francisco Av., Chicago

Tool Holder Bits Simonds Saw & Steel Co., Fitchburg, Maso,

Teel Helders Armstrong Bros. Teel Co., 308 N. Francisco Av., Chicago Western Tool & Mfg. Co., Springfield, O.

Tool Racks Tool Racks Chicago Wire Chair Co., 619 N. La Saile St., Chicago

Tool Stands Petlard Bros. Mfg. Co., 4090 N. Tripp Ave.

Tools, Bering Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago

Tools, Lathe and Planer
Armstrong Bros. Tool Co., 308 N. Francisco
Av., Chirage

Tools, Machinists' Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago

Tools, Spot Facing Genesee Mig. Co., Rochester, N. Y.

Geneate mig. Co., Trucks, Machine Shop
New Britain Machine Co., New Britain, Conn.
Pellard Bros. Mfg. Co., 4008 N. Tripp Ave.,
Chioage Towsley Mfg. Co., John T., Cincinnati

Turntables Canton Foundry & Machine Co., Canton, O.

Universal Joints
tmerican Tool Works, Inc., Hartford, Conn.
lorgeson Mg., Co., Inc., Terrington, Conn.
laston Gear Works Saleo Company, Norfolk
Mase. Universal Joints

Used and Rebuilt Machinery
Bath & Co., Cyril J., Cleveland, C., New York
Bennett McN., Co., 50 Charch St., New York
Bernstein & Co., Geo. M., 548 W. Washington Bird., Chicago
Bertolette Machine Tool Co., Re., Jersey
City, N. J. Brown Machinery Co., St. Joseph M. Brown Machinery Co., Providence, R. I. Control Meet Brown Machinery Co., Providence, R. I. Control Meet Brown Machinery Co., Providence, R. I. Control Meet Brown Machinery Co., Cincinnati, O., Lid South Cincion, Chesage Cincinnati, Co., Cincinnati, Co., Cincinnati, Co., Davis Machinery Exchange, Toledo, Death Machinery Exchange, Lotrett, Mich. Donahue Steel Products Co., 27th and Esestern Machinery Co., Cincinnati, Ohio Esestern Machinery Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnati, Ohio Esemena & Co., Louis E., 17th Bellindings Co., Cincinnation Co

Emerman & Co., LOUIS B., 1972. Chicago Empire Machinery Exchange Ca. Chicago Empire Machinery Co. E. L., 555 Washington Oble Eastey Machinery Co., Clevel Pd., Chicago Florite: Machinery Co., Clevel Pd., Chicago Harris Hros. Ca. Solth & Iron, Chicago Hill, Clarke & Co., 649 W. Washington Barris Hros. Chicago Ca. Solth & Iron, Chicago Hill, Clarke & Co., 649 W. Washington Hill, Clarke & Co., Blvd., Chicage Hyman & Sons, Joseph, Philadelphia Indianapolis Michy. & Supply Co., Indian-apolis, Ind. Indianapelis Mehy. & Supply Co., Delroit, Ind. International Mehy. Co., Detroit, Mich. Johnson & Sons Machinery Co., Wm. C., Johnson & Sons Machinery Co., Wm. C.,

Johnson & Sons Beachiters St. Leuis, Mo. Jones Machine Tool Co., Citta St. Leuis, Mo. Jones Machine Tool Co., Citta St. Leuis, Lee Machinery Co., E. A., Cherinnatinal, O., Kinsey Co., E. L., St. Leuis, Lee Machinery Co., Inc., Detroit, Mich. Lettie Co., W. P., Cleveland, Osporo, Comn. McCabe Lathe & Machinery Corp., J. J., McCabe Lathe & Machinery Co., St. Louis McDonald Machinery Co., St. Louis McMcDonald Machinery Co., St. Louis McMcDonald Machinery Co., Grand Kapide, McMcDonald Machinery Co., Citta Co., Pittaburgh, Maxwell McMcDonald Machinery, Maxwell McMcDonald Machinery Co., Cittaburgh, Maxwell McMcDonald Machinery Co., Pittaburgh, P. Marro Galbreath Mchy. Co., Pittaburgh, Cittaburgh, Maxwell McMcDonald Machinery Co., Pittaburgh, Childenthy, Maxwell McMcDonald Machinery Co., Pittaburgh, Maxw

Manting, Jefferson, Unicase Marr-Gaibreath Mchy, Co., Pittsburgh, Pa. Midwest Equip. Co., 1719 Van Buren Chgo. Mid-West Muchine Tool & Supply Company, Davenport, Iowa Miles Machinery Co., Seginaw, W. S., Mich.

Used and Rebuilt Machinery-Cont. Morey and Co., Inc., 408 Brooms St., N Motch & Merryweather Machinery Mote & Merrywesther Machinery Co., Grevaland, O. Malen Machinery Co., Grevaland, O. Miles Tool Works Co., Hamilt Say, Wis. Norton-Roadway Mehr. Co., Cincinnati, O. O'Brien Machinery Co., Philadelphia.

1. Co. Brien Machinery Co., Chocinnati, O. Baseve-Fritts Co., 27 S. Desplaines, Chicare St., Charles Machinery Co., Chocinnati, O. Machinery Dev., O. Bervet, Hich. Bosenfeld Mchy. Co., 942 W. Lake St., Chro. Saltrana R. L., 624 W. VanBuren St., Chro. Saltrana R. L., 624 W. VanBuren St., Chro. Scott-Bansbach Mchy. Co., 130 S. Chicko. Cleveland, O. Bay, Wis. Scott-Bansbach Menny, Co., Dayton, O., Selfreat-Eintad Machinery Co., Dayton, O., Severin-Strafer Machinery Corp., 30 Church St., New York Severin-Strafer Machinery Corp., 30 Church Strafe Machinery Corp., 4 lbany, N.Y. Stoche Machiner Tool Corp., 4 lbany, N.Y. Stoche Machinery Co., 2, M. 418 Mill. City Strong, Carlials & Hammond Co., Cleveland Syracane Supply Co., Syracuse, N. Y. Taylor-Itall Welding Corp., Worsester, Mann. Tubor, Velick & Co., Inc., Lake & Despisines Linited Michy, A. Supply Co. St., Louis, Warne Machinery Co., Ph. S., Louis, Westman Michinery Co., Ph. A., Cleveland, O., West Pson Machinery Co., Ph. Thibburgh, Pa. White Machy, Co., A. D., 108 N. Jefferson Charles Co., Philadelphia, Machinery Co., Philadelphia, Chicago Machinery Co., Philadelphia, Phi

Vises, Drilling Machine
Vises, Drilling Machine
Armstrong-Blum Mfg. Co., 341 N. Francisco
Av., Chicago

Winterer, Herman L., Philadelphia

Armstrong Bree. Tool Co., 866 N. Francisco Armstrong Broe. Tool Co., 500 Nr. Francisco Av., Chicago Central Distributing Co., Detroit, Mich March Machinery Co. A. R., Cleveland Ohio Martin Tool & Die Works, J. E., Springfield, O. Sheldon Machine Co., 3258 Cettage Grove Ave., Chicago

Vises, Machinists' Vises, Machinists New Britain Machine Co., New Britain, Cons. Sheldon Machine Co., 2253 Cottage Grove Ave., Chicago Western Tool & Mfg. Co., Springfield, O.

Western Tool & Mtr.
Vises, Milling Machine
Vises, Milling Machine
Hartford Special Mech, Co., Hartferd, Ceon.
Marsh Machinery Co. A. R., Cleveland, Ohle
Sheldon Machine Co., 2525 Cottage Grove
Ave., Chicago
27 Cleveland Place,
27 Cleveland Place, Sheldon Machine Co., 3285 Cottage Grand Ave., Chroage Stevens Inc., John B., 27 Cleveland Place, New York

Vises, Shaper Sheldon Machine Co., 3253 Cettage Grove Ave., Chicago

Welders, Electric Spot Taylor-Winfield Corp., Warren, O. Welding Head, Seam, Electric Welding Appliance Co., 2111 W. Lake St., Chicago

Wood Working Machinery

Bendley & Whittemere Co., Beloit, Wis.

New Britain Machine Co., New Britain, Coan.

Porter-Cable Machine Co., Syracuse, N. Y.

Townley Mfg. Co., John T., Cincinnati

Werms Massachusetts Gear & T.Co., Woburn, Mass. Wrenches, Nut ne, Tweed & Co., 109 Duane St., N. Y. Wrenches, Ratchet Greene, Tweed & Co., 100 Duane St., N. Y.

FOR SAFETY SAKE-

Use POLLARD-ALL-STEEL benches. No oil-soaked tops to catch fire; no splinters or sharp edges to endanger workmen's hands; no warping; no shrinking. And POLLARD construction knows no substitute for quality.


X

Send for our Factory Equipment Catalog

POLLARD BROS. MFG. CO. 4035 No. Tripp Ave., Chicago, Ill.

......

"X-L" Adjustable Inserted Spiral Blade Shell and Machine Reamer



Reamers made with Left Hand Angle
Cutting Blades do not dig in, and all
chatter is eliminated. This means
free, clean cutting, smooth holes,
and increased production.
The range of expansion is
from .100° in the smaller
sizes to .150° in the
larger sizes. Made
with High

Speed Steel

Blades.

real production reamer.
The left hand helical flutes cut fast and clean. Made only in high speed steel. Made with straight and tapered shanks.

This is a

All Sizes Carried in Stock

Catalog on Request

The Schellenbach-Hunt Tool Co.

118 Opera Place, Cincinnati, Ohio

Agents: E. E. Fletcher, 6007 Euclid Ave., Cleveland, Ohio

Used and Rebuilt Machinery Section

Lists of Used and Rebuilt Machinery, either For Sale, Wanted or For Exchange, set in uniform style, will be published in the Classified Section at the rate of **50 cents a line**, across the page, each issue, plus **\$2.50** for name and address. Minimum charge, **\$5.00**. No display permitted.

Write directly to those effering the machines for sale for prices and full descriptions. If what you seek is not advertised, use the blank enclosed to make known your wants to the publisher, who will pass them along to all Machine Tool Blue Book advertisers.

FOR SALE BY

Arthur C. Badger Metal Products Co. 962 Park Square Bldg. Boston, Mass.

Oven Furnace
One Stewart oven furnace, 45" wide, 36" high, 34" deep, 6" opening with
cover in door, heated by gas. In good condition, practically unused.

FOR SALE BY

J. L. Lucas & Son, Inc., 3 Fox St., Bridgeport, Conn.

TOTE BOXES 1,000 brand new nesting type tote Boxes, 20x12x62, 16 gauge steel with lapped corners and draghole handles, at \$1.00 each.

FOR SALE BY

J. Bleser Mfg. Co., 16th & Madison Sts., Springfield, Illinois

Grinders, Landis No. 1\frac{1}{2} & 2 univ. Lathe, Lodge & S. 36"x18', q. c. Lathe, Prentiss 25"x16', s. c. g. Lathe, engine, 16"x8' G. & K., q. c. Lathe, tay'x6' Monarch, q. c.

Miller, No. 3 univ., O. type. Millers, No. 3 Burke, Rockford. Punch press, No. 3-A Walsh arch. Screw machine, No. 4 Warner & S. Shapers, Smith & Mills, 16", 12".

FOR SALE BY

Detroit Machinery Exchange, 8637 Kercheval Ave., Detroit, Mich.

Grinder, No. 70 Heald.
Lathe, 16"x5' heavy duty, production.
Mill, No. 3 Clucinnati vertical.
Mill, No. 3-B Brown & Sharpe heavy.
Tagper, No. 2 B. G. Garvin.
100-2-15/16 Hyatt roller bearings \$3.50 each.

FOR SALE BY

Miles Machinery Co.,

Automatics, No. 00 Brown & S.
Automatic, Martness tilted.
Drills, 21" Cincinsati.
Drill, 24" Milwauke.
Drill, 24 Milwauke.
Drill, aradial, 3f American.
Drill, radial, 3f American.
Drill, multiple, No. 33 Natco.
Grinders, 622", 10"x36" & 14"x72" Norton. Grinders, 6"x18", 10"x20" & 10"x36"

Landis. Grinders, int., Nos. 70 & 75 Heald.

Saginaw, W. S., Mich. Grinder, disc, 24" Gardner. Lathe, 24"x12' Milwaukee, Lathe, turret, 24" and 36" Bullard. Mill, boring, 96" Betts, Mill, boring, 96" Betts.
Millers, Nos. 2 & 3 Cincinnati.
Millers, nuiv., Nos. 2 & 3 B. & S.
Millers, vert., No. 4 Cincinnati.
Oil groover, No. 1 Fischer.
Planer, 30" x30" x86 Gray.
Planer, 43" x46" x12" Poud.
Press, No. 96B Toledo,
Shear, plate, 4" Kling.
Upsetter, 2" Acme.

FOR SALE BY

Tranter Manufacturing Co., - 105 Water St., Pittsburgh, Pa. Drill, electric; 4" U. S., 110 v. new. Drill, portable electric 14", 230 v., 3 ph., 60 cy., bargain. Drill, Silver 19", post and c. s., new. Forge and anvil. Champion No. 31, new. Grinder, 8" U. S. electric bench, 110 v., new, special price. Grinder and buffer, Clizbe No. 10-A. Grinder and buffer, Clizbe No. 10-A. Grinder and twist drill attach., Wilmarth & Morman, J. B. Woodworker, Detroit No. 14, for shop maintenance work.

FOR SALE BY

Marr-Galbreath Machinery Co.,

Air compressor, 12 cu. ft. Natl. belt. Air compressor, No. 4 Curtis (new). Air compressor, 28 cu. ft. Caldwell. Air comp. 8x8, dble cyl. Arbor presses. Nos. 9, 1, 2 & 3. Band saw, 38° cross-cut (Wood). Bolt cutter, 14° Morgan, double hd. Bolt cutter, 14° Morgan, double hd. Boring machine, Rockiod No. 2 horizontal, 39° bar. Cold aws, 5° Vandyke.

Cold saw, 5" Vandylke.
Derrick, steel. stiff lg. 15-ton, 60" boom.
Die sinker, Jackson, 45" kl3".
Draw bench, Oliver 6" belted.
Drills, 38" Barnes, b. g., p. t.
Drills, 38" Cincinnait, b. g. p. t., m. d.
Floor crane, 400 lb. c.p., (hand).
Forging mach., 3" Acme, steel, m. d.
Forging and rivet header, 1" Ajax.
Gear and pinion cutter, No. 3 Sloan
& Chace.

& Chace,
Grinder, No. 1 Norton univ. t. & c.
Grinder, No. 18-D Rowbottom,
Grinder, No. 60 Heald, 19" arm,
Hack saw, Atkins, cap. 8" x8".
Hack saws, Nos. 1 & 2 Marvel,
Hammer, 2800 lb. Chlog., s. f. steam,
Hammer, 2800 lb. Chlog., s. f. steam,
Hammer, 2800 lb. Chlog., s. f. steam,
Hammer, 3000 lb. Chlog. dbl. frame,
Hammers, 40 lb. Bradler,
Hammers, 40 lb. Bradler,
Hammers, 40 lb. Bradler,
Hammer, 290 Chlog. board drop,
Hammer, 470 p. 100 lb. Toledo,
Keyseater, No. 2 Davis.
Keyway cutter, 24" Morton, cap. 24".
Lathe, 8" x24" Wade, bench.
Lathes, 17" x6" R.-L., q. c. s.
Lathes, 18" x8" R.-P., geared head.
Lathe, 18" x9" Lehman, q. c. g. f. a.
Lathe, 18" x9" Lehman, q. c. g. f. a.
Lathe, 18" x9" Lehman, q. c. g. f. a.
Lathe, 18" x9" Lehman, q. c. g. f. a.
Lathe, 18" x9" Lehman, q. c. g. f. a.

g., t. a. Lathe, 24"x10' Putnam, taper attach. Lathe, 36"x64' Bridgeford gum boring m. d.

Ing m. d. Lathe,54"x24' H. S & G., q.e.g.,m.d. Miller, vertical "C" Becker, s p. d. Miller, vert. No.4-B Becker, for m.d. Miller 3-H. LeBlond, univ.

58 Water St., Pittsburgh, Pa.

Miller, No. 3-B Milwaukee, s. p. d. Miller, pl. No. 2 Cincinnati, cone. Miller, No. 0 Kempsmith univ. Miller, duplex Knight, table 84x32". Motor, 3 h. p. 1/60/110-220/1200 rev. Motor, 3 h. p. 1/80/110-220/1200 rev. Motor, 15 h p., 220 v. dc., 300/1200 rev. Motors, 20 & 50 h. p., 3/60/220/900. Oil separators, 2 & 18 bu. cap. Pipe machine, 4" Williams, m. d. Planer, 38"x36"x8' L. & D., 2-heads. Press, No. 14 Stiles (Bliss) plain. Press, 32 Ferracute, punch.
Press, D. G. 62, Ferracute, s. s.
Press, No. 19 Bliss, o. b. i., a. c. motor, new.
Presses, No. 87 Niagara, screw.
Punch, 30" thrt., 1"xl" m. d., s. e.
Punch, horiz, 1½xl"; 13" tht, m. d.
Punch & shear, 36" Cleve. e. f. a. j. Punch and shear, s. e. 6" thr. ½, Punch and shear, s. e. 6" thr. ½, Punch, coping, steel plate, 13" thrt. 36" die space, 2 holes 1'x" 1", m. d. Radial drill, ½" Fosdick, t. a. Riveter, Allen jaw, 36" cap. ½". Riveter, å" Shuster rotary, belt, politics, s. S. e. 4 B. 6" l. l. Riveter, F. Shuster rotary, bert.
Rolling mills, Nos. 3 & 4 Buffalo.
Saw, Burke, 12" blade, capacity.
Saw table, No. 280 F. & E., (wood).
Screwmach., 10" P. & W. pl., w. f. Screw mach., 10" P. & W. pl., w. f. Shaper, 7" Rhodes, vise. Shaper, 6" Pratt & Whitney. Shaper, 14" Suringfield, crank. Shaper, 24" Milw. b. g. crank. Shaper, 25" Smith & Mills, b. g., cr. Shaper, 24" Jungst., b. g., crank. Shaper, 24" Niles-Bement-Pond, cr. Shear, 10-P. Lennox serpentine.
Shear, alligator, 14" round.
Shear, rotary, 12" thrt., cap. 22 ga.
Shear, rotary bevel, Lennox 4" m.d. Snear, rotary bevet, Lennox § "m.d. Shear, squaring, 8"xl g.a, power. Shear, bar, Braun, cap. 1"; hand. Turbo compres., Spencer 5400 c.f.m. Turret lathe, 13" Gisholt, 2§ "h.s., t.a. Turret lathe, 28" Gisholt, 2§ "h.s., t.a. Turret lathe, 2"x24". J. & L., s. p. d. Turret lathe, 18" W.&S. friction hd. Wheel press; 30kton Wiles had 48" Wheel press, 200-ton Niles hyd., 48".

FOR SALE BY

20"

Herman L. Winterer.

943-53 N. Front St., Philadelphia, Pa.

LATHES 43"x17' 44" Bement-Miles. LA'
373"x14' Johnson d. b. g., q. c. f., t. a.
32"x12' Pittsburgh, heavy duty,q.c.g.
27"x12' Bullard.
26"x11' Wickes, q. c. g.
28"x16' Niles, q. c. g.
38"x16' Niles, q. c. g.

ES.

18" x 7' Chard, d. b. g., semi q. c. g.
15"x 8' Sidney, q. c., d. b. g., t. a.
14"x 6' Springfield, latest type, tool room type, t. a.

14"x 6' Lodge & Shipley, patent head, taper, pan bed.

14"x8' Lodge & Shipley, q. c.

TURRET LATHES

No. 3 Foster sc. machines 1-5/16" wire feed, (2). 14"x9" Cincinnati-Acme, wire feed. No. 4 B. & S., bar feed, all auto. fds. No. 2 Smurr & Kamen, wire fd., (5). DRILL PRESSES.

48" Almond, sens. radial, post type. 40" Barnes horizontal radial. 26" Aurora, sliding head.

24" Foote-Burt heavy duty.

20" Excelsior, b. g. 20" Champion, motor driven. 20" Aurora, b. g., p. f. No. 1 Van Norman hand miller. No. 3 Becker-Brainard, new model,

No. 5 Cincinnati, table %x50\frac{1}{2}.

No. 5 Becker Brainard, vertical.

No. 3 Beck No. 3 Brown & Sharpe, plain, cone type. No. 3 Hendey, q. c. g.

48"x37"x9' Sellers, 2 heads. 48"x48"x12' Gray, 2 heads. 48"x36"x14' Cincinnati, 4 heads.

chine. PLANERS AND SHAPERS. 10"x30"x8' American, 1 head, 15" Lodge & Davis shaper,

q. c. g., vertical attachment.

Boring mill, car wheel, 60" Newton. 42" Bullard, 2 swivel heads, (2). Boring mill, No. 1 Sellers hor., 2\(2\)"bar.

BORING MILLS.
Newton. | Boring, drilling and milling machine, 17½ Bement-Miles horiz.

4" Armstrong, No. 00 pipe machine. 3" Cox, quick opening dies.

PIPE AND BOLT MACHINES 4" & 8" Eaton, Cole & B., pipe. 6" Cox, quick opening dies.

MISCELLANEOUS. Arbor press, No. 8 Greenerd, 36' bet. columns. Centering mche., 5" Whiton, dbl. sp. Centering machine, 4" Hendey.

Cold saw, No. 6 Nutter & Barnes. Elec. hoist, 1-ton Link Belt, 2ph.a.c. Gear shaper, No.35 Fellows, straight and helical heads. Generator, No. 100 Oxweld acetyl. Grinder, 13#"x5" Landis universal. Grinder, No. 8 Diamond, double

end, heavy type. Grinders, disc, No. 17 Besly. Grinders, several dbl. end electric. Hammers, 15, 25 & 40 lbs. Bradley helve.

Hammer, No. 2 Beaudry-Champion, 50 lb. Hammers, 60lb. Bellefonte upright, 2. Keyseater, Morton 18" stroke.

Keyseater, No. 4 Catlin, m. d. Punch press, No. 2 Cons., flywheel. Punch or gate shears, 72" Cleveland multiple, 15" throat. Punch & shear, No. 4 Long & A., double end, 24" throats.
Punch and riveters, new Doty (2), one 35" stake and one 304" stake. unch presses, all sizes, (55). Riveter, air, 6' Allen, cap. 12". Riveter, air, 6' Allen, cap. 12". Riveter, air, 6' Allen, cap. 12". Saw, No. 7K Atkins Kwick-Kut. Rolls, 4' drop end corrugated. Saw. Q. M. & S. No. 4-B universal, 33" blade.

33" blade. Shear, 8' Ohl, No. 20 ga. Slotter, 14" Niles. Slotter, 34" Rhodes vertical. Tire press, hyd., 60-ton Defiance. Tooth rounding machine, S. & S.

Send for our latest 44-page illustrated Catalog and Price List.

FOR SALE BY

Foster Machinery Company. 10203 Quincy Ave., Cleveland, O. SHEARS.

| Canton alligator, cap. 14' sq. 36"x18" gap, foot, Niagara.
MISCELLANEOUS. 12'x14 ga. Loy & Nawrath. 50"x4" Bertsch, 15" throat.

Automatic, No. 24 New Britain. Band saw, 24" woodworking. Drill, multiple - spindle Baus No. 3 Morse taper. Drill, 14" Allen, ball bearing. Press, No. 6 Niagara. Punch, EF Cleveland, 72" thrt., m.d. Bausch, Riveter, High Speed 2A. Upsetter, 37" Acme,

FOR SALE BY

Brownell Machinery Co., 150 Pine St., Providence, R. I.

51" Bullard vertical boring and turning mills (2).

GEAR CUTTERS.

No. 4, 48"x10" Brown & Sharpe spur gear cutters (3).
No. 3, 36"x 8" Brown & Sharpe spur gear cutters.
No. 3, 26"x 8" Brown & Sharpe spur gear cutters.

No. 2 Bilton automatic gear millers (3)

DRILLS 5' Prentice Bros. radial.

3' gang plain radial. 2-spindle Avey h, s., b. b. GRINDERS.

10"x120" Norton plain cylindrical. 10 x120 Norton plain x36. No, 12 B. & S. plain x36. No, 11 B. & S. plain 4x30. No, 2 B. & S., surface. No, 1. B & S., surface. No, 1. Norton, tool and cutter.

30"x20' Fitchburg.

18"x 8' Prentice engine lathe.

12"x 8' Ree
Nos. & and
sion lathe
22"x26' Lodge & Shipley.

MILLING MCHINES.

No. 4' Van 1

No. 4' Van 1

54"x42"x12" Gray, 3 heads, 48"x48"x16' Niles-Bement-P., 2 hds. 56"x36"x10' Woodward, m. d., 3 hds. 17"x20"x 4' Whitcomb.

No.5 Manville s. a., p. p. roll feed. No. 4 Manville s. a., p. p., ratchet dial feed.

No. 1 Bliss d. a. cam.

SCREW MACHINES.
No. 3 Warner & Swasey, g.f.h., 12". | No. 0 Bro 3"x36" Jones & Lamson, flat turret MISCELLANEOUS.

Band saw, 12" H. & R. metal cutting Band saw, 36" H. B Smith, wood wk. Cutting-off machine, 3" H. & R. a.s. Filing machine, Thurston. Hammer, 125 lbs. Dupont "D".

Hammer, 200 lbs. Beaudry champion. Rolling mill, toggle 12"x20".
Slotter, 12" Bement-Miles.
Shaft straightener, Rockford,
Wood worker, No. 55 Crescent univ.

BORING MILLS.

LS. 38" Snyder sliding head. No. 1 Langelier h. s., b.b. 110 v.,a.c. No. 1 Langelier pl. bear. bench (6).

Nos. 2 & 3 B. & S. cutter & reamer. 20" Diamond standard. 14" Blount wet tool.

Heald twist drill. Blake & Johnson surface.

LATHES.

16"x 6' Pratt & Whitney.

12"x 5' Reed, taper.

Nos. 54 and 6 Sloan & Chace preci-

No. 2 Van Norman duplex. No. 4 Thurston die. Newton slab 28"x28"x13'.

No. 4-A Brown & Sharpe universal.
No. 14 Brown & Sharpe universal.
No. 4-B heavy B. & S. plain.
No. 3-B. H. LeBlond heavy plain.
No. 2-B. & S. vertical
No. 2-B. & S. vertical profiler.
No. 3-H. Becker vertical profiler.
No. 3-Brown & Sharpe No. 3-Brown &

24" Potter & Johnston shaper. 15" Potter & Johnston shaper. 24" Hendey friction shaper.

POWER & FOOT PRESSES. No. Standard power screw.

No. 0 Manville bench. Bosworth foot presses, new (6).

No. 0 Brown & Sharpe, hand, wire feed

FOR SALE BY

The Reeve-Fritts Co., 558-560 W. Washington Blvd., Chicago, Ill.

Automatic, 7-A Potter & Johnson. Die filer, No. 1 and No. 3 Barry, Drill, 24 C. & O. plain, radial. Drill, 29 Barnes, all grd. Gear cutter, No. 98 G. & E. spur & b. Gear cutter, No. 99 G. & E. spur & b. Grinder, Heco surface, 16"x28" table. Grinder, 5"x18" Ott plain. Lathe, No. 4 Elgin preci., with bench Lathe, 10"x5" P. & W., tool makers. Lathe, 11"x5" Barnes, c. r. Lathe, 16"x8" Bradford. Lathe, 21"x8" Bradford. Lathe, 20"x8" Bradford. . Washington Bivd., Unicago, III.
Lathe, 3"x12" Peerless, c. r.
Lathe, 9"x12" Sundstrand prod.
Miller, No. 2 Rockford, plain.
Miller, No. 2 Rord-Smith universal.
Miller, No. 19 Ford-Smith universal.
Miller, No. 90 B. & S., hand
Planer, 24"x24"x8" Rockford.
Press, No. 3-P Am. Can solid bk.
Press, No. 1 Massillon trim.
Shaper, 7" Rhodes crank. Shop saw, 6x6 Racine h. s. Shop saw, 6x6 Peerless h. s.

FOR SALE BY

Severin-Strafer Machinery Corp., 30 Church St., New York City

60" Bullard, single pulley drive. 48" Gisholt, rapid traverse. 42" Bullard, turret head. 52" Niles-B.-P. turret & plain head

BORING MILLS

No. 3 Cincinnati, b. d. No. 2-B heavy Brown & Sharpe.

5' Niles B. P., semi-universal radial, speed box drive, tilting table.

No. 25 Foote-Burt, heavy duty. 8000 lb. Chambersburg, d. f. 1100 lb. N. B. P. single frame, steam. 600 lb. N. B. P. single frame, steam.

LATHES 57"x27' Pond triple geared. 54"x24' H. S. and M. quick change. 48"x18' Fifield t. g. 36"x16' N. B. P., motor drive. 36"x16' N. B. P., motor drive, d. c. 30"x16' N. B. P., motor drive, d. c. 24"x18' LeBlond q. c. & t. a. 24"x14' Lodge & Shipley d. c. drive, TURRET

No. 2 Foster, screw machine. No. 4 Warner & Swasey with eq

10'x10'x22' Sellers. 72x72x18 b. d. Deitrick & Harvey, 3 heads. 72"x72"x18' Pond, rev. motor drive.

MISCELLANEOUS. Bending rolls, 12' Niles, # cap. Buffing jacks and wheels. Chain blocks, 1-ton with trolleys Cham Diocks, 1-ton with trolleys.

Core wire straightener, ½" to 5/16".

Dragline, 100" boom, 4 yd. motor d.

Elevator, portable, 3'x4 x18".

Gate shear, Morgan 2" 90" blade.

Gate-shear, 92" blade, 1" cap.

Gear cutter, No. 4-38" B. & S. auto.

Gear cutter, No. 2 Bilton.

BORING MILLS, VERTICAL, 72" N. B. P. single pulley drive. 96" Niles, belt drive. 16' Niles belt drive.

HORIZONTAL,
4"bar Detrick & Harvey, floor type. 5" bar Newark, knee type.
5" bar Deitrich & Harvey, floor type.
4" bar Niles. B.-P., floor type.
MILLING MACHINES.
No. 24 Hendy-Norton univ.

No. 2A Hendy-Norton univ. No. 4 Cincinnati, vertical. DRILLS. Aurora sliding head. 24

26" Prentice sliding head.

400 lb. Chambersburg s. f., steam. 400 lb. Bliss poppet board drop.

ES, 24"x12' Reed-Prentice, g, h. 23"x14' LeBlond, heavy duty. 18"x18' Reed, belt drive. 18"x8' Fairbanks, double b. g. 16"x8' Hendey. 16"x6' Putnam, rebuilt. 84" Niles slicing lathe. LATHES.

No. 1 B. & O. Fox monitor. Jones & Lamson, 24"x24" PLANERS 60"x48"x14' Cincinnati, gr. box, m. d. 48"x48"x14' Patch, 4 heads, b. d. 30"x30"x16' Gray, 3 heads. 22"x22"x4' Whitcomb, 1 head.

NEUUS.
Generator, 100 k. w., a. c. Deisel,
Hydraulic forging press, 1200 tons.
Pipe machine, Saunders 6".
Planer drive, 20 h. p., 220 v., d. c.
Pumps, steam, 8x48 brass.
Pumps, steam, 8x12x12 brass.
Sand slineer for large founder. Sand slinger for large foundry. Saw, Klem No. 1 band saw. Straightening rolls H. & J. 114" Wheel presses, 300 and 150 ton.

FOR SALE BY

L. H. Goodnow Foundry Co.,

Fitchburg, Mass.

SURFACE PLATES.
Practically new.

1-Brown & Sharpe 36"x24" 1-Brown & Sharpe 24"x18"

FOR SALE BY

Carlson Machinery Co., Inc.,

Boring mill, No. 2 Rockford horis, Boring mill, No. 3-A Universal hor, Centering machine, 4" Pratt & W. Drill, 4" Sipp h.s. b.b., 8" overhang, Grinder, 19/20 Landis universal, Grinder, No. 2 Oakley univ. t. & c. Hobber, 24" Schutze. Lathe, 7":30" Dalton bench.

Davenport, lowa
Lathe, 13"x5' Sheppard.
Miller, No. 3 Ohio plain.
Press, No. 4 Toledo o. b. i.
Turret lathe, No. 4 W. S. pl.
Turret lathe, No. 6 Warner & S.,
power feed to carriage and turret.
Turret lathe, No. 3 Foster.

FOR SALE BY

Norton-Broadway Mchy. Co., Sixth & Baymiller Sts., Cincinnati, O.

18"x8' Bradford stand. change, taper. 38" 20"x10' Hendey, q. c. 42"

20"x10' Hendey, q. c. 20"x12' Bradford q. c. 32"x16' Wickes.

18"x96" Norton cylindrical, 10"x72" Brown & S. cylindrical, No. 60 Heal Bath & Wa. Nos. 11 Brown & Sharpe cylindrical, No. 14 Pratt & W. vertical surface. MILLING MACHINES.

No. 3 LeBlond plain. No. 4 Becker plain horisontal. No. 13 Brown & Sharpe plain.

No. 3 Toledo inclinable. No. 3-A Willard inclinable. No. 4 Toledo inclinable. No. 19-C Bliss inclinable.

No. 183 Stiles Parker inclinable.
BORIN

34" Bullard, one turret head. 36" Niles, 2 heads. 42" Bullard, 2 heads.

24"x 8' Pond, 2 heads, 30"x16' Gray, 2 heads, 30"x 8' Gray, 2 heads.

16" Steptoe, crank. 16" Stockbridge, back geared. 20" Ohio crank.

Bulldozers, No. 3 Ajax with motors, Drill, H. & W. 5-spdl., high speed. Drills, 3-4-5 and 6-spindle Francis Reed high speed.

Drill, Kokomo 4 spdl. high speed
Drill, 3' Morris radial, gear box.
Drill, 5' American radial, gear box.
And about 300 other good machine tools in stock.

LE BY

38"x20' Bradford. 42"x24' Bradford.

24"/28"x14' McCabe, 3 spindle.

No.60 Heald cylinder.
Bath & Walker surface.
No. 4 & No. 120 Gardner disc.
6"x20" Webster & Perks.
ACHINES.

ING MACHINES.
No. 4 Brown & Sharpe universal.
No. 4 Cincinnati universal.
No. 4B B. & S. heavy single pulley.
PRESSES.

No. 723 Toledo inclinable.
No. 1 Long & A. punch and shear.
No. 3 Hilles & Jones double end
punch and shear.
No. 57 Toledo gened.

ble. No. 57 Toledo gelred.
BORING MILLS.
1. 42" Gisholt. 2 heads.
50" Niles, 2 heads.
6" Gray horizontal.

PLANERS.

36"x10" Fitchburg, 2 heads.

Whitcomb crank planer, 12" stroke,
172 between housings.

SHAPERS.

ERS. 20" Smith & Mills, single pulley, 24" Queen City, single pulley, 20" and 24" Hendey,

MISCRLLANEOUS.
h motors.
gh sueed.
e Francis
e Francis
h speed
r box.
Welder, Winfield butt, 80 k. w. 4750.

FOR SALE BY

United Mc	hry. &	Supp	ply C	0.,	
Bulldozers,			No.	26	&
Rock Riv Drill press,			amel	bac	k.

Hammer, No. 150 W. & W., air. Lathe, 14" Fox and attachments. Punch, double & Rock River L-10. 1241 Walton St., St. Louis, Mo.

FOR SALE BY

Mid-West Machine Tool & Supply Co.,

Automatics, full, No. 00 Brown & S. Grinders, No. 10 Brown & Sharpe. Grinder, Norton 10x36. Grinders, surface, No. 22, Heald,
Hobber, Nos. 3, 12-B & C.
Miller, No.13-B B. & S., production.

Partial list; send us your inquiries.

Davenport, Iowa Miller, No. 0Y Brown & Sharpe.
Miller, No. 3 Garvin duplex, 60"
table feed (new).
Radial, 4' American sensitive.
Turret formers, Nos. 0 & 2 Brown &

FOR SALE BY

Bess	emer Gas Engine Co	lao a			Grove City,
No. 1	29—Boring mill, 24" B ial No. 6028 20—Boring & milling	ullard ver	tical, I side	head, 1	vertical head
Ser	ial No. 6028	**********		********	
No. 6	20-Boring & milling	machine, I	No. 145 De	trick &	Harvey floor,
Size	72"x72"	713		1 00# 0	
200. 4	To-Boring mill, 86 P	lies verne	ai, dia, tan	orc 60., 3	swivel neads
on	rail, friction feed, widt —Boring mill, 60" B	n of rail 21	ial No. 95	11 9 000	wal hands on
	- Boring mill, 60 B	t driven	HAI MO. S.	II, & SW	ver neads on
No. 9	rail, gear feed, bel 59—Boring mill, 72" E	ullard. Se	rial No. 3	142 1 cm	ivel head on
rail	, I special head for bori	ng crank r	in holes in	head.	This head can
also	be used for boring and	turning.	Dia, table	6'.gear	feed, belt dr.
No. 2	76-Drill, 36" Simplex	radial			
No. 1	02-Drill, 48" Prentice	radial			
	-Drill press, 22" H	oefer			
No. 6	59-Drill press, Hamm	ond sensiti	ve, jointed	arm	**********
	-Drill press, 16"	· 1 1+4			1 1 1 17
NO. 6	61—Drill press, 30" We 96—Drill press, 24" Au	igle, with	tap, att, an	d patent	belt shifter.
No. 3	75—Drill press, 12" U.	Consisie			*************
No. 4	67-Drill press, Bausch	16 apindle	14" anind	la	***************
No. II	81-Drill press, 72" Sel	lers radial	motor dr	ve with	ut motor
No. 1	12-Drill press, 6' Ame	rican, mot	or drive w	ithout m	otor
	77-Drill press, Baker				
	-Drill presses, 4" C	olburn he	avy duty,	with adj	istable table,
	both crosswise and	up and do	wn, (2) ea	ch	
No. 8	-Lathe, 14"x5' Ameri	can		********	
Nos.	342 & 3-Lathes, 24"x12	Putnam,	motor dr.	less mote	ors, (2) each.
	-Milling machines,	30.X30.X2	Beeman a	z Smith,	I side head,
	l head on cross rai -Planer, 72"x60"16'	Dutrick f	Linna	onenside	O boods on
	cross rail, 1 side he				
	bracket, no motor,				
	thing that is wrong				
	ot tee slot on table				
	machine in any wa	y			
	-Planer, 36"x36"x12	Cincinna	ti, 2 head	s on rai	l, belt drive.
	very good condition	n			**********
No. 52	-Shaper, 18" Smith &	Mills	********	******	
No. 26	Shaper, 22" Smith	Mills			
INO. M	-Threading machine.	Acme don	Die-spind!	0"	

XU

FOR SALE BY

Fitchburg Grinding Machine Corporation, Fitchburg, Mass. LATHES.

LeBiond 14"x6'. Reed-Prentice 16"x8'. Putnam 14"x6'.

Greaves-Klusman 18"x8 Perkins threading 21"x10 New Haven 32"x12'.

42"x36"x22' Whitcomb. 32"x26"x16' Whitcomb, 2 heads. 22"x22"x6' Whitcomb.

PLANERS 17"x20"x8' Whitcomb. 30"x30"x8' Powell, 2 heads.

2½x24" J. & L., chuck equipment. 3x38" J. & L., chuck equipment, double spindle.

TURRET LATHES. 24x26" Greenlee. 16" Reed Prentice. 21" Gisholt. MILLERS.

No. 1 Steptoe. 3"x24" Rockford.

BORING MILLS.

21' Dreses.

RADIAL DRILL.

FOR SALE BY

West Penn Machinery Company

1208 House Building, Air comp., 10x10" Laidlaw, 275 cu. ft. Air comp., 8x8" Ing.-Rand, 96 cu. ft. Bolt cutters, 1\(\frac{1}{2}\)", 2", 2\(\frac{1}{2}\)", 4" Landis. Boring mills, 30" to 16'. Boring mills, 30" to 16", Brake, 8'x16 ga. Robinson. Brake, 10'x2/16" Dreis & Krump. Brake, 10' 6" Ohl, 10 ga., press type. Bulldozer, No. 28 W. &v. Drills, 14" to 38". Drill, mult., No. 5 Fox, 10-spindles. Drill, radial, 6' Prentice, s. p. d. Flanger, McCabe, #" capacity. Gear cutters, spur and bevel.
Gear hobber, 98" Gould & E.
Gear planer, 24" Gleason, bevel.
Grinder, dbl., 14"x14", 220, 3-60.
Grinder, 12"x96" Norton, b. d. Grinder, disc, No. 52 Besly. Grinder, 10sc, NO. 52 Bestly. Grinder, Daner type, 51" Springfield. Grinder, No. 16 Hanchard. Grinder, No. 16 Hanchard. Hammer, 75 lb. Bradley upr. helve, Hammer, 100 lb. Braddey, upright. Hammer, 20 lb. Beaudry, upright. Hammer, 28 lb. 38 lb. 48 Nazel. Hammers, steam 600 lb, to 3000 lb. Keyseater, No. 2 Mitts & Merrill. Lathes, 12" to 60". Lathes, 12" to 60". Lathe, turret, 26" Libby. Lathes, turret, No. 4 W. & S. Miller, plain, No. 3-B Brown & S. Miller, univ. No. 2 Hendey, s. p. d. Miller, univ. No. 3 Brown & S.

Miller, slab, 24" x20"x14' Ingersoll. Pipe machines, 24" to 12". Planer, 36"x36"x16'N-B.-P.like new. Planer, 42"x42"x12' Cincinnati, 2 hds. Planer, 96"x98"x20' Pond, 4 hds., m.d. Planer, 42"x42"x12' Detrick & H.o.s.

Pittsburgh, Pa. Planer, rotary, 48" Newton.
Press, geared, No. 24 Toledo,
Press, No. 37\$ Bliss, s. s., 6" stroke.
Press, No. 59\$ Toledo.
Press, Sozzle, No. 168 Toledo.

Press, No. 200 Toledo. Press, toggie, No. 165 Toledo. Press, wheel, 150-ton Caldwell. Punch, hor. Cleveland, 1" thru 1". Punch No. 2 L. & A. 12" thr., arch jaw Punch & S. L. & A. 30" thr., if "thru 1". Riveter, Hanna, 16" thrt., 15" gap. Riveter, stake, No. 6 Whiting, 48" thrt. Rolls, angle bending, 2" 12" Bertach. Rolls, bending, 12" Bertach. Rolls, bending, 10" Bertach. Rolls, bending, 10" Bertach. Rolls, bending, 10" Bertach. Rolls, bending, 10" Wickes. Rolls, straighting, 36" x16 gaz., 17 r. Saw, cold, 28" Hunter high apeed. Sandslinger, 11" tractor type. Shaper, 16" Simith & Mills, b. d. Shaper, 28" Stockbridge, b. Shaper, 28" Stockbridge, b. Shear, alligator, Garrison, 13" Shear, alligator, Garrison, 14" Shear, alligator, Mo. 5 Canton, 3" sq. Shear, alligator, Mesta, 5" 25". Shear, alligator, Mesta, 5" 25". Shear, bellegible, Lenno, 2" spear, bellegible, Lenno 2" sq. Shear, bellegible, Lenno 2" "12" wond Shear, alligator, Mesta, 5"x8".
Shear, bevel, Lennox 4".
Shear, guil, No. 9 H. & J., 14" round.
Shear, plate, 10'x4" Bertsch, 15" thrt.
Shear, plate, 10'x4" Bertsch, 15" thrt.
Shear, plate, 10'x4" Morgan, 24" gap.
Shear, rotary, No. 3 Quickwork 4".
Shear, rotary, No. 6 Quickwork 4".
Shear, squa, 12"x14 ga. Peerless.
Shear, squ. 12"x14 ga. Peerless.
Shear, squ. 12"x14 ga. Peerless.
Shear, squ. 42"x1/16" W. & R., m. d.
Straightener, bar, No. 4-D K. & R.
Straightener, barn, No. 4-D K. & R.
Swaging machine, 10" Langelier.

Testing machine, 100,000 lbs.
Welder, Gibb spot. 1", 32" thrt.
Upsetters, 11" to 5".

FOR SALE BY

McMullen Machinery Company,

Automatics, ‡" Cleveland, (2). Baling press, Chicago scrap metal, Cold Saw, No. 4 Greenfield. Drill, 20" Wisconsin all geared. Furnace, No. 200 Stewart, Crucible. Grinder, No. 6-A Bryant,

Grand Rapids, Mich.

Grinder, Wisconsin universal. Lathe, 2\(\frac{1}{2} \) x26 Greenlee flat turret. Pipe machine, 6" Merrill. Press, No. 3 Manville d. a. Press, No. 5½ Consolidated. Welders, No. 10 Thomson, butt.

FOR SALE BY

Rosenfeld Machinery Co., 942-944 W. Lake St., Chicago, III.

Broaching machine, No. 2 LaPointe (New London), with broaches, Grinder, No. 10 Besly disc.

Milling machine, No. 2 Cincinnati universal, complete.
Milling machine, 1B Milwaukee, single pulley drive with vise.
Miller, Becker vertical, Model CS, rotary table.

Motors, th. p. to 100 h. p., a. c. and d. c. Punch press, 1-4P style, solid back.

Vises, 100 new Rock Island, all sizes.

FOR SALE BY

Chas. Molitor Machinery Co., 118-124 S. Clinton St., Chicago, Iil. MILLERS.

No. 2B Kearney & Trecker univ.

No. 2B Kearney & Trecker univ. No. 3 Kempamith universal. No. 2 Brown & Sharpe universal. No. 2 Rockford universal. No. 2 Rockford universal. No. 2 Rockford plain, single pulley. No. 1-Y Brown & Sharpe (2).

36"x16' Bridgeford, grd. hd., q. c. g., 18"x8' Sidney quick change gear.
28"x13' Wickes, semi-quick cha.g. gr., 18"x8' American q. c. g., taper.
24"x12' Walcott, quick change gear.
24"x12' Le Blond, q. c. g., heav, 18"x10' Boye & Emmes, q.c. g., taper.
18'x6' Greaves-Klusman q. c. g.
18'x6' Greaves-Klusman q. c. g.
14"x6' Bradford quick change gear.
14"x6' Bradford quick change gear.
14"x6' Bradford quick change gear.

4' Cincinnati-Bickford sgl. pulley 6-spindle Barnes b. g., power feed. 1, 2, 4-sp. Leland-Gifford hi-sp. (10).

PLANERS

30"x90"x90"x90 American, Z nos. no sees 34" Rockford geared crank. 29" Gould & Eberhardt grd. crank. 29" Guelen City geared crank. 4" Smith & Mills geared crank. 4" Smith & Mills geared crank. 4" Smith & Mills crank. 20" Smith & Mills geared crank. 4" Smith & Mills crank. 20" Smith & Mills geared crank. 4" Smith & Mills crank. 20" Smith & Mills geared crank. 20" Smith & Mills geared crank. 20" Smith & Mills geared crank. 20" Smith & Mills cra

No. 4 Warmer & Swasey universal, No. 4 W. & S., b. g., friction hd. (4) No. 4 Warmer & Swasey plain, No. 2 Warmer & Swasey (4), No. 2 W. & S. hollow hex. turret, No. 2, 1, 6 B. & S. formers (12), No. 2 Brewn & Sharpe semi-auto

Bolt cutters, †", 1", 1‡", 2" Acme. Bolt cutters, 1", 1‡" Landis. Keyseaters, Nos. 0 & 2 Becker.

etc., box, boring tools, etc.

No. 2B plain B. & S. motor attach. No. 3 Becker vertical.

Beaman & Smith vert, and horis. 30" Bullard vertical turret. 24" Binnse horizontal, boring.

Large variety of smaller millers.

1, 2-spindle Avey Nos. 0. 1, 2 (6). 2-spindle Cleveland, tap, att. Large variety plain drills, 12"-26". AND SHAPERS

16" Rockford crank. 16" Steptoe crank. 15" Blaisdell crank shaper, planer

24" Steinle turret lathes. 2" Jones & Lamson, 2" Pratt & Whitney. arge variety Fosters, Acme, V. O.

No. 53 Nat-Acme, motor, att. (5). ", i" Cleveland (5). spindle New Britain screw mche

MISCELLANEOUS. Keyseaters, Nos. 1 and 2 Davis, Tappers, \$", \$" Rickert-Schafer.

Large stock of lathes, punch presses, plain and universal grinders, 21, 4, 5,, 8, 10 power squaring shears, tappers, several hundred Warner & Swasey,

FOR SALE BY

Taylor-Hall Welding Corporation, 99 Hope Ave., Worcester, Mass. BUTT AND SPOT WELDERS

Guaranteed to be in perfect condition, Thomson 111 spot welder. Thomson No. 3 butt welder. Thomson 7AA auto, butt welder Thomson 21 automatic butt welder.

Thomson 170 spot welder. Thomson 40-A vert. butt welder. Thomson 20-A vert. butt welder. Thomson 10-A vert. butt welder.

FOR SALE BY

Clinton Machinery Co.,

128 S. Clinton St., Chicago, Ill.

MILLING MACHINES.

No. 2 Brown & S. univ., comp. (2). No. 2 Brown & Sharpe plain. SHAPERS

20" G. & E. b. g., high duty (2). 24" Milwaukee b. g. (2). 20" Cincinnati b. g. 20" Cincinnati B. E.
16" Ohio b. g., heavy duty.
MISCELLANEOUS.
Punch pr

Drill press, H. & W. 6-spindle. Grinder, 19"x36" Norton external. Grinder, 18" Besly disc, complete. Punch press, P4 Ferracute.

No. 1 Kempsmith univ., complete. No. 00 Brown & Sharpe (hand).

15" Pratt & Whitney s. g. 14" Garvin s. g. Milwaukee s. g. 7" Rhodes s. g.

Punch press, No. 3 back geared. Shear, " cap. 8' Ohl pwr. squaring, arranged for motor drive. Tapper, No. 2X Garvin automatic,

Large stock of lathes, punch presses, plain and universal grinders, screw machines and ball bearing presses.

FOR SALE BY

Davis Machinery Exchange, 1-3-5 So. St. Clair St., Toledo, Ohio

Band saw, 9" H. & R. metal cutting. Bolt threader, 12" Landis, sq. head. Bolt threaders, 12" and 2" National. Brake, 96" Niagara hand, 18 gauge. Brake, 96" Geo. A. Ohl hand power,

geared, 3/16" capacity.

Dowel machine, No. 2 Hawker.

Drill 24" Superior, al. hd., b. g., p. f.

Drill, 20" Barnes camel back, single

spindle, all geared.
Drill, 6-sp. Nat. Acme horizontal.
Drill, 6-sp. Nat. Acme horizontal.
Drill press. 2‡ Fosdick-Holloway
radial, tapping attachment.
Forming rolls. 42° Bertsch power,
slip end.

Grinder, 10"x20" Landis plain. Grinder, 10"x36" Norton. plain Grinder, 12"x36" Modern plain, selfcontained countershaft.

contained countershat.
Grinder, No. 1 Greenfield plain.
Griuder, No. 1 LeBlond tool & cut.
Grinder, No. 2 Bath universal.
Grinder, No. 1933" Besly vert. disc.
Hack saw, 6"x6" Marvel power.
Hammer, No. 1½-B High Speed
rivetine, no.

riveting, m. d. Hammer, No. 3-A High Speed riv. Hammer, No. 5-A High Speed riv. Jointer. 20" Oliver rd. safety hd. Keyseater. No. 0 Mitts & Merrill. Keyseater, No. 0 Baker.

Keyseater, No. 2 Davis, Lathe, 14"x6' Monarch, q. c. g., ck. Lathe, 18"x6' Greaves-K., q. c. g., ck. Lathe, 20"x10' Draper, l.c. g., chuck. Lathe, 24"x10' Hendey, qc. g., yoke. head.

Lathe, 26"x14' Walcott, qck. chg.

gear, taper att.
Mill, No. 3 Kempsmith plain.
Mill, No. 3-B B. & S. plain, s. p. d.
Mill, No. 2 Cincinnati Hi Power

Mill, No. 2 Uncumata rit Fower plain, s. p. d. mch., No. 2 Knight. Milling & drill. mch., No. 1 Knight. Milling & drill. mch., No. 1 Knight. Press, No. 8 Rockford s. s. flywheel. Press, No. 2 Toledoo b. i. flywheel. Saw table, No. 3 Crescent, tilting table, revolving arbor. Screw mche., §" Gridley auto., 4-sp., Modal (Z. Modal C. S. Crescont, Control of the Contro

Model G.
Shaper, 16" Smith & Mills crank,
Shaper, 24" Rockford crank, b. g.
Shaper, 28" Ohio crank, b. g.

Slitter, gang, No. 513 Toledo, 36"x18 gauge.

Squaring shears, 11'D.H. Stoll 14 ga. Turret lathe, No. 3 Foster, g. f. h. Turret lathe, No. 7 Foster, power feed to turret and cross slide. Welder, Taylor spot, 50 k. w., 60 cy.,

Woodworker, No. 103 Crescent univ.

FOR SALE BY

Asher Machinery Co.,		217 Centre St., New York, N	I. Y.
ment, tables 40"x81" "Ken	apsmith	cone, b. g., latest type, full equip-	\$900.
Presses, V. & O., all sizes, o	b. i., N	os. 0, 01, 1, 2, 2# and 3. n back inclinable. Resp. #225, and	
Shaper, 16" Newark, single feeds, like new	pulley	drive, with quick change geared	650.
Turret lathe, 2x24 Jones & I.	amson,	s. p. d., complete	500.

FOR SALE BY

E. L. Klauber Machinery Co., Bench drills, motor drive, 110 volt. Drill, 28° Prentice, b. g., pf., sl. hd. Drills, 3-spindle Dwight slate. Drill press, 34° Harnes, b. g., s. h. t.a., Gear cutter, 30° Whiton. Gear hobber, No. 0 Schuchardt & S. Gear miller, automatic, 4° cap. Grinder, No. 3 Brown & S. cutter. Grinders, electric bench, \$\frac{1}{2}\$ b. p. 110 volt a. c., Volt a. C., Volt a. C., b. Stark, with collete

volt a. c. Lathe, bench, Stark, with collets. Lathes, 14x6 Davis tool room. Lathe, 13x6 South Bend. 320 South Third St., St. Louis, Mo.
Lathe, 18x6 Frentice p. c. g., s. b. g.
Miller, No. 1f Knight.
Millers, hand, No. 9 Burke,
Pinion and wheel cutter, Stark,
Planer, 30 'x30' x3' American.
Presses, 30 ton Southwark, hydr.
Punch press, No. 33 Swaine.
Shaper, 14" Steptoe.
Shaper, 16" Stockbridge, motor dr.
Shaper, 21" Clincinnat b. g.
Tapping machine, No. 6 St. Louis,

XU

FOR SALE BY

1010	TANK ME E
Scott-Bansbach Machinery Co.,	130 So. Clinton St., Chicago, Ill
Auto, screw mach., B. & S. No. 19, h.	s \$ 500
Auto, screw mach., B. & S. No. 19, h. Auto, screw mach., B. & S. No. 00, wi	th slotting 450
Auto, screw mach., B, & S. No. 00, wil	thout slotting
Auto, screw mach., B. & S. No. 0, with	
Auto, screw mach., Cincinnati, 5-spind	le. I" 900
Auto. screw mach., Cleveland, ", Moo	del A
Rolt cutter, 2" D & H double head	300
Bolt cutter, 2" D. & H., double head. Boring mill, Morris horiz., motor drive	1.15/16" spindle 1.000
Boring mill, 34" Colburn vertical	350.
Centering machine, Whiton swivel	75.
Drill, 1-spindle L-G 14", high speed, ba	all bearing
Drill, 4-spindle Avey, high speed, ball	bearing 350
Drill, 4-spindle Allen, high speed, ball	
Drill, radial, 3' American sensitive	200
Filling machine, Cochran-Bly, floor typ	De 100
Grinder, No. 1 Norton universal, cutte	r and tool, all att 500
Grinder, No 65 Heald, with fixtures, I	b, b, spindle
Hammer, 50 lbs., No. & Standard drop	150.
Lathes, 14x8 Hendey, quick change, w	th taper 500
Lathe, 18x12 Schumacher & Boye, quic	
Lathe, 20x12 Rahn-Larmon, quick char	ge with chuck
Lathe, 20x10 Bradford, with chuck	400.
Miller, Whitney, Standard and U.S., ha	aud
Miller, No. 2 Knight vertical	
Miller, Ingersoll slab, 42"x36"x9'	1.750.
Oil separator, Curtis # bu	100.
Planer, 32x32x8 Pond, I head	750.
Planer, 36x36x8 Cincinnati, 2 heads	1 980
Press, No. 21 Holden o. b. i., 3700 lbs.,	2#" stroke
Press. No. 5 R. & K. o. b. i., 5500 lbs.,	2" stroke 525.
Screw machine, P. & W. 1x4, complete.	2 stroke
Turret lathe 24" Steinles 54" hole sid	e carriage 700

FOR SALE BY

W. P. Little Co..

West 9th & Front Sts., Cleveland, O. LATHES.

14"x 6' Hendey q. c. g. 16"x 6' LeBlond q. c. g.

16"x 6' Bradford q. c. g. & t. a. 18"x 8' Lodge & Shipley pat. hd. PLANERS.

26"x26"x8' Gray, one head. 18" Cincinnati back geared, plain.

32"x32"x14' Pond two rail heads. MILLING MACHINES.
red, plain. No. 6 Whitney hand.

No. 13 Garvin plain. No. 2 Kempsmith plain. No. 15 Becker universal. 18" Cin. semi auto. face miller.

8" Heald rotary surface. No. 60 Heald cylinder, 36" table.

GRINDERS No. 75 Heald internal. No. 6 Bryant chucking grinders.

" Barnes all geared. 22" Barnes b. g. power feed.

DRILL PRESSES No. 25 Foote-Burt, single pulley dr. arm Canedy-Otto post radial. MISCELLANEOUS.

Keyseater, No. 0 Catlin Wiring machine. No. 1 Magee.
Rotary shear, No. S 24 Yoder.
150 other tools in stock.

Send us your inquiries.

Sand blast tumbling barrel, 32"x40". Turret, No. 1 W. & S. auto, chuck. Straightening roll, 42" with 7 rolls.

1733 Powers St., Cincinnati, Ohio

FOR SALE BY

Randle Machinery Co.,

Randis Machinery Co.,

Bending rolls, 5' Beloit,

Bending rolls, 8' 3/16" Bertach,

Bending rolls, 8' 3/16" Bertach,

Bending rolls, 16' 3/8" Plate,

Bending rolls, 16' 3/8" Niagara slip form,

Bolt cutters, 4" Acme, m. d,

Boring mill, 36" Bullard, r. p,

Boring mill, 36" Bullard, r. p,

Boring mill, 59" Bickford,

Boring mill, 36" Cleveland,

Brake, 10', 16! Chicago, hand power

Brake, 8' 16' ga. Robinson, m. d,

Brake, 10', 24! ga. Chicago, m. d. Brake, 8 '110 ga. Robinson, m. d.
Brake, 12' x16 ga. Robinson, m. d.
Brake, 12' x16 ga. Chicago, m. d.
Grinder, No. 8 Badger disc, m. d.
Grinder, No. 9 B. & S. universal,
Grinder, No. 2 B. & S. internal,
Grinder, No. 2 Gardner, m. d.
Grinder, No. 3 Gardner, m. d.
Grinder, No. 19 Besly, m. d.
Hack saw, 8x6, Racine & Peerless.
Hack saw, 8x6, Racine & Peerless.
Keyseater, No. 1 Davis.
Keyseater, No. 3 Baker, m. d.
Lathe, 14x6 LeBiond, rapid pal.
Lathe, 14x6 LeBiond, rapid pal.
Lathe, 18x8 Morris q. c., g. h.
Lathe, 18x8 Morris q. c., g. h.
Lathe, 18x8 U LeBiond, q. c.
Lathe, 20x10' American, g. b.
Lathe, 20x10' American, g. b. athe, 24x10 LeBlond, q. c. Lathe, 24x10 L. S., q. c. Lathe, 25x18 LeBlond, q. c. Lathe, 27x12 LeBlond, q. c.

733 Powers St., Cincinnati, Ohio Miller, No. 2 Le Blond plain. Miller, No. 18 Cincinnati plain. Miller, No. 18 Cincinnati plain. Miller, No. 28 Ohio plain. Miller, No. 28 Ohio plain. Miller, No. 28 Cincinnati uni. Miller, No. 2 Cincinnati uni. Miller, No. 2 Cincinnati uni. Miller, No. 2 Cincinnati uni. Planer, 32x32x8' Gray, 1 head. Planer, 32x32x8' Gray, 2 hds. m. d. Planer, 32x32x8' Gray, 2 hds. m. d. Planer, 32x38x18' Gray, 2 hds. m. d. Planer, 32x32x8' Gray, 2 hds. m. d. Reight dr. d. Marchan, 2 hds. d. Reight dr. d. Shaper, 10 Darker, b. g. Shaper, new 28" Queen City
Turret lathe, 24" Gisholt, b. d.
Screw machine, 42" s. s. Gridley.
Wheel presses, 200 ton N.-B.-P

Lathe, 24x10 Rahn-Larmon, q. c. Lathe, 25x14 Sidney, q. c. Lathe, 48x20 Pond, l. c. Lathe, 60" New Haven, l. c. 300 ton Thomas: 400 ton Caldwell: Send us your inquiry for the machine you need, whether listed above or not.

FOR SALE BY

Economy Machinery Co., 430 East Pearl St., Cincinnati, Ohio

Heavy machinery for boiler shop or structural work.
AIR COMPRESSORS.

L. & D. 14x12, single c., b. d. Curtis 12x12, double c., b. d. Clayton 10x10, single c., b. d. Ingersoll 8x8, single c., b. d.

Aurora 20", 3-spindle, Foote-Burt 4-spindle.

1

Walcott 26"x10', heavy duty. B. & O. 20x8' heavy turret, p. f.

LeBlond No. 3, h. d. p. | Cincinnati Nos. 4 and 5, PUNCHES AND SHEARS.

Hilles & Jones No. 8 s. e. punch or shears, 56" throat. Cleveland horizontal punch. Lennox hvy, beveling rotary shears. 8' throat.

Bolt cutters, Merriman to 2" and 3\(\frac{1}{2}\)", (2). Hammer, steam, Miles 2,000 lbs.

Herron and Bury, 6x5%, sgl. c., b. d. Gardner 6x6, single c., b. d. Gardner 6x6, single c., motor, a. c.

DRILLS.

Bausch 16-spindle.

LATHES

Lodge & Shipley 22x7' heavy turret, p. f. MILLERS.

L. & A. No. 5 punch or shr., 12" thrt. L. & A. No. 3 punch or shr., 7" thrt., with angle and shear blades. Wais & Roos No. 3 punch, 8" throat shear blades.

MISCELLANEOUS. Hammer, steam, Miles 800 lbs. Hack saws. Marvel, Racine and Atkins make, various sizes,

FOR SALE BY

1531-33 N. Broadway, St. Louis, Mo. McDonald Machinery Co.,

Air compressors, Ingersoll-R. \$x7, motor drive, Bury 12x12.
Arbor presses, Eames No. 6.
Baling press, Champion sheet metal.
Boring mills, 7 Bullard 42" low price.
Chain hoists, Vale & Townel & 2-ton rane, 5 ton, 3 motor, traveling, Demagnetizer, Walker. Drill, Baush 18-spindle. Drill, Baush 18-spindle.
Drills, Baker, heavy duty (2).
Drills, Leland-G l-sp. h.s., b.b. floor,
Drills, H. & W., Kokomo l-spdl.,
Sipp 1 & 2-spdl., h. s., b. b.
Drills, 20° 24° 28 & 20° b. g., & tap.
Furnace, Holcroft 28 k.w. annealing.
Grinder, Pratt & Whitney vert. sur.
Grinder, Heald No. 66 cylinder. Grinders, modern internal; Blount 36", wet (3), Heald 8", mag. ck. Grinders, St. Louis No. 9. Hack saws, 4x4, 6x6 & 2 Racine Jrs., Atkins 4x4": Atkins 8x8 h. s.; Marvel No. 2. Nilse 1160 b.

Marvel No. 2.
Hammer, Bement-Niles 1100 lb. st,
Lathes, Schumacher & Boye, 42"x16"
q. c. g.; Bidgeford 38"x12" q. c. g.;
South Bend 28"x18"; South Bend
21"x12" q. c. g.; Davis 22"x10";
Whitcomb-Blaisdell 22"x8" q. c. g.
American 20"x8", Mueller 18"x10.
q. c. g.; Aloyanch 16"x8"; Porter
distributions of the control of th othter assorted sizes.

Milling machines, Kempsmith No. 2; Ohio No. 20 plain. American No.

14 universal. Ohio 34; LeBlond No. 3-H plain; Brown & S. No. 3 pl.; Becker No. 4-B vertical; B. & S. No. 3-Bpl., s. p. d.; Kempsmith No. 3 universal; No. 1 Kempsmith plain.

plain.

Pipe machine, Curtis 3", motor dr.;

Merrill 4" belt drive; B. & K. 8".

Planers, Gray 28"x28"x8', 1 head;
Cincinnati 36"x36"x18' 2 heads;
Pond, 36"x38"x12' table, 18' bed,

Fond, 39 & See Ass.
2 heads,
Punches, W. & W. No. 17 punch.
Punch presses, Swaine No. 29 o. b. i.
Willard No. 4-A o. b. i., Bliss No.
19 o. b. i., (2), Federal No. 1-8
Pyrometer, Thouge elec., with rec. Rivet spinner, Grant.
Rolls, Badger 50" Pyramid power rolls, 5" dia 4" cap.

rolls, 5" dia. 4" cap.
Screw machine, Gridley 1-spdl. 24"
auto.; Cleveland 14" auto.; W. & S.
No. 2 hand; P. & W. No. 2† hand;
Foster No. 3 hand; Woods No. 2
tilted turret head; Bardons & O.

tilted turret head; Bardons & O. No. 7; National-A. No. 52 auto, 4-8p., m. d. B. & S. No. 69 auto. Shapers, Cint. 20", b. g. ; Ohio 29"; Ohio 16"; American 16" b. g.; S. M. 16"; Stepto 14" Barker 29" b. g. 24"Queen City 24" b. g., Barker 18" b. g.; Smith & Mils 21" b. g. Shith & Mils 21" b. g. Weldern, butt, Federal, §" rds.

FOR SALE BY

Lee Machinery Company, Inc.

6318 E. Jefferson Ave.

Detroit, Michigan

Centering machine, Whiton.

Grinder, 12" Heald rotary surface, Lathe, 18":8" Whitcomb-Blaisdell, with chuck, Lathe, 16":86" Lodge & Shipley, quick change. Tumbling barrel, 24":336".

We are now carrying the Loshbough-Iordan line of punch presses in stock.

FOR SALE BY

Brown Machinery Co.,

Blowers, Nos. 3, 7 and 9 Sturtevant; Nns. 2 and 2 Root, Buffer, Hisey 3 hp., 3-ph., 220 v. Drills, 20" C-O and Champion; 22" and 25" Barnes; 24" Clucimati. Drills, radial, 2f" American 3" American and American, sensitive; 3f" Foodick. Brills, hor radial, Nos. 2 & 3 Barnes. Grinders, emery. St. Louis & W.; large stock new at 50 f disc.

Grinders, disc, No. 6 Besly and 14 Gardner. Ginders, drill, W. & M.; American. Grinders, plain, 10x36" Norton; 8x36" B. & S.

Grinders, universal, Nos. 3 Ohio and 12 B. & S. Hammer, helve, 40 lb. Bradley. Lathes, turret, 16" Gisholt, Fulton, Onar, Foster, J. & L.

2323 N. 9th St., St. Louis, Mo.

Lathes, No. 5A Potter & Johnston. Lathes, 14" C-J; 16" Monarch: 18" Monarch: Lodge & Shipley; Fay & Scott; 20" L. & S.; 24" F. & S.; 26" Whitcomb-B.; 36" American. Millers, No. 4 Hendey and No. 3B

Owen, plain; No.3 Cincinnati univ. Pipe machine, No. 2 B. & K. Planers, 30" Whitcomb: 60" Niles, 42" Pond.

42' rond, Presses, No. 5 S. & P. grd.; L. & J. o. b. i., No. 6 Niagara, geared. Profilers, Putnam; Reed-Prentice. Punch and shears, No. 6 L. & A. 12' thrt.; No. 17 W.-W. Riveter, 4' Adt.

Riveter, * Adt. Shapers, 14" Barker; 20" D. & E. Shears, rotary splitting, No. 134 Marshalltown 4' thrt.; 4" cap.; No. 13 Pettingell.

And many others. Write for list 130.

FOR SALE BY

Bennett Machinery Co.,

Boring mill, \$1" Bridgeport, 2 hds. Boring mill, 42" Builard, 2 hds. Boring machine, 2\frac{1}{2}" bar, Universal,

t. & l. pulley through gear box, table 20"x42" Boring mche., 28" Fitch., knee type Drill, mult. 6-sp. Baush, in circle. Drills, 25" Snyder, tap ; 20" Hoefer. Hack saw, 44" Goodell & Pratt. Lathe, 26/48"x18' McCabe, dbl. spdl. Lathe, 26/48"x14' McCabe, dbl. spd. Lathe, 26:48"x14" McCaue, dbl. sp.
Lathe, 28"x12" Boye & E., q.c., taper,
Lathe, 26"x14" Rahn-Carpenter cone.
Lathe, 24"x3"x14" Ponh belt.
Lathe, 44"x34" Schumacher & Boye.
Lathe, 20"x 8" American g.h., q.c. g.
Lathe, 19"x16" Sidney, new.
Lathe, 19"x16" Sidney, new.
Lathe, 19"x16" Flather, c. g., cone.
Lathe, 18"x8" Hollingsworth, q.c.g.
Lathe, 18"x8" Hollingsworth, q.c.g.
Lathe, 18"x8" Hollingsworth, q.c.g.
Lathe, 16"8" Stradford, q.c.g., taper. Lathe, 16"x8' Bradford, q.c.g., taper.

30 Church St., New York City

Miller, No. 3 Kempsmith plain, Miller, No. 22 LeBlond, plain, Miller, No. 1-A Milwaukee mfg.,grd. Miller, No. 21 Le Biolid, DiAlli, Miller, Model C. Becker, vertical, Miller, Model C. Becker, vertical, Miller, No. 5B Becker, Pipe machine, 8" Jarecki, motor, Pipe machine, 6" Saunders, Belt dr. Pipe machine, 4" E. C. & B., belt, Pipe machine, 4" E. C. & B., belt, Pipe machine, 3" Jarecki No. 7B. Pianer, 30 x38" x18" Cincinnati, 2hds. Punch, 24" L. & A. No. 4 s. e. Radial 3f Mueller, gear box tap. Saw, cold 22" blade Gleim 6" cap. Shaper, 24" Hollingsworth cone. Shaper, 24" American, belt drive. Shaper, 29" Gould & Eberhardt \$875. Shaper, 29" Gould & Eberhardt \$875. Shaper, 16" Stockbridge, belt.

Send for Complete Stock List.

FOR SALE BY

Hotchkies, Blue & Co.,

249 Railway Exchange, Chicago, Ill.

Punch & shear, Hilles & Jones No. 3, s. e. type, 36" throat, arch. jaws, punch likt, shear 1" plate, bar shear 2-h" round, 7x1½ flat and 5x5x2 angles, G. E. 10 h. p., 220 v., 3 ph., 60 cy. motor. Fully equipped shears, strippers, blocks, etc., very good condition.

Hammer. Bradley 60 lb, cushion helve, new rubber bumpers & extra set,

FOR SALE BY

M. A. Wertman Machinery Co., 427 Penton Bldg., Cleveland, Ohio

Bolt cutter, 24" Landis with dies.
Boring mill, 52" Niles 2 swivel heads, single pulley drive
Boring mill, 52" Gisholt 2 swivel heads, single pulley drive,
Boring mill, 42" Bullard, 2 swivel heads, self contained c. s.

Drill, 3 Western radial, single pulley drive.
Drill, 4 Morris radial, single pulley drive.
Drill, 5 American radial, motor drive.

Drill, S' American radial, motor drive.
Milling machine, Miwakee No. 14A plain, single pulley drive.
Milling machine, Brown & Sharpe No. 07 plain.
Milling machine, Brokeford No. 3 plain, single pulley drive.
Milling machine, Rockford No. 3 plain, single pulley drive.
Milling machine, Rockford No. 3 plain, single pulley drive.
Milling machine, Press, 60 milling machine, perfect,
Planer, Cleveland openside 36" 36" 36" 10", 3 mads.
Press, Bliss No. 34B toggle, draw and lift-out 10f".
Press, Toledo No. 18 toggle, draw and lift-out 10f".
Press, Toledo No. 3 geared, o. b. i. 4f" stroke.
Polishing lathes, Frankfort double end, b. b., 14" spindles, (10).
Shaper, 34" Clincinnati, very good.
Shaper, 36" Clincinnati, very good.
Turret lathes, Gisholt 21", 34" Nole in spindle (3).
Turret lathes, Gisholt 21", 34" Nole in spindle (5).
Turret lathes, Gisholt 21", 34" Nole on, 6 g. f. h. turret lathe (2).
Turret lathes, Warner & Swassey No. 4 universal turret lathe, cone type.

FOR SALE BY

The O'Brien Machinery Co.,

Boring mill, No. 14 Beaman Smith horizontal, floor type, 31" bar. Boring mill, 48" Bement car wheel. Boring mill, 48" Bement car wheel. Drill, 32" Aurora, motor driven, Drill, radial 24' Morris s. p. dr. Gear cutter 36" Whiton, belt. Grinder, 12"x36" Cincinnati univ. Grinder, No. 2 Norton universal. Hammer, 2000 lbs. Chambersburg, double from steam forging.

Hammer, 2000 lost. Chambersourg, double frame, steam forging, Hammer, 1100 lb. N. B. P., sgl. fr. Hammer, 600 lb. Benent sgl. frame. Hammer, 100 lb. Beaudry belt. Lathe, 40"x30' Harrington, Lathe, 48"x12' Harrington, belt.

Lathe, 48°x12' Harrington, belt. Miller, Newton duplex, planer type, table 21"x12' Miller, No. 4 Le Blond h. d., plain. Milling mche., No. 3 Garvin duplex, Pipe machines, 2", 4", 6", 8" & 12". Oster, Cox, Williams, Eaton-Cole & Burnsham, and Lacchi makes.

& Burnham and Jarecki makes, belt or motor driven, comp. stock. 113 N. Third St., Philadelphia, Pa. Pipe machine, 2" Landis, belt.

Pipe machines, Oster portable, gas.

arpe machines, oster portable, gas-drive, all sizes.
Planer, 36"x36"x12" Bement, 4 hds.
Planer, 36"x36"x12" Cincinnati, 2 hd s.
Planer, 34"x54"x36" Sellers, 4 heads.
Press, No. 37 Niagara, 1100 lb. fly-wheel, solid back.

Press, hydraulic wheel, 100 ton, 33" between bars.

Press, hydraulic flanging, 150 ton Chambersburg, 54" throat. Punch, No. 2 Hilles & Jones, 20" thrt., motor driven, cap. 1" in 1". Rolls, 6' Beloit, 3" cap., belt. Rolls, Buffalo angle bdg., cap. 54x4.

Rolls, Suffalo angle bdg., cap. 3/12. Saw, 16" Higeley cold, cap. 4". Saw, 30" Espen-Lucas, cap. 8". Shaper, 18" Cincinnati, one travel-ing head, 2 tables. Shapers, 30" Stockbridge, with speed

box, (2). Shear, Buffalo bar, cap. 2" round.

FOR SALE BY

The United Metal Products Company,

Canton, Ohio.

¥

3

BOILERS

Two American Radiator boilers, type T-79"-11 sections, good condition, low price and immediate delivery.

FOR SALE BY

Nelson Machinery Co., Drill press. 4-spindle Henry & Wright, ball bearing. Furnace, electric, Booth-Hall It ton,

600 k. v. a., new.
Miller, No. 3 Cinti univ., cone dr.
Pipe machine, No. 14 Jarecki 22 to
8", q. c., adj. dies.

123 N. Pearl St., Green Bay, Wis. Pipe straightener, No. 2 Kane &

Roach, new.

cone drive. Turret, 14"x18" Pratt & Whitney.

FOR SALE BY

A. M. Stochr Machinery Co.,

Bolt cutter, 3-spdi. Acme, 1" cap. Boring mill, Beaman & Smith hori-zontal, 5" bar; 60" Bullard motor

drive, 220 v., 60 cy., 3 ph. Grinders, No. 7 Gardner b. b. d. e., univ. tbl; Nos. 26-18" Besly dbl. spdl. disc, complete; Detroit centerless, arranged for belt drive.

Miller, 40" Ohio, auto, rotary.
Planers, 56x56x12' Gray, 2 heads;
60x60x18' Gray, 2 heads; 36x26x12' Strick.

803 W. Madison St., Chicago, Ill.

Presses & pumps, hydraulic, 300 ton Perin, 2-15 ton, comp, with pumps, Perin, 2-15 ton, comp, with pumps, Presses, Bliss, arch., 22" str., 28" bet. column; R. & K. dbl, ck., 36" bet. column, roller feed, 22" stroke. Punch and shears, No. 8 Whiting,

36" thrt., arct. jaw, motor drive. Riveters, 3-A, 4-A & 5-A, high spd. Rolls, 10' Scully, 2" drop end. Shears, Scully rotary splitting, 4"

capacity; Lennox bevel "cap. Shears, Kling splitting, "cap. Electric, positive pressure, portable sprays. Will spray Duco, paint, lacquer, shellac, enamel, whitewash, etc. A complete

unit, no other expense, attach to light socket and start. Fully guaranteed, price \$37.50. Circulars on request. FOR SALE BY

524 W. Van Buren St., Chicago, Ill. B. L. Saltzman.

PUNCH PRESSES

No. 2 Walsh. No. 3 Niagara, o. b. i. No. 2 American Can. No. 10 Torris and Wold.

Bench punch presses all sizes. LATHES.

Flather 18x8, q. c. g. Rockford 11x5. Sidney 14x6, q. c. g. Flather 9x5. South Bend 15x6. Rockford 14x6, q c. g., tool room

SHAPERS. 12" Springfield crank. 20" Hendey, friction drive.

DRILL PRESSES.

Avey 3-spindle, high speed, b. b.
AIR COMPRESSORS. Ingersoll Rand 12x12. Ingersoll Rand 10x12. Blaisdell 6x8 horizontal.

DRILLS. Electric, and a capacity, full ball bearing MOTORS.

New Prices. † h. p., single phase, new, G. E. 286, 1 h. p., 3 phase, new, G. E. 435, h. p., single phase, new, G. E. 42, 2 h. p., single phase, new, G. E. 49, 2 h. p., single phase, new, G. E. 5, 5 h. p., 3 phase, new, G. E. 60.

FOR SALE BY

314 W. Fayette St., Syracuse, N. Y. Syracuse Supply Company.

Guaranteed NEW MACHINES in original crates at prices below list:
Pipe machine, No. 70 Forbes.
Straightener, No. 2‡ Corey.
Shaper, 20" Whipp, back geared.
Exceptional values in USED TOOLS:

Band saw, 36" Fox, tilting table. Bending machine, Champion.

Benaing macrine, Champion.
Bolt threader, Acme 2-spindle, with
one head, \(\frac{1}{2} \) capacity.
Boring mills, Lucas No. 21, (2).
Drill press. 22" Prentice, rebuilt.
Grinder, 24" Safety Emery Wheel Co. snag grinder

Grinder, Blount 11x14 wet tool, m. d. Lathe, 12"x12' Reed. Lathe, 12"x4' Hendey, q. c. g. Lathe, 8x60 Fitchburg lo-swing. Miller, No. 5 Becker vertical. Millers, Wisconsin hand, (3).

Planer, 30"x30"x16' L. W. Pond. Radial, 5' Pond.

Radials, 5' Dreses, single pulley

drive, gear box, (2).
Rip saw, No. 2 Powers, self feed, power.

power. Screw machine, No. 2‡ Garvin. Thread miller, No. 12 Lees Bradner. Tilted turret, No. 6 Wood. Turret lathes, No. 4 Foster, (2). Turret lathe, No. 3 Cincinnati Acme.

Turret lathe, 21x26 Pratt & Whitney. Turret lathe, 21" Gisholt, Turret lathe, 24" Steinle.

FOR SALE BY

Wm. C. Johnson & Sons Machinery Co. 1211-1223 N. 12th St.,

HAMMERS. No. 5-B 500-lb. Nazel motor-driven.

2000 lb. Niles steam. LATHES.

60"x12' New Haven turning lathe. 26"x12' Fifield, heavy pattern. 24"x10' LeBlond, p. c. g. 20"x16' Monarch gap lathe.

PLANERS AND SHAPERS

24"x24"x 6' Powell.
30"x30"x 8' Cincinnati.
36"x36"x18' Hamilton, motor drive.
42"x42"x12' Powell, 3 heads.
36"x36"x12' Cleveland openside. 48"x48"x16' Niles, box table.

No. 7 Becker, Lincoln type.
No. 12 Brown & Sharpe plain.
DRILLING MACHINES.
22" W. F. & John Barnes,
20" Champion.

14"x36" Landis universal. 8" Heald rotary, magnetic chuck

No. 1 P. & H. horizontal drill. 42" Niles, 2 heads.

3"x24" J. & L., geared head. 3"x36" J. & No, 6 Warner & Swasey cone head. 2" Warner TRAVELING CRANES. 15 Hand, cranes 14' to 42' span

Forging mch., 24" Acme, steel bed. Furnaces, cyanide hardening. Presses, Lourie hydraulic, 20 & 30 ton Punch, horizontal, 1" in 1". Punch & shear, Cleveland 42" throat. Rotary planer, 44" and 48".

60 lb. Bradley helve.

18"x 8' LeBlond, q. c. g. 15"x10' Cisco, q. c. g. 14"x 6' Flather, q. c. g. Fitchburg Lo-Swing, 12' bed.

16" Whipp shaper. 20" Whipp shaper. 20" Smith & Mills, shaper, b. g. 24" Flather shaper, b. g. 24" Gould & Eberhardt shaper, b. g.

MILLERS. | No. 14 Rockford plain.

huck. No. 6 Besly double disc.
BORING MILLS.
iii. 51" Baush, 2 heads, heavy.

os, SCREW AND TURRET MACHINES, geared head, Swasey cone head. 2" Warner & Swasey hollow hex.

span. | 3 yard jib cranes with guy ropes. MISCELLANEOUS. Sand slinger, Beardsley & Piper, No. 18, type P. Shear, Lennox, rotary bevel. Slotter, 13" Niles.

Swager, No. 1 Dayton.

FOR SALE BY

Reliance Machinery Sales Company
N. S. Pittsburgh, Pa.

Automatics, Nos. 28 & S Acme.
Boit cutter, 4" Acme, class" A, "3-ap.
Boit cutter, 4" Acme, class" A, "3-ap.
Boit cutter, 1" Geometric, m. d.
Boit cutter, 1" Geometric, m. d.
Boit cutter, 1" Acme, double head.
Boit cutter, 1" Acme, single head.
Boring mill, Niles horiz, 1" bar.
Boring mill, Niles horiz, 4" bar.
Boring mill, 1" Bullard, 2 heads.
Brake, 8" D. & K. 14 Fause.
Buffers, 10 h. p. .220-3-60-3600.
Bulldozer, No. 4 Williams & White.
Broach, No. 3 LaPointe.
Cutting-off machine, 6" Hurlburt-R.
Drill, 18" Weigel, sliding head, 1. "
Brill, 18" Weigel, sliding head, 4. a.
Brill, 1" By Weigel, sliding head, 4. a.
Brill, 1" Sy Weigel, 1" Sy Botton, 1" Sy Bot


y Sales Company
N. S. Pittsburgh, Pa.
Lathe, 18"x10" W. B., g., h. s. p. d.
Lathe, 18"x10" W. B., g., h. s. p. d.
Lathe, 28"x10" LeBlond, q. c. g.
Lathe, 27"x18" Reed, bargain.
Lathe, 18"x12" Boye & Emmes, q. c. g.
Lathe, No. 2A W. & S. universal.
Lathe, 18" Libby surrets, s. p. d.
Lathe, 21" Gisholt turret. (2).
Miller, No. 1 Knight, 6"x18".
Miller, No. 2 Cincinnati plain.
Miller, No. 4 Hendey plain, s. p. d.
Miller, No. 4 Hendey plain, s. p. d.
Miller, No. 5B Becker vertical.
Pipe mehe, 1, Jarcki 14" to 6". m. d.
Pipe mehe, L. C. & B., 24" to 8".
Pipe machine, Merrill, 34" to 12".
Press, No. 57 Niagara screw press.
Press, No. 58 Toligat rimming, m.d.
Planer, 34"x24" x8" Powell, 1 head.
Planer, 34"x34" x8" Powell, 1 head.
Planer, 34"x34" x8" Powell, 1 head.
Planer, 34"x34" x8" Fowell, 2 head.
Planer, 34"x38" x12" Gray, 3 heads.
Planer, 48"x38" x14" Gray, 3 heads.
Planer, 48"x38" x15" Gray, 3 heads.
Planer, 50"x58 x15" heats.
Planer, 50"x58 x15" heats.
Planer, 50"x58 x15" heats.
Planer, Saw, 14" American metal swing m.d. Screw mche., No.4 W. & S., b.g.,f.h. Seamers, Bliss, Leffler & Max Ams. Seamera, Bliss, Leffler & Max Ams. Separator, Dings magnetic, b. d. Shaper, 20" Smith & Mills b. g. cr. Shaper, 20" Milwaukee, b. g. crank, Shaper, 20" Milwaukee, b. g. crank, Shaper, 24" Averbeck, g. b., s. p.d. Shaper, 24" Averbeck, g. b., s. p.d. Shaper, 24" Averbeck, g. b., s. p.d. Shaper, 24" Morton draw cut. Shear, 72" x14 gange cap., Niagara. Slotter, 13—18" Dill. m. dr. kg. 14" Mebster & Perks, I-spdl. ns. What have you for sale?

A thorough coverage is necessary to maximum advertising results.

For the greatest coverage of the richest markets for machine tools and shop equipment, concentrate your advertising in

HITCHCOCK'S
MACHINE TOOL BLUE BOOK

LIKE NEW-



Cost Much Less

Factory Rebuilt Milwaukee Milling Machines

that will satisfy both your Production and Purchasing Departments. Genuine MILWAUKEE MILLERS -rebuilt at the factory. Every machine is completely disassembled, re-scraped, and new parts used wherever needed. They carry the same accuracy guarantee as our new machines. Better write today-

THESE ARE STILL AVAILABLE

No. 1 A Manufacturing
No. 1 B Plain
No. 2 AS Mfg. M. I. B.
No. 3 B Vertical (Motor-in-Base)

No. 2B Vertical

SUBJECT TO PRIOR SALE

Address: Rebuilding Department

MACHINES

CORPORATION

5926 National Ave.. Milwaukee, Wisconsin

(See Page 3 for K & T New Milling Equipment)

Bargains and Used Tools

Used No. 2 Brown & Sharpe Universal Miller Used 3-B Kearney & Trecker Plain Miller, m. d., a. c. Used 36" Bullard Boring Mill. Side Head

MILLING MACHINES

Used No. 1 Kempsmith univ., all equipment including vert. attach. Used No. 2 B. & S. univ., cone. h. Used No. 2 Kempsmith universal. Used No. 2 Cinti univ., cone head.

Used No. 2 Cinti plain, cone head. Used No. 2B B. & S. plain, g. h. Used No. 3 Brown & Sharpe, plain. Used No. 3 Cincinnati pl., vert. att Used No. 28 Ohio plain.

LATHES

New 11"x5' Seneca Falls. Used 14"x6' Bradford taper, q. c. Used 14"x6' Hendey, q. c. Used 14"x6' Hendey, q. c. Used 15"x6' Sunstrand semi q. c. New 16"x7' Chard Mfg, type. Used 16"x8' Advance q. c., clucks.

Used 18"x8' Lodge & Shipley, q. c. Used 18'x10' Monarch, q. c. Used 18'x10' American, q. c. Used 20'x10' Greaves Klusman. New 20'x8' Boye & Emmes, q. c. Used 24'x12' Boye & Emmes, q. c. Used 24'x16' Hoye & Emmes, pl. c.

SENSITIVE DRILLING MACHINES

New Allen Drills, 1, 2, 3 & 4 spdls. Used 1-spindle Allen Drill. Used 2 and 3 spindle Allen. Used 4-spindle Allen Drills, Used 2-spindle Avey, ball bearing.

RADIAL DRILLS

Used 5' Dreses.

Used Hammond type B sensitive.

Used 20" Hoefer wheel and lever fd.
Used No. 2, 20" Colburn mg. type.
New 23" Snyder, tapping att.
Used 24" Mechanics, sliding head.
New 30" Sn.

Used 24" Barnes camel back. Used 25" Barnes, stationary head. Used 26" Barnes, sliding head. New 30" Snyder, sliding head.

MULTIPLE DRILLS

New Baush No. 4 hd, 22x52 41 spdls. | New Baush No. 4 hd, 30x46 22 spdls.

SHAPERS AND PLANERS

Used 14" and 16" Smith & Mills. Used 16" Kelly shaper. Used 20" G. & E. back geared. Used 24" Cincinnati, b. g. Used 24" Rockford power down feed. Used 24" Gould & Eberhardt, b. g. Used 26"x26"x8' Flather, 1 head. New 36"x36"x12' W. & P., 2-heads.

New Morse No. 3 plain, 8"x40". New

Used No. 10 B. & S. plain, 6"x20". Used Gisholt tool grinder. New Churchill internal. New No. 9 Cincinnati internal.
Used Bridgeport No. 110 knife
grinder, belt or motor drive.

TURRET LATHES AND SCREW MACHINES

Used No. 3A W. & S. universal. New No. 4 Wood tilted turret Used No. 3 Superior.

MISCELLANEOUS

New 4" Standard pipe machine.

Used 4", 8" and 12" Bignall & Keeler pipe machines.

New No. 3-B LaPointe broach.
New No. 1, 2, 3, 4 and 5 Federal pipe machines.

Manning, Maxwell & Moore, Inc. 27 N. Jefferson St., Chicago, Ill.

FOR RENT STORES FLOORS OFFICES

In the Heart of Chicago's Machinery District.

MACHINERY HALL

Washington and Clinton Streets

MOXLEY BUILDING

Randolph and Clinton Streets

WILLIAMSON BUILDING

Washington and Jefferson Streets

90% of Chicago's Machinery Dealers are located within two blocks of these buildings

EDGAR M. SNOW & CO.

Exclusive Agents

69 W. Washington St., Chicago

Telephone-Central 7474, All Departments

SPECIAL BARGAINS USED MACHINE TOOLS

- B-2161—Set Brown & S, 6* Universal Index Centers.....\$100.00 B-2170—No. I Knight Drilling and Milling Machine, with vise, drill guide and circular milling attachment. \$200.00
- B-2458-13"x6' Willard Loose Change Gear Engine Lathe, with hollow spindle 1½" bore, with double friction countershaft, 3-step cone, for 2½" belt, single belt feed to four quick change gears on feed rod, compound rest, double back gear, and small face plate, large face plate, set of change grs., without steady rest \$125.00 Add for Steady Rest, if wanted \$10.00
- B-2236-15*x8' American Quick Change Gear Engine Lathe, with 5-step cone for 2" belt, single back gear, double friction countershaft, with LeBlond belt shifter fitted, compound rest, steady rest, large and small face plates, and chk. plate 6%" O. D. \$225.00
- B-2134-16*x6' American Geared Head Quick Change Gear Engine Lathe, (actual awing 16*), plain rest, small face plate, parts missing ASIS \$45.00
- D-2234—No. 3 Brown & Sharpe Surface Grinding Machine, Planer Type, taking 23° between housings, with table 14½° wide by 69½° long, having three T-slote lengthwise, will grind work 11½° high by 60° long, and takes wheels up to 12° diameter by ½° face; machine equipped with shelf bracket for motor dr., can be belt dr. \$500.00 With 2 H. P. 220 volt, D. C. motor and rheostat. ADD \$75.00

- B-2104—Pond Planer, 42" widened to 48", with 12' table, with one rail head, one side hd., belt driven with countershaft. \$650.00
- B-2103-2¼"x24" J. & L. Bar Machine, serial 10949, belt driven with countershaft, die head and other equipment..... \$275.00
- B-2153-12* Betts Crank Slotting Machine, back geared, cone drive, 4-step cone, 4* belt, with double friction countershaft, power rotary table 36* diameter with T-slots; machine takes 24* from top of tbl. up to bottom of tool block in highest position, 15* from top of table up to bottom of ram ways, 26* reach from top of tool back to col.; mche. has pwr. fds. in all directions, cond. good \$550.00
- B-2268—No. 652 Gould & Eberhardt Gear Cutting Machine with tight and loose pulley countershaft, single pulley drive for 4" belt, with arbor support, with chart, with cutter indicator, change gears, and eleven work arbors rated pitch capacity 4 diametral pitch, diameter cap. 33", face, cap. 9", vt. 3200 lb., for spur grs. only, \$400.00

The E. A. Kinsey Company

331-335 West Fourth St.,

Cincinnati, O.

BRANCHES: INDIANAPOLIS, IND., HAMILTON, OHIO, DAYTON, OHIO, LOUISVILLE, KY., COLUMBUS, OHIO

A Reliable Source of Supply for Lathes and Machine Tools

New Lathes 16 to 42" Swing. Used and Rebuilt Machinery Equipment.

Used "2-in-1" Double Spindle Lathes, Rebuilt-Guaranteed.

Exceptional Values in Big Tools-

8-10' Betts Boring Mill. 84"x30' Table Planer. 72"x24' Table Planer. 50"x24' Bed Lathe. 50" and 60" Throat Punches. 10' Bending Rolls.

A few selections from an immense stock of Used Tools—

No. 3 Hendey Plain Miller.
No. 3 Cincinnati Universal.
42" Bullard Boring Mill.
4.5%" Bar Horizontal Boring Mill.
26" Niles Planer.
48" Pond Planer.
18"x10' High Duty Lathe.
4' Arm Carlton Radial Drill
3' Arm Carlton Speedy Sensitive.
Universal Grinder, 12" swing, 32" Cts.
12" & 24" G. & E. Gear Cutters.
15" Putnam Slotter.

J. J. McCabe Lathe & Machinery Corp. Singer Bldg., 149 Broadway, NEW YORK

VALUES REAL

RADIALS AND UPRIGHT DRILLS

6' American Triple Geared Pl. Radial. gear box drive gear box drive.
5' & 4' Dreses Hi-Duty, Pl., g. b. d.
5' American Tool Wks. t. g. Pl., g. b. d.
5' American Tool Wks. t. g. Pl., g. b. d.
4' American Tool Wks. t. g. Pl., g. b. d.
3' & 2\frac{1}{2}' Carlton b. b. Sens, tapping.
3\frac{1}{2}' & 3' Mueller Plain Radial, g. b. d.
4' Cincingani, Bi-bfood Plain Radial, eval

31 Cincinnati-Bickford Plain Radial, gear 4' Hammond b. b. Sens. Radial, t. a. 4' & 3' American b. b. Sens., t. att.

2½ Plain Gang Radial, g. b. d. Nos. I & 3 W.F. & J. Barnes Hor. Rad. No. 1 S. S. Natco, Garvin Horizontal Duplex Drill

Duplex Drill, 20^a & 26^a W. F. & J. Barnes Up., latest. 26^a W. F. & J. Barnes Up. t. a. 25^a Snyder Upright Drill. 25^a & 22^a Kokomo High Speed Upr. 24^a Autora Upright. 22^a same, tap att. 24^a Sibley Upright Drill.

24ª Cincinnati-Bickford Upright.

42*x301 Amer. g. h. Lathe, q. c., late.

42*x30' Amer. g. h. Lathe, q. c., late. 36*x30' Amer. tr. grd., q. c., late type. 36*x18' Amer. tr. grd., q. c., late type. 36*x22' Springfield tr. grd., stan, ch. 36*x16' L. & S. sel, g. h. q. c. 30*x16' N.B-P stand, change, late types. 30*x2' Lodge & Shipley, q. c., late. 26*x18' Schumacher & B. q. c. Lathe. 26*x18' Schumacher & B. q. c. Lathe. 27*x12' LeBlond q. c., late type. 30*x12' LeBlond q. c., late type. 30*x12' Lodge & Shipley, q. c. 24*x14' L. & C. G. q. c., tap. att. 24*x14' L. & C. G. q. c., tap. att. 24*x12' L. & S. q. c., tap. att. 24*x12' L. & S. q. c., tap. att. 24*x12' L. & S. q. c., Lathe.

24"x12' L. & S., q. c., tap. att. 24"x12' L. & S., q. c, Lathe. 24"x10' G. & K., q. c. 24"x10' Bove & Emmes q. c. Lathe. 22"x12' Whitcomb-Blaisdellsemi-q. chg.

21"x10' LeBlond ard. hd., q. c. 21°x10' LeBlond q. c. Lathe.

20°x10¹ American q, c. 20°x10¹ Whitcomb-B. grd. hd., q. c. 20°x101 Chard q. e. taper attach, 20°x10' American grd. hd., q. c. 19°x10' LeBlond q. c. Lathe.

18"x10' Greaves & Klusman q. c., t. a.

18"x8" American q. c., t. a., late type. 18"x8" LeBlond q. c. Lathe. 18"x8' Mueller, q. c. Lathe.

22 W. F. & J. Barnes Upright, t. a.

21* Cinti. Bickford Upright. 20* W. F. & John Barnes 4-spdl. Gang. 3-spindle W. F. & J. Barnes Gang 26*. 6-spindle 20* Hoefer Gang. Detroit 5-spindle Horizontal Dr. Press.

Leland-Gifford 4-ap., b. b., No. 2 M.T Leland Gifford single spindle, b.b., No. 1 Morse Taper.

Demco single spindle, b. b. No. 2 M. T. Avey 2-sp. b. b., No. 2 Morse taper. Leland-Gifford 6-spdl. ball bearing. No. 310 Baker Bros. heavy duty. No. 25 Foote-Burt heavy duty.

No. 12 Pratt & Whitney Multiple, equip. ped with 8 spindles.

D-No. 2 Colburn Heavy Duty. No. 0 Fox Multiple, 6-spindles. No. 1 Fox Mult., equipped with 10 spdls. Upright 22° same, tap att. Upright 22° same, tap att. Upright Drill. asia: Bickford Upright.

ENGINE AND TURRET LATHES

18"x8' L. & S. sel. grd. hd., q. c. 16"x10" Hendey, yoke hd., q. c., t. a. 16"x6' & 16"x8' Monarch g. h., q. c. 16"x8' and 16"x6' Hendey yoke head

q. c. Lathe, taper att., late type. 16"x 6' Monarch quick change Lathe. 16*x 6' Monarch quick change Latte. 14*x 6' L. &S. sel grd. hd., q.e. laietype. 14*x6' & 14*x8' Am., h. d., g. h., q. c. 14*x6' Reed-Frentice, grd. hd., q. c. 14*x6' Hendey tie bar., q. c. t. a. No. 9 LeBlond Multi-Cut Lathe. 8*x108' Lo. Swing with 2 corniages. No. 1-B Foster Univ. Hol. Hex. Turret

No. 1-6 Foster Univ. Flot, Flex. 1 urret bar equipment. 24* & 21* Gisholt turret, 1. a., late. 18* Libby type A turret, 3½* sp. hole. 3*x56* J. & L. dbl. spdl. Turret, 3½*x40* Greenlee Tur., bar equip. 3*x36* J. & L. Turret, chuck equipt. 2½*x24* Jones & Lam., Tur bar equip. 21/2"x26" Pratt & Whitney, grd. hd. Tur.

chucking equipment.

Nos. 2, 4, 6 Warner & S. Turret.
Nos. 2, 4, 6 Foster Turret.
No, 4, 8 & S. Wire feed Screw Mche.
No, 4 Bardons & O. Turret laines.
No, 4 Milholland Turret, g, h, m, d. 1" Biggs Hand Screw Machine.

EASTERN MACHINER

We also Buy machinery.

ebuilt and Machine Tools

GEAR MACHINERY AND GRINDERS

No. 5-A Lees-B. Gear Hobber. No. 12 Barber-Colman Gear Hobber. 18-H Gould & E., Hi-Duty Gr. Hob. 16" Cincinnati Gear Hobber No. 6 Fellows Gear Shapers. 20" Ingle Gear Tooth Rounding Mach. 6", 11" & 18" Gleason Bevel Gr. Gener's. No. 6-60" B. & S. Auto. Sp. Gr. Cut. No. 5-48" B. & S. Auto Spur Gr. Cut. No. 4-48 B.&S. Auto. Spur Gear Cut. No. 3-26 B. & S. Auto. Spur Gear Cut. No. 3-36 Cin. Auto Spur Gear Cut.

No. 22-12" Heald Rotary Surface. 24" Cincinnati Auto. Spur Gear Cutter. 84" Diamond Face Grinder, arr. for m.d.

No. 3 W. & M. Auto. Surf. mag. chk. No. 2 Brown & S. Auto. Surf. mag. chk.

No. 2 LaSalle Auto, Surf. mag. chuck. 14" P. & W. Vert. Surf. Grind., m. c. 8" Heald Grinder & Surf., style 200.

SHAPERS AND PLANERS

24" Steptoe triple grd. Shaper. 24" Ohio hvy. duty, b. g. Crank. 20" Gould & Eberhardt b. g. Crank. 20° Cincinnati heavy duty b. g. Crank. 16" Hamilton heavy duty, b. g., Crank, 16" Smith & Mills h. d., b. g., Crank, 16" Steptoe heavy duty b. g. Crank,

16" Steptoe heavy duty b. g.

No. 4 B. & S. Univ., c. p., complete. No. 4 Cincinnati Plain, cone pulley. No. 3 Hendey Univ., c. p., complete. No. 3-A B. & S. Univ., sgl. p., comp. Nos. 3 B. & S. Univ., c. p., comp. Nos. 3 B. & S. Univ., c. p., comp. No. 3H LeBlond Univ., c. p., comp. No. 2 Cinti Univ., c. p., comp. No. 2 Cinti Univ., c. p., comp., late. Nos. 2 & 1½ B. & S. Univ., c.p., comp. No. 2 Brown & Sharpe Vertical. No. 2 Cincinsati High Power Vertical, single pulley, power rapid traverse.
No. 1½ Valley City Univ., c. p., complete.
No. 1½ Owens Univ., cone pul. compl.
No. 1 Hendey Univ., cone pul. compl.

No. 5 LeBlond Plain, m. d., all geared. Nos. 3 & 4 Cincinnati h. p. Plain, c. p. No. 3 Hvy. Ohio Plain, c. p., p. r. t.

Nos. 70 & 75 Heald Internal Grinders. No. 60 Heald Cyl., late type, complete. Capital Internal, collett attachment. No. 120 Gardner Double Disc. No. 6-26" Gardner b. b. Disc.

No. 10—18 Besty Disc Grinder.
No. 18—30" Gardner Pat. Mkrs. Disc.
Walker single stroke Surface Grinder,
10' diam, magnetic chuck.
No. 8—40" Gardner Disc with Press. No. 120 Gardner Combination Disc. Nos. 3 & 4 B. & S. Univ., late No. I—4"x20" Morse Plain Grinder. No. I—4"x20" Morse Plain Grinder. 6"x32" & 10"x36" Norton Plain, late. 10"x36" & 10"x52" Landis Plain selfcont. grinders, late. 8*x30* Medern Plain, self-contained.

No. 2-12"x36" Cincinnati Plain. No. 1 LeBlond Univ. Tool & Cutter.

16º Cincinnati hvy. duty b. g. Crank.

15" Hendey fric. grd. Shaper. 14" Davis plain Crank Shaper. 14" Davis pian Crank Snaper. 38"x38"x18' Niles Planer, 2 hds. 36"x36"x10! N.B.P Pl., 2 hds., arr. m.d. 24"x24"x8' W. & P., 1 head.

MILLING MACHINES

No. 3 Hvy. LeBlond Plain, cone pulley. No. 3 Hyy. LeBlond Plam, cone pulley.
No. 3 Kempunith Plain, cone pulley.
Nos. 2 & 3 Cincinnati Plain, cone pulley.
No. 19, LeBlond Plain, c. p.
No. 1 Kempunith Plain, cone pulley.
No. 1 B. & S. Plain, cone pulley.
No. 03/2 Cincinnati Plain, cone pulley. No. 21 Brown & S. Auto., latest type. 18" Cincinnati Automatic Miller. 28" Cincinnati Semi-Auto. Duplex. 28ª Cincinnati semi auto. 18º Cincinnati Plain Mfg. Millers

163 Cincinnan Piain Nirg, Minieri. Gooley & Edlund, Briggs type, Mfg. No. 6 Whitney Hand Miller. No. 2 Bristol b. b Hand Miller. No. 2 Knight Milling and Drilling Mche. No. 2 P. & W. Hand & Pwr. Millers. No. 3 /4 Fox Hand & Power Millers.

(Continued on next Page)

And Many Others. Send Us Your Inquries.

D8 E. Pearl St., CINCINNATI, O.

Rebuilt and Guaranteed

Machine Tools

(Continued from Preceding Pages)

MISCELLANEOUS

Air compressor, 18x12x12 Worthington, dbl. steam drive, cap, 700 cu. ft. Air Compressor, 81/2 x 10 Worthing-

ton, b. d. Arbor Press, No. 5 Greenerd.

Arbor Press, No. 5 Greened.
Arbor Press, No. 5 Greened.
Arbor Press, No. 55 Atlas Pwr., b. d.
Bolt Cutters, 1º Acme Class 'A'
Bolt Threader, 1º Landis, lead screw.
Bolt Threader, 1º Landis, lead screw.
Bolt Thread Miches, 1º double spindle,
with lead screw, 9.5% and 2º Landis, double spindle.
Boring Mill, 72º Bickford vert, 2 bds.
Boring Mill, 5¹ Niles vertical, 2 bds.
Boring Mill, 42º Bauch vert, 2 bds.
Boring Mill, 42º Bauch vert, 2 bds.
Boring Mill, 42º Bauch vert, 2 bds.
Boring Mill, 36º Bullard VEW ERA
TYPE vertical.
Boring Mill, 30° King vertical, turet
head, power rapid traverse.

head, power rapid traverse. Boring Mill, 24" Bullard vertical, rapid production, turret and side head. Broaching Machine, No. 3 J. N. La-

Pointe Double. Broaching Machine, No. 3A LaPointe (Hudson)

Broaching Mehe., No. 3B J. N. LaP. Chucking Machine, No. 22 New Britain Automatic, 12000 serial. Chucking Machine, No. 5-A Potter &

Johnston Auto., serial in 20,000's. Chucking Mche., No. 33 New Britain Auto.

Chucking Mche., No. 22 New Britain

Automatic. Die Sinker, No. 3 Pratt & Whitney. Drill, Gun Barrel, No. 1 Pratt & Whitney, 2-spindle. Forcing Press, 15 ton Lucas Power,

helt drive.

Die Slotter, Garvin. Hack Saws, No. 9 Racine 12*x15* Power, 3-speed gear box. Hack Saw, 12x12* Racine, High Speed Power. Hack Saw, 6*x6* Racine, High

Speed, Power.
Hammer, 100 lb. Bliss Board Drop.
Hammer, 25 lb. Little Giant Trip. Hammers, 40 & 60 lb. Bradley Helve. Hammer, No. 2A High Spd. Riveting. Hammer, No. 3A High Spd. Riveting. Hammer, 600 lb. Chambersburg, single

frame, steam Keyseaters, No. 5 Mitts & Merrill, Keyseater, No. 0 M. & M., cap. %°. Keyseater, No. 2 Davis, cap. %°. Press, No. 64 Consolidated s. s. Power,

Press, No. 64 Cossolidated s. s. Power, single crank.
Press, No. 5 L. & J. Power, o. b. i.
Press, No. 3 Bliss, Stiles pattern, Pwr.
Polishing Mche., Bleveney, type "A"
Profiler, No. 12 P. & W. 2-spindle.
Profiler, No. 1 Garvin, 2-spindle.
Shear, 61 Toledo Power Squaring,

14 gauge cap. Shear, 72* Kutschied Power Squaring,

12 gauge. Shear, No. 73 Bliss Trim, side shear. Tapping Machines, Nos. 2X and 2BG Garvin Automatic. Tapping Mchs., Nos. 1 and 2 Garvin

Auto. Threaders, 41/2"x12" and 6"x14" Pratt

& Whitney.

or Whitey. Welder, American Elect. Spot, capacity 2 pieces of ¼ material. Welder, Winfield Electric Spot, cap to weld 2 pieces ¼ material. Welder, Thomson Elect. Spot, No. 139. Welder, Elect. Spot. Federal Ir., Auto.

Many Others. Send Us Your Inquiries.

EASTERN MACHINERY CO.

408 E. Pearl St.,

Cincinnati, Ohio

OUALITY TOOLS—not how cheap, but how good!

LATHES

4-12"x5" Hendey T. A. 2-14"x6" Hendey T. A. 1-14"x6" Hendey T. A. 1-16"x7" Hendey T. A. with reliev.

1-16" X7" Hendey T. A. with reliev. att, draw-in collets, and pan bed. 1-20" x8" Monarch. 2-18" x8" Reed. 1-18" x14" x8# Rahn-Larmon gap. 1-18" x10" Cisco. 1-16" x8' Lodge & Shipley all grd., motor drive, taper attachment. draw-in-collets, full equipment.

"In the state of t

-14"x6' Rivett Bench, comp. equip. -17" & 21"x8' & 10' Le Brond Prod.

TURRET LATHES & SCREW MCHS. 2—No. 53 National Acme auto. 1—No. 515 National Acme auto.

1-No. 515 National Acme auto.
1-No. 2-G Brown & Sharpe auto,
4-2-spindle Jones & Lamson.
2-No. 4 Foster g., h., p. f.,
2-No. 2 Foster, plain head.
2-No. 4 Warner & Swasey.
2-No. 6 Warner & Swasey.

3-Springfield Fox Monitors.

SHAPERS AND PLANERS

-24" G. & E. cone, back geared,
-24" Kelly, cone, back geared,
-16" Kelly, back geared.
-16" Kelly, back geared.
-20" Hendey friction.

1-20" Steptoe, back gear. 1-30"x30"x8' Wilson. 1-36"x36"x12' Bickett.

DRILLS 1-Avey 1-spindle H. S. B. B. direct

motor drive.

1-20" Cincinnati-Bickford, direct

-20" Cincinnati-Bickford, direct motor drive including motor. → 2 spindle Fosdick H. S., B. B. - Henry & Wrightl-ap, H. S., B. B. - Henry & Wrightl-ap, H. S. B. B. - 26" W. F. & J. Harnes, sliding head B. G. P. F. and tap. att. - No. 24 Foote-Burt heavy duty. - "Cincinnati Bickford Padia!

Cincinnati-Bickford Radial. 4' Mueller Radial

4' Hammond sensitive No. 314 Baker Heavy Duty. 4 spindle Leland & Gifford H.S.

B. B. Arr, power feed.

GRINDERS

1 Thompson 10"x36" univ. 4-No. 2-B B. & S. sur. mag. chks.

1-No. 2 LaSalle surface, motor dr. with magnetic chuck, generator and demagnetizer.

-Thompson tool & cutter,
-No. 2 W. & M. surface,
-No. 14 P. & W. vert, surface,
-each Nos. 70 & 80 Heald inter'l

No. 65 Heald cylinder. No.22 Heald rot. surf., 16" m. ch.

-No. 14 Valley City univ. 1-No. 2 Hendey universal. No. 3 Cincinnati plain.

28" Cincinnati Semi-Automatic.

3-No. 2 Cincinnati plain.
1-No. 4 LeBlond pl., h. d., v. hd.
2-No. 2 Van Norman Duplex.
2-Newton spline mills.
1-No. 2 Knight combination.

-No. 2 Pratt & Whitney vert. die sinker direct motor drive.

1-12" Cincinnati semi-auto mfg.

PRESSES

1-No. 551 Toledo s. s. 4-No. 22 Rockford Horning flywheel type. No. 3 Rockford O.B.I. flywheel,

-D. D. G-4 Ferracute dbl. action. No. 68 Bliss double action. No. 857 Toledo. rack & pinion.

No. 24 Michigan Horning. No. 20-B Bliss O. B. I. No. 5 Michigan O. B. I. No. 4 Bliss Stiles type, geared.

-10' Chicago 16 ga.steel hd. brake. AIR COMPRESSORS

1-12x10 Chgo, Pn., unioader & t. 1-92x8 Ingersoll-R. high pressure. 1-Curtis 9"x9" complete.

MISCELLANEOUS

-No. 142 Niagara squaring shear. -No. 3-A (4) No. 2-A h. s. ham,

-15 lb. Bradley Hammer. -No. 10-60" throat quick work rotary shear.

rotary shear.

1-8" Newton Slotter.

4-Hurlburt & Rogers cut-off.

1-Lees Simplex Cold Saw.

2-No. 3 double La Pointe

3-Type T-2 Rickert & S. tap. mch.

1-No. 31 Langelier Swaging machine, direct motor drive,

-1000 lbs. Chambers st. hammer. -1500 lbs. Chambers steam ham.

-7500 lbs. Chambers steam ham.

Every Machine Rebuilt and Guaranteed

RIVERSIDE MACHINERY DEPOT

251 St. Aubin Ave., Detroit, Mich. The used Machinery House

Machines of Quality

MACHINES OF THIS TYPE ARE HARD TO FIND

42" Bullard Vertical Turret Lathe, New Era Type.

No. 2 Rochester Horizontal Boring Mill, 3" bar.

81 Cincinnati Boring Mill.

60" Brown & Sharpe Spur Gear Cutter.

42"x32' American Geared Head Lathe, 2 carriages, motor drive.

36"x28' Lodge & Shipley Geared Head Lathe, with taper attachment.

No. 16 Blanchard Grinder, motor in head.

48"x48"12' Cleveland Open Side Planer, 2 rail heads, 1 side head.

12" Heald Rotary Surface Grinder.

6"x32" Norton Plain Grinder.

10"x50" Norton Plain Grinder.

No. 14 Brown & Sharpe Plain Grinder.

14" Pratt & Whitney Vertical Surface Grinder.

21/21 Cincinnati Bickford Plain Radial Drill.

31/2 Fosdick Plain Radial Drill.

4' Western Plain Radial Drill.

Тне Мотси & Мерячие атнея Масинеру [о.

CLEVELAND

DETROIT CINCINNATI PITTSBUR

— Mean Satisfactory SERVICE

Mechanics appreciate our Rebuilt Machines.

Purchasers are protected by our **guarantee**.

We Have a Large Selected Stock and Solicit Your Inquiry.

Warehouse and Shop Located at 888 East 70th St., CLEVELAND, OHIO The Motch & Merryweather Machinery Co.

High Grade OUR GUARANTEE



This is only a partial list. Write for price on any tool you need, whether listed below or not.

Lathes

- 1-48"x50" Pond, 1-45"x24" Pond, 1-42"x50" Putnam Grd. Hd, 1-42"x50" American Grd. Hd, 1-36"x11" American Grd. Hd, 1-36"x14" Ryerson Grd. Hd, 1-36"x16" Ryerson Grd. Hd, 1-21"x16" Lt. & S. Sel. Gd. Hd, 5-26"x16" Niles-Bement-Pond, 5-26"x14" Niles-Bement-Pond, 5-26"x14" Niles-Bement-Pond, 13-26"x11" Wickes, 40-26"x10" Niles-Bement-Pond,

- 40-26"x10' Niles-Bement-Pond.

- 13—28 x11 Wickes.
 40—28"xi6' Niles-Bement-Pond.
 21—28"xi6' Canada.
 21—28"xi6' Canada.
 44—28"xi6' Bridgeford.
 1—24"xi6' Bridgeford.
 1—24"xi6' Recel-Prentice, Grd. Hd
 5—28"xi6' Headel-Prentice, Grd. Hd
 5—26"xi6' Hamilton, M. D.
 1—26"xi6' Hamilton, M. D.
 1—26"xi6' Hendey.
 30—29-22"xi6' American.
 1—18"xi6' Greaves-Klusman.
 1—18"xi6' Greaves-Klusman.
 1—18"xi6' Lodge & Shipley.
 1—16"xi6' Rede-Prentice, G. H.
 2—16"xi6' Rockford.
 2—16"xi6' American Geared Head.
 8—6" fitchburg Loswing.
 9—3f' Fitchburg Loswing.

- 9-34" Fitchburg Loswing.

Horizontal Boring Machines

- No. 0 Fosdick.
 - -No. 2 Rochester. -No. 1 Barrett.
 - -Rockford.

- Auto. Screw Machines

 -No. 6-A Potter & Johnston.
 -No. 5-A Potter & Johnston.
 -No. 56 National Acme.
- -No. 35 Vational Action
 -2" Cleveland,
 -14" 4-spindle Gridley,
 -1"x5" New Britain.

Turret Lathes

- 2-24" Steinle: 1-24" Gisholt. 2-21" Gisholt.
- --21" Gisholt. --20"x8' American. --No. 6 Brown & Sharpe. --No. 7 Foster, Geared Head.
- -2-spindle Jones & Lamson. -16" Cincinnati-Acme-Fox.
 - Vertical Boring Mills
- -72" Gishols 2-42" Gisholt. -60" Pittsburg. -54" Colburn.

- 1-54" Colburn, 2-42" Gisholt, 4-36" Bullard, New Era, 1-36" Gisholt, 1-32" King.

Radial Drills

- 1-4' Western. 1-3' Gang Sensitive.
- 1-3' American Sensitive.

Phone HAYMARKE HILL, CLARKE & CO. OF

Economical-Ready to Produce

Your money back if you return a machine within thirty days. No excuses necessary.

Relow, a small section of our stock



Drill Presses

No. 4 6-spindle Foote-Burt. 6 spindle Henry & Wright. 22" Barnes, Self Oiling.

No. 314 Baker.

Gear Cutters and Hobbers

No. 5 60" Brown-Sharpe. No. 12 Barber-Colman. No. 13 Brown & Sharpe.

No. 6 Fellows. No. 8 36" Brown & Sharpe.

Milling Machines

No. 4 Cincinnati, Hi-Power. No. 3 Kempsmith.

No. 3 Cincinnati

No. 3 Brown & Sharpe.

No. 2 Cincinnati. No. 11 Rockford.

No. 0 Rockford.

No. 25 Becker.

No. 3-S Cincinnati Universal.

No. 29 Chendey Universal.
No. 29 Chio Universal.
No. 12 Rockford Universal.
No. 1-B Milwaukee Universal.

No. 1-D B. & S. Universal. No. 11 Garvin Duplex.

No. 3 Garvin.

No. 1 Van Norman, Hand.

Type B Briggs.

Vertical Millers

-Model ACS 2-spindle Becker. -Model SD Becker.

-No. 6 Becker. -No. 5-C Becker. -No. 5-B Becker.

-No. 4 Cincinnati,

1-No. 3-B Milwaukee. 1-No. 2-B Milwaukee. 2-No. 4-B Becker. 2-No. 3 Cincinnati.

-Model CS Becker.

Planers

Planers
1-72"x64"x12' Gray.
1-42"x42"x22" D. & H.
1-42"x42"x23" S. Nies - Bement - Pond.
1-42"x36"x14' Cincinnati.
1-36"x36"x16' Rockford.
2-36"x36"x16' Rockford.
1-36"x36"x16' Whitcomb-Blaisdell.
1-36"x30"x20' Whitcomb-Blaisdell.
1-30"x30"x 8' Niles - Bement - Pond.
1-30"x30"x 8' Niles - Bement - Pond.
1-30"x30"x 8' Kiles - Bement - Pond.
1-30"x30"x 8' Liberty.
2-24"x24"x6' Gray.

Grinders

1-24"x96" Norton. 1-16"x96" Norton.

1—16"x96" Norton. 2—16"x50" Norton. 2—14"x72" Norton. 4—14"x50" Norton. 1—12"x120" Landis. 1—10"x72" Norton.

1-10"x72" Norton.
1-No. 16, 10"x72" B, & S.
1-10"x52" Landis.
6-10"x50" Norton.
1-No. 14. 10"x30" B, & S.
5-10"x36" Norton.
1-10"x24" Norton.

1—10"x24" Norton, 9—6"x32" Norton, 1—6"x18" Landis, 1—12"x36" Cincinnati Universal,

-No. 2 Landis Universal.

2-No. 2 Universal. 2-No. 60 Heald. 1-No. 70 Heald.

645 W. Washington CHICAGO, ILL. Cable Address Remand

147

Exceptional Bargains

BORING MACHINES 116 1-Universal Hor, Boring and Drilling Mche. 3" Bar, Thl. 24"x48".

BORING MILLS

E. 990 I—24° Bullard Rapid Production Vertical Turret Lathe.
M.&M.7000 I—8' Cincinnati Rapid Production Vertical Boring Mill, 2 Swivel C. 72754 1-96 Poole Vertical Boring Mill Motor Drive.

I—8' Cincinnati Vertical Boring Mill with two swivel heads. Good condition. F. O. B. Philadelphia, Pa.

DRILLING MACHINES-HIGH SPEED-UPRIGHT 60 1-21 Cincinnati Upright Drill, 4 step cone S. B. G. Geared Feed and Tapping Attachment

1-24° Cincinnati Bickford Back Geared Upright Sliding Head Drill, Geared Power Feed, with Tapping Attachment.

RADIAL DRILLS N.B. 675 1-31/21 Carlton Radial Drill, Gear Box, Single Pulley Drive, Rebuilt.

GEAR CUTTING MACHINES
1-36 No. 4 Brown & S. Automatic Gear Cutter. Good condition.
1-No. 6 Fellows Gear Shaper. Good condition.

GRINDERS-PLAIN AND UNIVERSAL 1-No. 18 Cincinnati Cutter Grinder, Universal.
1-No. 3 B. & S. Grinder, Universal 12"x40" Mag. Chk. and c. s.
1-Heald No. 75 Wet Internal Grinder and c. s.

1—No. 2 Oakley Cutter Grinder, Universal and c. s. 1—10*236* Norton Grinder and c. s. 1—6*x32* Norton Plain Grinder Good condition,

49 1—0°x22" No. 16 Brown & Sharpe Plain Grinder. Good cond.
1—0°x20" Modern Tool Co., Plain Grinder. Good condition.
1—10°x48" Brown & Sharpe Plain Grinder. Ex. cond. No. 14. 100 290

GRINDERS-CHUCKING Au. 15-2 1-No. 18 Bryant Chucking Grinder, No. 10 Universal Chuck with Reversible Jaws and Countershalt. Fine condition.

LATHES 1-13"x6' Willard Lathe, 3 step cone D. B. G. 2 Sc-s no lead screw. 1-18°x8' Greaves-Klusman Lathe, 3 step cone F. D. B. G. quick change and 2 S c. s.

1—14°x8' Champion Lathe, 3 step cone F.D.B.G., Q.C. & 2 S c-s.

1—15°x6' Greaves-Klusman S, B, G., Semi Q, C, G., Single Speed

C-S Factory rebuilt

C.S. Factory rebuilt.

1-6*x6' Greaves-Kluman S. B. G., Semi Q. C. G., Turret on Carriage, Double Speed C.S. Factory rebuilt.

1-16*x6' Monarch Quick Change Serew Cutting Engine Lathe.

1-6*x6' Greaves-Kluman S. B. G., Semi Q. C. G., Pan, Double Speed C.S. Factory rebuilt.

1-6*x6' American S. B. G. 5 Step Cone Q. C. G. Good cond.

1-8*x6' LeBlond Quick Change Serew Cutting Engine Lathe.

1-8*x6' LeBlond Lathe, 5 Step Cone, Sal. Bk. Gr. Swings 19¾6'.

1-8*x6' Lodge & Shipley Patent Head Lathe.

1-24*x12' Greaves-Kluman Lathe, heavy type, quick change gear.

1-24*x10' Greaves-Kluman Lathe, and the Complex of the Co 248 516

405 66 76

50 I B. G., Quick Change. Rebuilt.

Automatic Machi Cincinnati

n Good Used Tools

- 3150 1-42 x18' American Geared Head, Q. C. Lathe arranged for G. M. D. Rebuilt. LATHES-TURRET AND HAND SCREW MACHINES
- P. 1-28 Gishok Turret Lathe, 4 Way Tool Post on Carriage, 6 Way Tilted Turret on Shears, 3 Step Cone, Triple Friction Counter-
- shaft 28° Chuck. As is.
 910 1-28° Gisholt Lathe Taper Attachment Chuck, 230 Volt, D. C. P.
- including Motors, nearly new. 6¼ Hole in Spindle.

 1—% Hand Screw Machine. Good condition.

 1—1*x7 Acme Hand Screw Machine Power Feed to Turret.
 - I-No. 2 Warner & Swasey Hollow Hex Turret Lathe, Bar 127
- Equipment, Good condition.

 1-2(4/x)1ⁿ Arme Hand Screw Machine, 3 Step Cone, double back gear, power feed to turnet.

 1-2(4/x)6ⁿ Arme Flat Turret Lathe with bar equipment.

 1-2(4/x)6ⁿ Arme Flat Turret Lathe with Chucking equipment. 901
 - P 506
 - Ad. 12
 - n good condition. 124
- In good condition.

 1-3/4*x36* Acme Flat Turret Lathe, Chucking and Bar Equipment. Very good condition.

 1-3/4*x36* Acme Flat Turret Lathe. Chucking and Bar Equipment. Very good condition.

 1-No. 3 Acme Universal Flat Turret Lathe with Chucking Equip. 126 P 753
- MILLING MACHINE-AUTOMATIC P 1-18 Cincinnati Automatic Milling Machine, Belt Driven. 153
- MILLING MACHINES-PLAIN
- Ad. 25 1-No. 00 B. & S. Plain Milling Machine with Countershaft. In

- 1—No. 00 B. & S. Plain Milling Machine with Countershaft. In good condition,

 1—No. 2 (Plain) B. & S. Miller, 4 step cone S. B. G. Geared Feed in all directions, Table 11¼*x49*.

 1—No. 20 Plain (Ohio) Milling Machine, 4 step cone, 4 step belt fie, length and vertical feed, 2 S. cs., Table 8½*x37*. Belt Shifter.

 1—No. 24 Plain (Ohio) Milling Machine, 4 step belt feed length and vertical feed, Table 8½*x40½*, 2 S. cs., Belt Shifter.

 1—No. 0 B. & S. Plain Milling Machine 4 step cone, Belt Feed Length Feed, Table 8½*x40½*, 2 S. cs.,

 1—No. 1½ Plain American Milling Machine 3-step cone 2 S. c. s.

 1—No. 1½ Plain American Milling Machine 3-step cone 2 S. c. s. S. E. 400
- Table 46"x10" MILLING MACHINE-VERTICAL P.
- 155 1-No. 3 Cincinnati High Power Vert. Milling Mehe. Good cond.
- 2659 AUTOMATIC SCREW MACHINES

 6—3/4 Cincinnati Automatic Screw Mehe, 5 spdl. Good condition,
 354 6—No. 52, 3/4 National Acme, 4 Spindle Automatic Screw Machines, Pan Type Countenhaft. Good condition.

 10 1—1/4/4, 4 Spindle Gridley Auto Screw Machine. Complete with regular equipment. Excellent condition.

 4565 1—1/4/2 Cincinnati Automatic Four Spindle Screw Machine. New. Pi.
- î.
- 1-41/4" Gridley Single Spindle Auto Screw Mche. Motor Driven. 700
- SHAPER 70 1-16" Smith & Mills Shaper, 4 step cone back geared and c-s.
- **NUT TAPPER** 240 1-Webster & Perks Tapper, 5 Spindle. Nearly new.

incinnati, Ohio

Bath's Guaranteed

Bolt Cutters

11/2" Acme staybolt cutter.

11/4" Landis, double hd., with dies.

Boring Mills-Horizontal

P. & H., 3¼" bar, with outer support, floor plates and motor.
4-%g" bar, Niles, with outer support and floor plates.

No. 35 Landis, 3½" bar. 6½" bar Niles, with outer support and floor plates.

Boring Mills-Vertical

44" Baush, 2 swivel heads. 48º Colburn boring mill. 101 Betts, 2 heads, rapid power

traverse, motor drive, excellent. 51" Niles-Bernent-Pond. 72" King, 2 heads, excellent. 72" Cincinnati, 2 swivel heads,

excellent. 100° Bullard, 2 heads and rapid power traverse. 10'-16' Niles, 2 heads, belt dr. 10'-16' Bement-Miles, 2 hds. and extension adjustable head. 161-241 Niles, with extension hd.

84* Ridgway 2 heads, gear feed.

rapid power traverse. Cranes

15-ton Niles and P. & H. Cranes, 511 and 451 spans, D. C.

Drills

4-spdl. Moline rail drill, 11/2" cap. No. 1, 8' wall radial. 21' Cincinnati Bickford, sliding head, late type. Several 20s and small sens. drills. 4' Prentice Radial.

24º No. 25 Foote-Burt, with compound table 6' Pond radial. No. 9 Foote-Burt, 2-spindle. No. 310 Baker, heavy duty. Foote-Burt 4-apindle.

Forging Machines and Bulldozers

4º Ajax, steel bed. 2" Ajax, cast iron bed No. 2 Ajax high speed.

34" and 11/2" Acme, steel bed. No. 2 Williams & White bulldozer.

Grinders

84* Diamond face grinder. 18x96ª Norton plain. Various electric floor grinders and grinding stands.

26* horizontal disc grinder. No. 2 Gardner belt driven disc grinder, 18" wheels. No. 2 Diamond surface grinder.

Keyseaters

No. 2 Baker, capacity 2"x201/2". No. 5 Mitts & Merrill, 31/2" capacity.

Lather

12°x5' Carroll-Jamieson. 16°x6' Pratt & Whitney, q. c. g., taper attachment. 16°x6' Pratt & Whitney, semi q. c. g., taper and relieving attach. 30°x14' Schumacher & Boye, cone drive. 36 x 14 Schumacher & Boye, triple geared.

Tumbling Barrels

Several sets 18"x48" steel lined, square, with roller bearings

CYRIL J. BATH & CO., E. 70th &

Cleveland Stock

Milling Machines

Style "B" Gooley & Edlund, table 54*x11½*, (2). 20*x7½*x18* Oesterlein plain, belt drive. No. 0 Rockford plain, 22*x6½*x15'.

No. 2-B heavy Brown & Sharpe plain, 28*x10*x19*. No. 4 Cincinnati high power miller, table 64½*x16½*. No. 4 Cincinnati ngn power inner, table 0-72 x 1072 s 38°x26°x20' Ingersoll, 4 heads, late model. 48°x42'x 14' Newton, rapid power traverse, like new. 72° Ingersoll, adjustable rail, 4 heads. 84°x30'x 16' Ingersoll, 4 heads, adjustable rail. 24°x26'x 20' Ingersoll, 3 heads, rapid power traverse, fixed rail.

Planers and Shapers

678 and Sinapers
36*x66*x18' Cincinnati heavy duty, 4 heads, motor drive.
60*x60*x20' Cincinnati, 3 heads, very good.
48*x36*x18' Cincinnati, 4 heads, motor drive.
48*x36*x16' Cincinnati heavy duty, 4 heads, motor drive.
96*x96*x16' Pond, 4 heads, belt drive.

48"x48"x14" Hamilton, 4 heads. 48"x16" Detrick & Harvey openside planers. 14'x10'x24' Bement, 4 heads, motor drive.

60* Morton draw out shaper. 24 Queen City shapers.

Punches and Shears

Garrison steel bed alligator shear, 2s capacity. 84" throat, Long & Allstatter, capacity about 44" thru 34".
48" throat No. 5 Southwark, capacity 2"x114".
48" throat Bement-Miles cap. 114"x1".

36" throat Lennox rotary shear, capacity about ½" plate. Lennox rotary bevel shear, ¾" capacity. No. 307 Niagara circle shear, ½" capacity, 24" throat. Nos. 90 and 90-C Amplex triple combination punches, NEW.

Saws

No. 0 Ryerson high speed friction saw, motor dr!ve. No. 2 Rverson friction saw, motor drive. Racine 3-speed power hack saw, 12*x15* capacity.

Slotters

20" Bement crank. 36" Bement crank.

48º Niles-Bement-Pond.

Turret Lathes and Screw Machines

No. 1-B Foster universal. 3°x36° Jones & Lamson. 1º Garvin screw machine.

MISCELLANEOUS

Blower, No. 4 Root, motor drive. Blowers, Nos. 1 & 2 Buffalo Forge. Brake, 60° Van Dorn geared Chain Hoist«, ½, 1, 1½, 4 & 6 ton. Hammer, 100 lb. Bradley helve.

Oil separator and filter, National, about 3600 cu. in. capacity. Pipe Machines, 8^a Merrill. Riveter, Allen 36"x20"x10".

Machinery Av., N. E., Cleveland, O.

Partial List Of Our Machinery Attract

Send Us You

ENGINE LATHES

14"x 6' LeBlond, l. c. g. and chuck. 14"x 6' Hamilton. 14"x 6' Porter, compound rest and

taper attachment, l. c. g. "x 8' Lodge & Shipley, old style,

compound rest, q. c. g. 16"x 8' Bradford, c. r., loose change

gear. 16"x 8' Monarch, compound rest, standard pattern. 16"x8' Rockford, c. r., q. c. g., 3-step

cone. 18"x8' Boye & Emmes, c. r., q. c. g.

16"x8' Hendey, c. r. and t. a., q. c. g. without tie bar.

18"x 8' Prentice, compound rest. 1. c. g., chuck. 18"x 7 Fulton heavy duty friction

hd. pl. turning lathe, pan bed, dbl. tool post and countershaft, new. 18"x10' Star, 4-s. c., s. g., with 16"

4-jaw ind. chuck. 24"x10' Greaves & K., c. r., q. c. g. 24"x12' Schumacher & B., c.r., q. c.g. 30"x10'S. & B. c.r., loose change gear

TURRET LATHES AND SCREW MACHINES

No. 00 Brown & Sharpe auto. No. 0 Brown & Sharpe auto., (2). 12" W. & S., friction head. 12" W. & S., friction head, with set-

over turret, 14" W. & S., friction head, (2). 16" W. & S., friction head. No. 4 Warner & Swasey, p. h., a. c.

and b No. 2 Warner & Swasey, p. h., a. c. and b. f.

No. 4 Warner & S., g. f. h., a.c. and

No. 55 Nat'l Acme 4-spdl. auto. No. 3 Foster g.f.h. turret screw mch .. with p. f. carriage and turret.

" Cleveland model "A" auto, screw mch., with 5-hole turret, No. 2-G Brown & Sharpe automatics (2).

No. 2 Brown & Sharpe turret forming (2)

1-4"x10" Millholland, geared friction head with p. f. to turret (3), "Pratt & Whitney hand screw mch. No. 4, 1‡" Acme Machine Tool Com-

pany's geared friction head with p. f. to turret. I"x7" Millholland turret screw mch.,

pl. hd. auto. ck., bar feed hand fd. cross slide, with power fd, tur., new.

DRILLING MACHINES

No. 1-S Garvin duplex, (2) American sensitive radial with a. and elevating table. Mueller, gear box, sgl. pulley dr

5' and 6' Americans, tr. grd., 8-speed change, gr. box. sgl. pulley drive. 21" Aurora W. & L., square base, stationary head.

6' Western, with speed box, tap. att. No. 14 Colburn heavy duty. 12-spindle Moline, cam fd., two tbl. No. 14 Natco.

3-sp. Edlund, high sp., ball bearing. Fox multiple spindle, sliding head,

arranged for 12 spindles (4).

No. 22 Colburn, sgl. sp., hvy. duty, 12" cap., with solid spindle and cap., with solid spindle and flange for receiving multiple drill heads, new, (2)

No. 30 Natco, belt driven.

No. 44 Colburn, sgl. sp. heavy duty,
2½" cap., with solid sp. and flange
for receiving multiple drill heads,

new. (2). Colburn horizontal duplex drill, 21

cap, with rotating table, arranged for motor drive, new.

No. 34 Demco high speed bench drill with C spindle, new.

The Strong, Carlisle & Hammond Co.

Used And Rebuilt tively Priced

Inquiries

MILLING MACHINES

No. 0 Bickett, hand, bench type, (3), No. 2 Cincinnati vertical, s. p. d. No. 4-B B. & S. pl., constant spd. dr. with pump and rapid pwr. traverse, Becker 2-spindle, with rotary table. 24"x18"x60" Ingersoll, Farwell vertical milling head, No, 12 B. & S. manufacturing, 13-B Brown & Sharpe, plain manufacturing, (2).

SHAPERS AND PLANERS

16" American back geared, single pulley drive, motor driven, 440 volt, 3 phase, 60 cycle mtr. t. b. control.
 20" Hendey friction, (2).
 16" Smith & Mills, back grd, crank.

22"x22"x 5' Putnam planers, (2), 30"x30"x10' Woodward & Powell, three heads. 72"x72"x26' Fitchburg, four heads.

CENTERING MACHINES

Centering machines, single spindle Cadillac.

GRINDERS

No. 2 Cincinnati univ., latest type.
No. 3 Diamond wet tool grinder with
drop aprou, new.
No. 4 Diamond wet tool grinders

No. 4 Diamond wet tool grinders with drop apron, new,
No. 10 Brown & Sharpe plain,
No. 14-48" B. & S. plain, (3).
No. 14 30" B. & S. plain, late type,
No. 24 Landis plain.

8" Heald rotary surface grinder with magnetic chuck. No. 6-A Bryant internal. Webster & Perks, h. s., b. b., double spindle polishing lathes, cabinet base (9). No. 14 Besly disc grinder. No. 3 Brown & Sharpe planer type surface grinder. No. 10-18" Besly disc grinder. No. 6-18"-1 Besly disc grinder.

No. 6-18'-1 Besly disc grinder. Gisholt universal form tool grinder. J. B. Point "Yankee" drill grinders, complete, new. Type "DE" Hisey-Wolf internal. No. 11 Brown & Sharner D. grinders.

No. 11 Brown & Sharpepl, grinders. Plain emery whi stand with column. No. 22 Woods cutter and reamer grinder, complete, new. 20" Whitney wet tool grinders, complete with countershaft, new. (2).

plete with countershaft, new, (2). C3A Grand Rapids duplex drill grinders with wet att., new, (2).

MISCELLANEOUS

Arbor press, No. 28 Atlas.
Boring or drilling machine, No. 1-S
Garvin duplex horizontal
Broach, No. 2 double Lapointe.
Hammer, No. 14-B High Speed.
Hamd brake, 3' Dreis & Krump.
Haud brake, 5' Dreis & Krump.
Layout plates, 30"x36" and 36"x48"
C. I., mounted on portable stand.
Marking machine, Etchograph.

Oil extractor, No. 180 Curtis.
Oil extractor, No. 400 Curtis with hoist.
Oil extractor, large size American, with pedestal for motor drive. Pipe machine, No. 300 Ozter, 3" to 2". Pipe machine, 8" Jarecki, No. 88. Profiler, No. 12, 2-spdl. P., & W. vert. Scleroscopes, Shore.
Sitting shear, No. 266 Niagara, pwr.

Cleveland, Ohio; Detroit, Michigan

1*, 11/2" 2", 21/2", 3", 4", 5", 6" Ajax Upsetters 34", 1", 1½", 2½", 3", 4" and 5" Acme Upsetters. Nos. 2, 3, 4, 5 and 9 Williams-White Bulldozers. 50, 75, 100, 150 and 200 lb. Bradley Upright Hammers. 40, 60, 80, 100 and 200 lb. Bradley Cushioned Helve Hammers. No. 52 and No. 741/2 Bliss SS Presses. No. 56 Toledo Geared Trimming Press, M. D. No. 46C Bliss Press, dist. bet. uprights 96", wt. 30,000 lbs. Alligator Shears, various capacities. Guillotine Shears 11/2", 4". No. 5 Stiles Solid Back, Single Geared Press, Motor Drive. Long & Allstatter Multiple Punch, ram 84", weight 25,000 lbs. L, & A. Size B Dbl. End Punch, 18" throats, 21/4" thru 11/4". Rock River Sgl. End Punch, 16" thrt., arch. jaw, cap. 1" thru 1". Williams White SE Punch, 36" thrt., arch. jaw, M. D., 14" thru 1". Kling Bros. SE Punch, I" thru I", 48" throat, arch. jaw. No. 6 Whiting Sgl. End Punch, arch. jaw, 16" throat, 34" thru 34". Ryerson Quadruple Combination Punch, Bar and Angle Shears. Pels Triple Combination Punch, Bar and Angle Shears. Long & Allstatter Plate Shear, cap. 4'x1/2", M. D., on turn table. Bertsch Plate Shear, capacity 81 of 1". Toledo Geared Gate Shear, cap. 60° of No. 11 gauge. Williams-White Dbl. Angle Shear, 6x6x1, M. D., on turn table. Whiting Stake Riveter or Punch, 48" throat, 2 gag sockets. No. 3 Ryerson High Speed Friction Saw, cap. 24th beams. No. 2 Ryerson High Speed Friction Saw. 121 Wall Radial Drill for Structural Work. Detroit 5-spindle Semi-Automatic Drills. Threading Machines: 1 and 2-sp. Acme & Landis 18 to 48. Baker, R. & L., Elwell-P. & Auto. Elec. Elevating Platform Trucks. Wire Straighteners, 3/16", 14", 5/16" and 16". No. 1A Am. Carbonizing Furnace, Nichrome Retort & Heat Contr. No. 65 American Gas Heating Machines. General Electric Centrifugal Compressors. 3A and 4A High Speed Riveting Hammers, M. D. Abbott Double Compartment, water tight, Burnishing Barrel. Thread Rollers, Cold Headers, Bolt Trimmers, Nut Tappers. Cold and Hot Pressed Nut Machines. Tumbling Barrels. Williams Chip Crusher or Shredder. Forging and Spring Tapering Rolls.

Donahue Steel Products Co.

National Machinery Co. Nos. 1 and 2 Washer Machines.

Specialists in Forging, Bolt, Nat and Rivet Machinery
74th and Ashland Ave., Chicago, Ill.

Exceptional Offers In Good Used Forge & Machine Shop Equipment

These are not worn out or discarded tools

Horizontal Drilling and Boring Lather-Engine. -High Production, (Fay). Machines. -Speed. Cutting-off Machines. -Turret. Chucking Machines. Milling Machines-Hand. Die Sinking Machines. -Manufacturing-Drilling Machines-Mult, Spindle. -Miscellaneous. -Radial. -Plain. -Vertical -Sensitive. -Upright. Oil Extractors-Chip and Waste. -Special. Piston Machines. Gear Cutting Machines. Polishing Equipment.
Presses—Arbor.
— Hot Trim. Grinders-Chaser. -Cylinder. -Flexible Shaft. -Punch. -Internal. -Screw. -Plain and Cylindrical. Profiling Machine. -Snagging. Screw Machines. -Surface. Automatic. Testing Machines. -Tool, Bench and Stand. -Universal. Threading Machines.

Tin Shop Machines. Hammera-Cushion -Board Drop. Miscellaneous Machines.

TOOLS-(New and Used)

Arbors-Chasers-Chucks-Collets-Clamps-Die Heads-Dogs-Drills-Reamers-Cutters (Milling & Hobbing). Snap Gages—(adjustable & non-adjustable). Grinding wheels.
Precision Measuring Tools.

P. & W. Precision Hoke Blocks. Screw Plate Sets. Line Shafting, Pulleys & Hangers. Lubricating Pumps and Tanks. Tanks, Pumps and Furnaces. Root and Connersville Blowers. Miscellaneous electrical equipment 220 volts D. C.

Being offered for sale direct to customer AS IS on factory floor.

WRITE FOR CATALOG

Inspection invited by

Old Established Firm

Not a Machinery Dealer

Correspond with H. E. Behn, 2 Main Street, Bridgeport, Connecticut. Telephone-Barnum 3900

High Grade Machine Tools

Lathes

44*x40' Pond, cone drive, L. C.
42*x20' L. & S., Q. C. D. C. M. D.
36*x16' Fay & Scott, L. C.
27*x12' LeBlond, Q. C. late type.
25*x10' LeBlond, Q. C. late type.
25*x10' LeBlond, Q. C. late type.
24*x12' L. LeBlond, Lathe.
24*x10' L. & S., Q. C. late type.
21*x10' LeBlond, Q. C. late type.
88*x 8' Rahn-Larmon, Q. C. late type.
14*x 6' Mueller Tool Room, Q. C.
44*x 6' Hondey, Yoke Head.
9*x20' Rivett Bench Lathe.

Radial and Upright Drills

4' Dreses, High Duty, G. B. D. 5' American, T. G. G. B. D. 5' Cincinnati Bickford Full Universal, G. B. D. 6' Dreses Gear Box Drive. 288 Cincinnati University C. D.

6' Dieses Gear Box Drive. 28" Cincinnati Upright, C. D. 26" Cincinnati Upright, C. D. 26" Rockford Upright, C. D. 25" Barnes Upright, C. D. 25" Superior Upright, C. D. 21" Canedy-Otto, B. G. P. F.

Planers

27°x27°x8¹ Woodward & P., 1 head. 24°x24°x12¹ Chandler, 2 heads. 26°x26°x12¹ Blaisdell, 2 heads. 32°x22°x16¹ American, 2 heads. 32°x22°x16¹ Gray, 2 heads. 32°x22°x16¹ D. & H. Opens. 2 bds.

Boring Mills

Cleveland Horizonial 2½° bar. No. 1 Rockford, 2° bar. 30° Colburn, Vertical. 36° Bullard New Era type. 36° Bullard, Rapid Production Vertical Turret Lathe. 51° Bullard Vertical, 2 beads.

Gear Cutters

Whiton Auto. 36*, Bevel & Spur. 36-H G. & E. Geat Hobber.

6⁸ Gleason Generator. 18⁸ G. E. Gear Hobber.

Grinders

No. 60 Heald, \$275.00 each, 10*x20" Lands, elf contained, No. 2 Wilmsith & M. Tool Grinder. 12* Pratt & Whitney Vert. Surface, 14* Pratt & Whitney Vert. Surface, No. 1 LeBlond Tool Grinder. Modern Chaser Grinder.

Modern Chaser Grinder.

Yankee Drill and Tool Grinder.

Shapers

7º Rhodes Shaper. 15º Springfield, cone drive. 16º Cincinnati, b. g., c. d. 20º Hendy. 20º Cincinnati, cone, B. G. 20º Smith & Mills, cone, B. G. 24º Barker, cone, B. G. 28º Queen City, S. P. D.

Milling Machines

No. 6 Whitney, Hand. No. 3½ Fox. No. 3 Kempsmith, Plain, Cone. No. 3 Cincinnati, Plain, Cone. No. 3 LeBlond Heavy, Cone. No. 1½ Valley City.

Miscellaneous

18 National Bolt Cutter, complete.
No. 3 Woods Tilted Turret.
No. 2 Foster Turret.
No. 52 Cleveland Automatic.
No. 195 American Can Punch Press.
No. 4 McDonald Punch Press.
No. 2 Kane & Roach Multiple P. & S.
No. 7 Atkins Hack Saw & & B.
No. 120 Grants Riveting Machine %*.
100 lb. Little Giant Hammer.
No. 8 Long & A. Punch & Shear.
10' Bettsch Power Squaring Shear,
14 gauge.
Toled Spot Welder, 12 K. W.

Write for Complete Catalogue-We Buy, Sell and Exchange

Cincinnati Machinery & Supply Co. 28 West Second St., CINCINNATI, OHIO

Attractive Prices To Move Stock

BORING MILLS: Niles Knee Type Horiz Boring & Mill. Mche. 7th bar. Horizontal Table Type 3½ bar.—\$475, Barrett Hor. Boring Mill, 7th bar.

DBILLS. 30th American; 42th Bullard, DRILLS:

36° American; 42° Bullard,

7° Langelier Sensitive; 14° Rockford,

20° Champion; 20° – 22° and 30° Aurora,

20°, 22°, 24° Sibley B. G., 20° Sayder,

20° Excelsior b. g.,

3' Bickford, 4½' Western Radial,

5' Baush Radial, box table,

Moline 10-spindle, No. 5 Morae taper,

Baush Multiple Drill, 12-spindle,

10° x5° Recel; 10° x5° Star; 18° x8° Prentiss. 10"x"> Reed: 10"x"> Slat; 10"x"> Fe 14"x6' Prentice, h. s. 16"x8' 7" American, h. s., t. a. 18"x8' Sidney, q. c. g., d. b. g. 24"x12' Rockford, taper att. 24"x15' Schumacher-Boye cone head. 26"x16' Prentice, taper attachment. 26 x24 Putnam, p. c. f. 18 x 12 Roll Turing.
18 x 12 Roll Turing.
18 x 15 Pratt & Whitney Turret Lathe.
No. 4 Wood Turret Lathes, cap. 18.
MILLING MCHES. :- No. 1 Cincinnati Universal, No. 2 Plain. PUNCH & SHEAR: — Canedy-Otto, hand power, ½" x½".

— Canedy-Otto, hand power, ½" x½".

— Squaring Shear, 38" x¼".

— Beatty No. 7, 42" throat, cap. 1"x1".

Royernford No. 3, 16" throat 1"x1".

Cleveland "EF". 36" throat 1 ½x1".

No. 2 Hilles & Jones hor, punch, 8" throat, becker, becke Cincinnati Tool and Cutter. Yankee Twist Drill. Besly No. 3 Disc. Emery Double End. ---- 14", 16", 24", 30" Gould & Eberhardt, b. g. SHAPERS: MISCELLANEOUS: __Air Compressor, 41/2"x41/2" and Tank. Band Saw, Crescent 22°.
Brake, 10' No. 10 gauge.
Clock. Simplex Time Recording.
Furnace, S. C. H., Cas 3- Door Heating.
Floor Crane, No. 2 Panama. Planers, Cincinnati 48*x44*x121. Planer, Flather 48"x48"x16' heavy duty. Flaner, Flather 46"x46"x10" heavy duty.

Planer, Gincinnati 42"x36"x12", 2 heavy duty.

Planer, Detroick & H. Openside, 96"x72"x26".

Press, equal Stiles No. 4, Ningara No. 4,

Presses, Arbor, 20 ton Weaver; No. 3½

Greenerd,

Profiler, P. & W. table 12"x15", double spindle.

Saw, No. 2 Ryerson Friction.

Saw, 18" Higley Cold.

Saw, 18" Higley Cold.

Screw Machine, Cone 11/4" Multiple Spindle.
Screw Machine, Meriden, 6 hole turret.
Screw machine, Meriden, 6 hole turret.
Straightening Mch., Abramen, 1/4" to 11/3" cap.

RUSSELL MACHINE COMPANY
1447 Oliver Building,
PITTSBURGH, PA

Screw Machine, 21/4"x11" Acme.

Surplus Plant Equipment

Modern Machine Tools Released on account of Manufacturing Changes and Replacements

Full information on request or send for list No. 428

LATHES
I — 16"x6' Reed, change gears, \$17 I — Wood Tilted Turret No. 4, 13" swing, good as new 110 2—2'4' J. & L. Flat Head Turret, each 30
I-No. 2A Warner & Swasey Universal Turret, 1,00 I-Jx36 Prait & Whitney Turret, 40 I-Model H. 21* Gisholt Turret, 55
MILLERS
3—Used No. 2 Becker Vertical each. \$ 37 I — Rebuilt No. 5-C Becker Vertical. 1,75 I — Rebuilt No. 6 Becker Vertical. 2,75 2—No. 4½ Becker Plain, each. 10 I — No. 1½ Carvin Universal. 25
DRILLS
24" Prentice Wheel and Lever \$ 7 New 5' Reed-Prentice Radial, single pulley gear box drive, box table, 2,00
PLANERS
I—New 24x24x8' Whitcomb, second belt drive one head, \$2,00 I—24x34x16' Cincinnal; two heads, [,20 I—30x30x20' Woodward & Powell, 2 heads, 50 2—36x36x12' Woodward & Powell, 2 heads, each 1,50 I—42x42x26' Woodward & Powell, 2 heads on rail and 2 side heads
GRINDERS
6x32* Norton plain, good as new. \$ 45 No. 14 B. & S. Plain 6x48* 15 No. 14 B. & S. Plain, 10x48, good as new 1,55 No. 2 B. & S. Universal 20 No. 1 LeBrond Universal Tool and Cutter, 15 No. 1 Norton Cutter and Reamer. 12 No. 142 Fraser Automatic Cylindrical. 1,00
MISCELLANEOUS
No. 36* Fellows Gear Shaper \$20 Betts Machine Company Rack Cutter \$15 Gear Tooth Rounder \$5 24* Gould & Eberhardt Shaper \$6 394* Cridley Single Spindle Automatic 30 Dings Magnetic Separator 10 Becker Cutter Relieving Machine 125

REED-PRENTICE CORPORATION Worcester, Mass.

Branch Offices: 3-245 General Motors Bldg., Detroit, Michigan 1508 Evening Post Bldg., 75 West St., New York City

Bargains in Lathes

14x6 American Engine Lathe-quick change, screw cutting, hollow spindle, 5 step-cone pulley, single back geared, dog plate, single friction countershaft.

PRICE \$275.00

14x6 Carroll & Jamieson Engine Lathe-quick change, screw cutting, double back geared, 4 step-cone pulley, steady rest, bedpan type, spindle hole 136", thread range 3-32, countershaft.

PRICE \$275.00

16x6 American Engine Lathe-screw cutting, quick change gears, single back geared, 4 step-cone pulley, compound rest, double friction countershaft.

PRICE \$400.00

16x6 Lodge & Shipley Engine Lathe-quick change, double back geared, hollow spindle, 3 step-cone pulley, steady rest, dog plate, bedtype, single friction countershaft.

PRICE \$400.00

17x12 LeBlond Heavy Duty Engine Lathe-screw cutting, double back geared, quick change gears, 3 stepcone pulley, hollow spindle, bedpan type, countershaft. arranged for motor drive. Can be furnished with either a compound rest or hexagon turret tool post holder.

PRICE \$600.00

18x6 Greaves & Klusman Engine Lathe-screw cutting, quick change, hollow spindle, single back geared. 3 step-cone pulley, equipped with dog plate, steady rest, double friction countershaft.

PRICE \$300.00

24x11 Chard Engine Lathescrew cutting, quick change, hollow spindle, double back geared, hollow spindle, bedpan type, equipped with face plate, pump, 4 way turret tool post, countershaft.

PRICE \$600.00

We are always buying. What have you to sell?

The Indianapolis Machinery & Supply Co. 2141 Yandes Street. Indianapolis, Indiana

Phone-Hemlock 3993

Lathes, Engine

Cisco Direct M.D. with Mtr. 1-14"

--H" Cisco Direct M.D. with Mtr.
--H" xil2" Springfield.
--H" xil2" Monarch L. C. Gear,
--H" xil2" Monarch Motor Driven.
--H" South Bend Gap Lathe.
--H" South Bend Gap Lathe.
--H" Kleder,
--H" xil4" Hender, Semi-Q. C. G.
--20" x 8" Hendey,
--24" x 8" American.
Motor Drive

with Taper Attachment. 2-14"x12' Lodge & Shipley. 1-24"x14' American. 1-36"x12' American.

Lathes, Production

-Wells Speed. 9"x20" Porter-Cable. 2-9"x20" Porter-Cable, 1-8" Lo-Swing, 1-17"x 6' LeBlond, 1-21"x 9' LeBlond, 1-21"x10' LeBlond, 4-LeBlond Crank Pin Lathes, 3-No, 2 Sp. Potter & Johnsons, 4-42" Wheel and Ring Lathes,

Automatics & Screw Machines

-5]" Gridley Single Spindle. -4" Gridley Single Spindle. -2" Gridley Single Spindle. 1-2" Gridley Single Spindle. 17-No. 00 Brown & Sharpe Auto. 2-No. 7 Foster Hand. 8-No. 1 Brown & Sharpe Hand. 26-No. 0 Brown & Sharpe Hand. -No. 4 Millholland Screw Mchs.

Drills

-4' American Universal Radial. -4' Bickford Radial. -3' Canedy-Otto Radial. -4-Sp. Avey High Speed. B. B. -4-Sp. 21'' Cin. Bickford Sl. Hd. -4-Spindle Moline Hole Hog. -Harrington Rail Drill, 4-Spidl. -3-Spindle Demco -42" Cincinnati Bickford Upright Drill Press, Vertical Shaft Dr. "Cincinnati Bickford.

1-No. D-1 Colburn.
12-29" Champion B. G. P. F.
1-20" Silver.
1-17" Canedy-Otto Motor Driven.
1-17" Niles-Bement-Pond.

-Hole Hog. -Pratt & W. Hor. Drill and Tap.

-Detroit.

Drills, Multiple Spdl.
1-No. 11 Natco Multiple Spindle.
1-No. 12 Natco Multiple Spindle. -No. 14 Natco Multiple Spindle. -No. 13 Natco Multiple Spindle. -Fox Multiple Spindle.

Boring Mills

1-No. 5 Defiance. -No. 0 Giddings & Lewis.

-No. 21 Lucas Horizontal.

Milling Machines

-No. 7H Becker. No. 7 Becker.

No. 5 Hendey Lincoln Type. No. 4 Becker.

No. 4 Cincinnati. No. 3 Becker.

-No. 3 LeBlond. -No. 3 Hendey Universal.

No. 2 B Kearney & T. Vert, -No. 2 Le Blond. -No. 2 Van Norman, -No. 2 Cincinnati.

No. 32 Kempsmith. Lincoln. Gooley & Edlund.

3-Steptoe. 1-Toledo Hand.

12-Becker Rotary Table.

Grinders

10-No. 208 Heald Ring. 1-No. 1 Norton Tool and Cutter Universal. Bath Tool.

-53" Gardner Disc Motor Driven. -18" Krummel Disc and Surface. No. 120 Gardner.

Harris Hob. No. 12 Brown & Sharpe.

No. 4 Vertical. No. 2 Norton. No. 1 Cincinnati.

No. 1 Sterling. 10"x36" Norton. -Foote-Burt.

-Webster & Perks. -5 H. P. Electric. -Electric Ring.

-Double Pedestal. 6x32 Norton Grinder.

-No. 2 B. & S. Surface Grinders. -Dauber & Kratsch Grinder. Grand Rapids Steel. -Hanshett Saw.

Gear Machines

2-No. 5A Lees-Bradn. Gear Hob. -B. M. 36 G. & E. Gear Rough. Gould & Eberhardt Gr. Shaper. -No. 3H Brown & Sharpe. -5A Lees-B. Gear Generator.

Thread Millers

-No. 8 Lees-Bradner. -No. 6 Lees-Bradner, 1-Pratt & Whitney 1-No. 4 Lees-Bradner.

Send for your copy of the RED BOOK

LOUIS E. EMERMAN & CO.,

1761 Elston Ave., CHICAGO, ILL.

Surplus Plant Equipment

Many Modern Machines. Some practically as good as new. All Motor Driven Equipment 220 volt D. C. Communicate with our nearest office for prices.

All items at Ridgway, Pa., except those marked "H" which are at Hamilton, Ohio.

Lather

13"x5' Blount Speed Lathe, Belt. 28"x30' Pond, motor. H-27"x12' Pond Time Saver, arr. for d. c. var. speed motor. H-36"x18' Pond all geared motor.

Turret Lathes

3"x36" P. & W., belt.

Planers

42"x42"x26' Pond, 4 hds, rev. m. d.
48"x48"x30' Pond, 4 hds, rev. m. d.
48"x48"x31' Pond, 4 hds, rev. m. d.
14"36"x38"x10' Pond, 3 hds, r.v. m. d.
14"36"x36"x10' Pond, 4 hds, r. m. d.
14"36"x36"x10' Pond, 2 hds, r. m. d.
14"36"x36"x14' Pond, 2 hds, r. m. d.
14"42"x42"x14' Pond, 4 hds, r. m. d.
14"42"x42"x14' Pond, 4 heads, belt-ed, m. d.

H-42"x18"x20' Pond, Extra Heavy Frog and Switch, 2 heads, r. m. d.

Upright and Radial Drills

No. 1 Bement Vert. Cotter, Belt. 5' Right Line Full Universal motor. 6' Ridgway Plain, motor.

Millers

Whitney Hand, belt.
No. 4 Cincinnati Universal, motor.
No. 6 Becker-Brainerd Vertical, belt.
6"x132" P. & W. Thrd Miller, Belt.
H—No. 3H LeBlond Plain, cone dr.

Shapers and Slotters

22" Bement Slotter, motor.

Emery Wheel Stands

No. 6 Blount Grinder, Belt. 18" Grinder and Polisher, belt. 30" Grindstone Frame, belt.

Gear Cutters

24" Gleason Bevel Planer, belt. 36" No. 4 B. & S. Spur Cutter, belt.

Grinders-Cylindrical and Tool

LeBlond No. 1 Cutter, belt. No. 2 Sellers Tool, belt.

Horizontal and Vertical Boring Mills

3)" Sp. Ridgway Hor., motor. 5" Sp. Betts Horiz., belt. 5)" Sp. 80" Bement Horiz., belt. H-44" Niles, with r. h. tur, hd.,mtr.

Niles Electric Traveling Cranes

5 ton, 3 motor, 34' 8" span.
5-ton, 3-motor, 35' 7" span.
14-ton, 3-motor, 34' 8" span, 30-ton, 4-motor, 34' 8" span, 5-ton aux.
25-ton, 4-mtr., 71' 11" span, 5-ton aux.
40-ton, 4-mtr., 71' 11" span, 5-ton aux.

Miscellaneous

Y & T 3-ton Hand Crane, 35' 6" span Bement 1100 Lbs. S. F. Stm. Hammer, 4" capacity Espen-Lucas Cold Saw Williamsport No. 190 Ry, Cut-Off Saw Belt. 100-Card Dey Time Regis, Clocks. Hor, Punch Motor, H-18'31' Cap. 12" Throat, L. & A. Hor, Punch Motor,

Niles 75-Ton 4-Motor Electric Traveling Crane, 49' span, with 10-Ton Aux. Hoist, 3-60-440 A. C. Motors, practically new, located at LaSalle, III.

Also Foundry and Woodworking Equipment

The Niles Tool Works Company

Division Niles - Bement - Pond Company

Hamilton, Ohio

New York, Birmingham, Boston, Chicago, Cincinnati, Cleveland, Detroit, Les Angeles, 454 F., Third St. Philadelphia. Pittsburgh Rochester, St. Louis, San Francisco, 917 Howard St.

Special Bargains

No. 15 Williams White single end punch, arch. jaw, 18th throat, 220 v. 3 ph. 60 cy. motor.

No. 13 Williams White single end punch, plain jaw, bar and angle shear. Motor drive.

No. 4 Williams White bulldozer, belt drive.

No. 594 Toledo straight side single crank press, tie rod frame, 12s stroke. Motor drive.

No. 307 Bliss tie rod press, geared 88 stroke.

No. 165 Consolidated double crank press, 37⁸ between housings. Flywheel type.

All the above are real bargains

Other Machines

3/8-1/2" Cleveland auto screw machines, both model A and B. Late serials.

Two No. 00 Brown & Sharpe auto screw machines with slotters. Serials 5802, 5803.

Two No. 0G Brown & Sharpe auto screw machines serials 4308, 4310.

No. 2 Cincinnati universal miller, all power feeds, dividing head, vise, etc.

Nos, 5 and 6 Becker vertical millers. 20* Rockford back geared shaper.

15* Dill slotter, very fine shape.
No. 3 Cincinnati High Power vertical millers.

16"x96" Landis plain grinder, good condition.

36"x36"x15" Betts planer, two heads on rail.

No. 666 Toledo embossing press, 5' stroke.

A. D. White Machinery Co.

108-114 N. Jefferson St.,

Chicago, Ill.

1

A Few Listings From a Stock of 1500 "Restored" Machines

Gridley 4 spindle 3/4", 13/4" 13/4", 21/4". Brown-Sharpe Nos. 0, 00, 1 and 2. Brown-Sharpe Nos. 0, 00, 1 and 2. No. 21 Besty Disc Grinder. Lands Grinder 16x52". Notion 6*x52" to 18*x96*. Diamond Face to 18*x96*. Diamond Face 20*x84*. Pratt & Whitney Vertica I No. 14 Brown & Sharpe Univ. Nos. 1 & 2. Brown & Sharpe Surface No. 2. 24" and 36" Bullard Boring Mills. 42" Bullard Boring Mills. 8" Bar Barrett Horizontal. 7* Bar Newton Horizontal. 10-16 Niles Vertical. Niles Extra Heavy Boring and Turning Mill, 14' and 16'. 10' Niles Vertical. 10' Niles Vertical.
72" Niles-B-Pond Vertical R.T.
72" Gisholt Vertical RT.
84" Bullard Vertical RT.
72" Betts Vertical Side Head.
No. 21 Lucas Horizontal. Pratt-Whitney Auto Miller, 5", 12". Brown-Sharpe Univ. Nos. 1½, 3. Garvin Universal No. 2-A.
Milwaukee Universal No. 3-B.
Cincinnati Vertical Nos. 2, 3, 4
Cincinnati Plain Nos. 2, 3, 4, 5 Cincinnati Pl. Intermittent Feed No. 5. Cincinnati P1. Intermittent Feed No Hendey Plain No. 4-B, No. 3-B, Cincinnati Universal No. 2, No. 3. 1—No. 4 Kempsmith Maxi Mill. Ingersoil Slab Mill 59x20x12*. Ingersoil Slab Mill 40x22x6*. Dreses Plain Radial 4', 5! American Full Universal 61 American Triple Geared 41. American Plain 61 Natco Multiple Nos. 14, 32 and 30. Baush Multiple Nos. 2, 3, 4. Cincinnati-Bickford 5', 6'. Cincinnati-Bickford 5', 6'. Rockford Gang Drill 2, 3, 4. Barnes Gang Drill 4-spindle. Bames Gang Drill 4-spindle. Warner-Swasey Turret, Nos. 3A, 2A. Warner-Swasey Screw Miche. No. 4. Libby Turret 18*, 26*. 72*s28* Niels-Bement-Pond M. D. 50*s30* New Haven, M. D. 48*s20* N.-B-P Motor Drive. 42*s39* Putnam Motor Drive.

42*x50! American Motor Drive. 42°x50' Putnam Motor Drive. 42*x18' American Motor Drive.
42*x18' American Motor Drive.
36*x20' American Motor Drive.
30*x12' Lodge & Shipley Gal. Hd.
30*x12' American Geared Head. 26 x22 Boye & Emmes M. D. 28"x28' Hamilton Motor Drive. Newton Rotary Planer, 84* Pond Planer, 84*x84*x15'. One Planer, 04"x84"x15".
Cincinnati 48"x36"x20".
Cincinnati 48"x48"x10".
Cincinnati 36"x36"x8". D. & H. Openside 36"x36"x12". Gray Planer, 26"x26"x8! No. 55 Ferracute Press. 15-Ton Lucas Forcing Press. No. 1 Bliss Toggle Press. No. 4-P Ferracute Press. Arbor Press Nos. 4, 7, 8.

Ajax Upsetter ¾, 1½, 2.

Acme Upsetter 1½, 2½, 2.

Ingersoll Compressor 12, x12. Penn Compressor 10x9* Hilles-Jones Bending Roll No. 3-H. Bertsch Angle Bender 3". Rotary Table Cincinnati 20". ays Automatics Gorton Cutting-Off No. 2-B. Root Pressure Blower. Root Pressure Blower.
Garvin Tappers No. 2, No. 2-X.
Baker Tapper 7º
Newton Stotter 15º
O. & E. Shaper, 16º, 20º, 24º, 32º.
Amencan Shaper, 16º, 20º, 24º, 32º.
Amencan Shaper, 16º, 20º, 24º.
Queen City Shaper 26º.
N.B.-P. Traveling Head 26º.
Stockbirdge 16º innigle geared New.
Stockbirdge 20º back geared New.
Stockbirdge 20º back geared New.
Stockbirdge 20º back geared New.
Cincinnant Gear Cutter 36º. Stockbridge 24" back geared New. Cincinnat Gear Cutter 36". B. & S. Gear Cutter, 72", 60" 36". Pratt. Whitney Gear Cutter, 90", 104". Gleason Gear Planer, 24", 36", 48". Gleason Gear Generator 6", 11", 18". Gould & E. Gear Cutter 48", 72". Barber-Colman Gear Hobber No. 12.

Write for "Simmons Pictorial News"

Simmons Machine Tool Corp.

NEW YORK 149 Broadway ALBANY 1700 Troy Road

BUFFALO 88 Exchange St.

REAL BARGAINS

16"x 8' LeBlond, q. c. 14"x 6' Monarch, q. c. 18"x 8' Bradford, q. c. 18"x10' Boye & Emmes, q. c. 17"x 3' National, q. c. g.

1ES 20"x 8' American, q. c. 24"x10' Monarch, q. c. 24"x16' Bradford, I. c. 27"x18' Lodge & Shipley, m. d. 42"x18' Walcott, cone drive.

No. 0 Giddings & Lewis Horizontal Boring Mill-1/2" bar with a. c. motor drive-excellent condition.

RADIALS AND DRILL PRESSES

American, cone drive.
Bickford s. p. drive. 6' Dreses, motor drive.

24" Cincinnati Sli. Hd. b. g. p. f. t a. 24" Aurora, sliding head, b. g. p. f. 8-spindle Bausch multiple.

No. C-2 Ferracute o. b. inc No. 18 Bliss, o. b. inclinable, (4).

No. 3-A Willard, o. b. inc. Bertsch quick acting 18" throat. No. 3 Bliss, stiff back,

PUNCH PRESSES

No. 2 L. & A. 10" throat. No. 6 Whiting, single end, 12" thrt. No. 103 Bliss. Robinson straight side. No. 64 Consolidated s. s., 18" bet.

PLANERS AND SHAPERS

24"x 6' Powell, 1 head. 30"x 8' Cincinnati, 1 head. 30"x 8' Gleason 1 head. 36"x 8' K12' Cincinnati, 2 heads. 24" Kelly shaper, b. g.

25" Smith & Mills b. g. 16" Smith & Mills, cone drive. 16" Gould & Eberhardt shaper. 16" Steptoe b. g. 15" Smith & Mills, cone drive.

No. 5 LeBlond Heavy Duty Miller Single Pulley or D. C. Motor Drive

GRINDERS

No. 1 Norton tool and cutter gear. No. 12 LeBlond tool and cutter

grinder. (3). No. 2 B. & S. surface. No. 2 Walker surface.

MILLING MACHINES No. 0 Cincinnati plain. No. 11 Valley City plain. No. 3 B. & S. plain, cone drive.

No. 60 Heald, long table. No. 60 Heald, short table. No. 3 B. & S. universal. 16x66 Queen City plain. No. 14 Landis universal.

No. 3-B B. & S. motor drive. No. 4 Becker Brainard plain. No. 4 Cincinnati plain.

Bolt cutters, 2", 1\frac{1}{2}" and 1" Acme. Holt cutter, 1" Landis, Boring mill, 42" Bullard vertical, Boring mill, 10" Niles, 2 heads. Chain hoists, various sizes. Gas furnaces. 15" Gleason gear generator. Hack saws, Racine 8x8, 12x15 g. b. d.

MISCELLANEOUS Hammer, steam, 800 lb. Niles. Keyseater, No. 1 Colburn. Keyseater, No. 1 Colburn.
Millers, hand, (6).
Shear, 10' Bertsch 14 gauge.
Shear, 10' Cincinnati 10 gauge.
Tooth rounder. 12" Ingle.
Turret lathe, No. 2 W. & S. (2).
Turret, 24" Gishoit 64" h. spindle.

Send for Stock List Just Issued

We Buy Modern Machine Tools-What Have You?

The Jones Machine Tool Co. Front & Pike Sts.. Cincinnati, Ohio

NEW 3 PHASE MOTORS CHEAP. 3 H. P. \$54.50; 5 H. P. \$65.50

19'x10' LeBlond extra heavy duty. 20'x 8' American, geared head. 20'x10' Hamitton, rapid production, 20'x10' Prentice, taper attachment. 20'x10' Boye & Emmes. 24'x24' Prentice, with raising block. 8x60' & 3y806' Fitchburg, Lo-Swing

12"x 5' Cleveland, gcared head, H"x 6' Carroll-Jamieson, new, q. c. H"x 6' Manilton, grd, hd., motor dr. H"x 6' Monarch, quick change. H"x 6' Sebastian, grd, hd., m. d. 14"x 6' Sidney, double back geared. B"x 8' Hamilton, quick change. 18"x10' American, quick change.

Acme (" cap., wire feed column. No. 4 Defiance, It" capacity. It" capacity Smurr & Kamen. It" Milholland.

14" Niles, traveling head.

14" Steptoe, crank. 16" American tool room.

TURRET LATHES and SCREW MACHINES 2x24 and 3x36 J. & L. No. 1 Foster, 18/16" capacity, (2). Warner & Swasey No. 2.

SHAPERS

16" O. & S., b. grd., new, low price. 24" O. & S. back geared crank. 16" Steptoe, b. g.

PRESSES

No. 10 and No. 15 Excelsior, foot. Nos. 3-A & 5-A Willard inclinable. Nos. 1, 12, 2, 22 Robinson, new.

DRILLS and RADIALS 6' Ceiling drill, 25" Kokomo high speed,

No. 1 Baush multiple. Electric Drills, Black & Decker. No. 4 Duntley electric. 22", 24", 28", 28" and 32", sliding hd. 32" Hoefer, sliding head.

MILLING MACHINES No. 1 Kempsmith universal, new. One No. 1-Y Brown & Sharpe, plain. No. 2 Kempsmith plain. No. 3 Kempsmith plain, new. No. 25 Bilton.

Nos. 1 & 78 W. & M. surface. 6"x15" Fitchburg plain. 12"x36" Cincinnati universal. 16"x42" Landis universal. 36" and 66" Yates plate.

Band saw, Clark, compound. Band saw, Napier 10"x10". Blower, No. 6 Piqua, pressure. Blower, positive pressure, Leiman Blower, positive pressure, Leiman Horing mill, Colburn No. 3, tur. hd. Boring mill, Sellers 86" car wheel. Boring mill, 72" column, Brake 6", double truss. Brake 16", Chicago Steel, 16 ga. Brake 10", Keene, 18 ga. Broaching mcha., 1 and 3 LaPointe. Compressors, 6:8, 8:8 and 9:8. Gear cutter, No. 3—28 B. & S. Gear miller, Bilton No. 1. Haumer: 4th Istandard dron. Hammer, 150 lb. Standard drop.

No. 25 Becker plain, power feed. No. 2 H Brown & Sharpe plain. No. 2 rd Brown & Sharpe plain. Oesterlein 24x7‡x18 plain. Briggs "A" high duly, 24x8" table. No. 7 Becker, Lincoln type.

44" Stover. Hole Hog, No. 66-D, 7-spindle.

4-spindle Reed sensitive.

GRINDERS No. 60 Heald cylinder Schmitt cylinder grinder.

No. 10 Besly 18" double disc. No. 20 Bryant, chucking.

MISCELLANEOUS

Hammer, 200 lb. Bradley. Pipe machines, 2", 4" & 6". Planer, 36"x36" Gray, heavy duty. Planer, 36"x36"x14" Gray, 2 heads. Planer, 42"x42"x12" Gray, 2 heads. Pumps, Gould triplex, 64x8". Punch & shear, 4x4x10" throat. Punch & shear, § ± § 10" throat. Riveting hammers, Nos. 1, 2, 3, 4. A High Speed. Scale, 1500 lb. Toledo, dial type, Shear, 60" Peck, Stow & W., 18 ga. Shear, No. 36? Robinson. Shear, No. 20 Quickwork, 30" throat. Shear, circular, Pettingell, 60" thr. Threading mche., W. & P. 2-spindle.

Dept. H. COLUMBUS

Good Used Planers

Owing to a change in our manufacturing methods we offer the following high grade Planers which can be seen in operation in our plant:

One 42*x42*x301 two rail head, variable speed motor drive Gray Planer used nine years on lathe beds. Factory serial No. 6121.

One Whitcomb 36"x36"x20" two rail head, constant speed motor driven Planer, used nine years. Factory serial No. 6130.

One Hamilton Machine Tool Company's 36"x36"x20' two rail head. motor driven Planer.

One 32°x26°x16' Whitcomb second belt drive Planer, with two heads on cross rail, used five years.

One Ingersoll Milling Machine Company's fixed rail type Milling Ma-chine, table 24" wide, taking work 21" high, with table 20' long, with two horizontal front housing spindles and two horizontal rear housing spindles and two vertical rail spindles, individual motor drive, in practically new condition.

The Monarch Machine Tool Co. Sidney, Ohio

48" Cleveland Single-End Punch and Shear, 11/2" thru 1" cap. 42" Whiting Single-End Punch and Shear, 1" thru 1" cap.

36" Cleveland Single-End Punch and Shear, 1" thru 1" cap. 11/4" Aiax Forging Machine.

6 Ft. Niles Type Plate Bending Roll.

500 Lb. Beaudry Power Hammer, 6" capacity.

Pels "I" Beam Shear, 15" capacity,

Newton Horizontal Boring Mill 21/2" bar. 24x12 American Double Back Geared Q. C. G. Lathe.

20 Newton Cold Saw Cutting Off Machine.

11/2 National Double Head Bolt Cutter and Threader.

No. 751/2 Bliss Straight Side Press, side shear 6" str.

16x68 Landis Crankshaft Grinders. No. 5-C Becker Vertical Improved Miller,

12x12 Gardner Hor, Belted Compressor 350 cu-ft, cap.

19x14 Chicago-Pneu, Dbl. Cyl. Belted Compressor 800 cu-ft. 10-Ton Morgan 3-Motor Type D-C Elect, Crane 731 apan.

No. 7-H Becker Lincoln Type Millers.

No. 25 Oesterlein 25x10x18 Horizontal Universal Miller.

HARRIS BROTHERS COMPANY 35th and Iron Streets CHICAGO

Morey Tools are Service Guaranteed!

I—Colburn 42" vertical,
I—Niles 42" vertical, 2-heads.
2—Betts 10' vertical, 4-heads.
I—Bement-Miles horizontal,
I—Cleveland 24" bar, horizontal,
I—Quiversal 34" bar horizontal,
I—Universal 34" bar horizontal,
DRILLS—Multiple Spindel
17—Haush Nos. 1, 2, 3 and 4.

Detroit 5-spindle. New Garvin 6-spindle

-Moline No. 5-D. 6-spindle.
-Natco Nos. 11, 12, 13.
-Natco No. 30.
-P. & W. Nos. 12, 13.

DRILLS - Upright and Radial RRILLS - Upright and Radial

-- Allen 1, 2, 3 and 4-spindle.

-- Baker No. 310.

-- Colburn Nos. 2 and 4.

-- H. & W. 4-spindle.

-- P. & W. Nos. 2, 12 gus barrel.

-- New Turner No. 3 vertical.

-- Chiccinnati 6' univ. radial.

-- Dresse 4, 5' plain radial.

-- N. B. - P. \$6" plain radial.

GEAR CUTTERS

3EAR CO 1EAS 7—B. & S. 328, 3x36, 4x36, 2—B. & S. No. 6, 60" cap. 5—Barber Colman Nos. 3 and 12. 1—G. & E. No. 18-H. 1—Cincinnati 16" spur and spiral

gear hobber. 3-Fellows Nos. 61. 4-Gleason 6", 11", 18". 1-Gleason 24" bevel gear planer. 1-Lees-Bradner No. 5-A. 3-Fellows Gear Grinders.

10-Cross gear tooth rounders. GRINDERS 5-B. & S. Nos. 10, 11, 12, 13, 14, 4-Cincinnati No. 2, 12x36, plain. 9-Landis 6x18, 10x24, 10x36, 12x36,

12x96 plain 4-Norton 3x18,6x32,10x36,16x36,pl.
1-Queen City 16x72 plain.
3-Landis 10x52 cam; 16x48 crank.
1-B. & S. No. 1 univ.

3-Thompson univ. 1-Abrasive No. 33 surface.

1-B. & S. No. 2 surface.

—Diamond No. 2 surface.

—Heald No. 20, 8" surface.

—Heald No. 22, 12" rotary surface.

—Persons Arter 12" rotary surf.

—Springfield Brandes 45" rotary

oscillating surface.

12-Heald Nos. 65, 60, 70.

7-Van Norman No. 34.

1-Sundstrand 9x12 mfg.
15-New Star 11x5, 13x6,
1-Hendey 14"x6" tie bar head.
4-LeBlond 14"x6" grd. hd.
2-P. & W. 14"x6: 14"x8".

South Bend 15"x5 -L. & S. 16"x6'; 16"x8'. -Boye & Emmes 18"x8'. -Boye & Emmes 18" x8", Fay & Scott 20-42", gap, -Walcott 26" x10" d. b. g. -Bridgeford 26x12", q. c. | -Greaves-Klusman 26x12"

-Greaves-Kusman 20x12'.
-Whitcomb-Blaisdell 26''x12'.
-LeBlond 26''x10' duplex crank.
-Johnson 30''x12''.m d.
-Hendey 32''x12'.
-Bridgeford 32''x26'; pat. grd.
-Bridgeford 42''x36'; grd. hd. -LoSwing 54x84, 2 carriage

TURRET AND SCREW MCHS.
1-Acme Fox Monitor.

1—Acme Fox Monitor.
1—Foster No., 1B.,
8—Foster Nos. 2. 4, 6,
9—Gisholt 24", 64" hole.
4—Greenlee 24:28.
16—I, & L. 24:24, 33:86.
2—Libby 26", 44" and 74" hole.
3—W. & S. Nos. 4 and 6.
3—W. & S. Nos. 2-A and 3-A.

4-spindle

16—Gridley 34", 44" single, 6—New Britain Nos. 23, 24, 34, 53, 4—National A. Nos. 82, 54, 56, 515, 11—P. & J. No. 5-A, No. 6-A.

MILLING MACHINES -B. & S. Nos. 2, 3, 4, plain. -Cincinnati Nos. 2, 3, 4 plain. Garvin No. 134 plain. Hendey Norton No. 3 plain. Kempsmith No. 3 plain.

2-Garvin No. 11 univ. 1-Hendey No. 2-G univ. 13—Becker Nos. 3H, 4B, AB, 5C, 6, Cl, vertical.
15—P. & W. 5" and 8" automatic.

Send for latest illustrated catalog-just off the press

MOREY AND CO. INC. 408 Broome St., NEW YORK, N. Y.

Used and Rebuilt Equipment

Bliss No. 11/2 Toggle Press

Will draw in depth and lift out up to 4" weight about 9000 lbs.

Warner & Swasey No.6 Hand Screw
Machines with Friction Geared Head.

Turret Lathes

Jones and Lamson 3"x36". Libby 18" Type A-3½" spindle hole. Acme 3¼"x36" Geared Head.

Send for complete list

The Seifreat-Elstad Machinery Co.
CINCINNATI DAYTON COLUMBUS

OCTOBER BARGAINS

20"x101 Boye & Emmes Engine Lathe, Q. C. G \$ 550.
No. 4 Becker Vertical Miller, Complete\$ 400.
16" G. & E. Heavy Duty, Back Geared Shaper \$ 460.
20" Smith & Mills Double Back Geared Shaper \$ 475.
Lambert Horizontal Boring Mill, 3º Bar\$1250.
No. 21/2 Rockford Universal Miller, Come Drive Com-
plete with Vertical Head, Dividing Head, Etc. \$ 975.
No. 2 Brown & Sharpe Plain Miller \$ 550.
No. 2 Barber Colman Gear Hobber, Late Type\$ 450.
No. 1 Wilmarth & Morman Univ. Tool & Cutter Grinder\$ 450.
No. 5 R. & K. Straight Side Geared Press 3" Stroke_\$ 575.
41 Ryerson Radial Drill, Single Pulley Drive\$1000.

CENTRAL STATES MACHINERY CO., Inc. 134 S. Clinton Street, Chicago

RARE TOOLS

I—No. 6 Defiance Horizontal Boring, Milling, Drilling and Tapping Machine, 4^{1/2} Bar, No. 6 M. T. in spindle, single pulley drive, all feeds and speeds geared, late type.

Excellent Condition

2—Automatic open side Surface Grinders. Mfg. by The Safety Emery Wheel Co. No. 130—40"x16' table, hand and power feeds.

Excellent Condition

Geo. M. Bernstein & Co. 549 W. Washington Blvd., Chicago, Ill.

Machines That Are Hard To Find

Planer, 30x30x12 Cincinnati,
Planer, 30x30x10 American, m. d.
26" Cincinnati aliding head Drill, T. A.
Becker D-I Vertical Miller.
No. 2 Oakley Tool & Cutter Grinder,
No. 3 Wilmarth & Morman Surface Grinder.
No. 10 Lees Bradner Gear Grinder, M. D. (new) right hand,
No. 11 Brown & Sharpe Plain Grinder, self contained.
Squaring Shear, 6" & 16" cap., 15" gap.
Squaring Shear, 6" Bertsch, H. ga. cap., 16" gap.
5 Spindle Detroit Automatic Driller with fixtures.
No. 58 National Acme, motor drive.
4 spindle Allen Drill, High Speed B. B.
Single spindle Letland & Gifford P. F.-M. D.
No. 2 Brown & Sharpe Universal Miller, cone drive A-1.
2 Spindle Foodick Drill Press H. S. B. B.
No. 3 Van Norman Miller, sub-head.
No. 2 Cincinnati Universal Miller,
Cincinnati Cincinnati Cincinnation Press, 6" Honn.
Model C Becker Vertical Miller,
No. 5 Jackson Die Sinking Machine.
2—No. 4 Warner & Swasey Universal Screw Machines.

International Machinery Co., 140 East Larned St., Detroit, Michigan

Power Presses and Squaring Shears **EXCLUSIVELY**

EMBOSSING PRESSES

3-Blin Consolidated, 600 tons K. J. 4-No. EG 52 Ferracute, 150 tons K. J. 1-EG5 Ferracute, 70 tons, comb. 1-WaterburyFarrel 75 t. K. J. flywhoel

STRAIGHT SIDE PRESSES

STRAIGHT SIDE PRESSES
1—No. 74W Bliss, geared.
1—No. 30% Bliss, arch.
2—No. 57 Toledo, geared, tie rod
1—No. 54A Toledo, arch m. d.
1—No. 65 Consolidated, geared
1—No. 62 V. & O., geared.
1—No. 63 V. & O. Bywheel type

TOGGLE PRESSES 2-No. 1½ Bliss, friction clutch. 1-No. 1 Bliss, grd., draw 3¼ deep.

SOUARING SHEARS 1—No. 330 Bliss 3'x12 ga. 15" gap. 1—Niagara 8'x3'6" cap., 16" gap. 1—Niagara 5'x3/16" cap., 15" gap.

DOUBLE CRANK PRESSES

I—No. 6E Bliss, geared 72° bet. upr.
1—No. 484 B Bliss, grd. 36° bet. ups.
1—Henderson, grd. 54° bet. uprights.
1—No. SN-203 Ferracute, 52° bet. up.
1—No. SN-203 Ferracute, 52° bet. up.

DEEP THROATED PRESSES
1—No. 19 Toledo, flywheel, 24" thrt.
1—No. 17 Toledo, flywheel, 20" thrt.
1—No.2½ Henderson,flywh.,20" thrt.

SOLID BACK PRESSES

Bliss-Stiles all sizes, flywheel and geared 3—No. 23 V. & O. combination. Inclinable and open back Presses,

all makes and sizes. 100 Beach Presses various makes and sizes

Over 1200 Presses in Stock. Write for New Catalogue.

Joseph H & Sons Tioga and Almond Sts., Philadelphia, Pa.

ARC WELDERS

2-300 Ampere Gibbs Electric Arc Welders. 220 volts, 60 cycle, 3 phase,

1-400 Ampere Gibbs Electric Arc Welders, 220 volts, 60 cycle, 3 phase.

Guaranteed 95% New.

Priced Right for Immediate Sale

George M. Bernstein & Co. 549 W. Washington Blvd., Chicago, Ill.

nvestments

2-10"x51 Pratt & Whitney tool room lathes, complete.

1-16"x6' Monarch grd. hd. lathe. 1-14"x6' Lodge & Shipley lathe. 2-32"x12' Pittsburgh heavy duty

lathes, cone drive. (new machine).

1-44 x45 Putnam triple geared

head lathe. 1-20° Cincinnati shaper.

1-18H Gould & Eberhardt gear hobber, late type.

1-No. 2 Rockford plain miller, cone drive.

2-24 Cincinnati sliding head

drill press-I with tap'g attach.

I-No. 4B Becker vertical miller. I-No. 2 Webster & Perks 10x30

universal grinder.
1-No. 2 Taft Pierce univ. grinder.
1-12* William Sellers slotter c. d. 1-21/2! Carlton sensitive radial

drill, with tapping attachment.

-6' Niles radial drill, cone drive.

-42"x42"x16' Hamilton planer, 4hd.

-42 x 42 x 10 riamaton painer, 4nd. 2-B 3-spdl. Edlund dril, high speed 2-A Warner & Swasey turret lathe. -3x 95 Jones & Lamson turret lathe. -3½ Gridley single spdl. automatic. -1½ Cridley 4-spdl. automatic. -30*x30*x8* Ohio Planer, 1 hd.

1-42"x42"x16' Hamilton planer,

4 heads.

The Empire Machinery Exchange Co., Inc. 2128-30 St. Clair Ave., Cleveland, Ohio

ESSLEY SPECIALS

Bolt Cutter, 4^a Landis, single head, lead screw. Boring Mill, 36^a Bullard, New Era Type, Boring Mill, 42^a Bullard Vertical. Brake, 8th D. & K. 14 ga. cap., belt drive. Radial, 3th American, gear box drive. Grinder, 16th x72th Norton, crankshaft. Grinder, 20th s96th Norton, plain cylinder. Grinder, 64th Diamond, H. D. face. Grinder, 64* Diamond, H. D. face.
Keyseater, No. I Davis, belt drive.
Lathe, 24*x12*I. & S., Crankshaft.
Lathe, 14*x6*Bradford, Q. C. G., single B. G.
Lathe, 18*x6*Bradford, Q. C. G., double B. G.
Lathe, 19*x6*Bradford, Q. C. G., Rep. d.
Miller, No. 3 Cincinnati, Universal.
Miller, Gooley-Edlund, type A and B.
Plate Planer, 16* Niles, belt drive.
Planer, 36*x36*x12*(Eveeland, O. S.
Angle Shear, 6*x5*x5*x6*x6*x6*x10.

Angle Shear, 6*x5*x6*x6*x6*x10.

Angle Shear, 6*x5*x6*x6*x10.

Angle Shear, 6*x5*x6*x10.

Angle Shear, 6*x5*x10.

Angle Shear, 6*x5*x10.

Shear, 10' Striene, 14 gauge cap. Hack Saws, 6"x6" & 9"x9" Peerless, belt drive. Screw Machines, No. 52 Nat'l Acme, 3/4" cap.; No. 53 Nat'l Acme, 1" cap.

Also Large Unlisted Stock

THE E. L. ESSLEY · MACHINERY · Cº

551 W. Washington Blvd., Chicago.

78-80 W. Water St., Milwaukee

REAL VALUES

No. 2 Walsh, O. B. I. Press with bolster and counter	\$215
No. 3 Niagara, O. B. I. with bolster plate and counter.	. 190
No. 2 American Can, O. B. I. with bolster plate and counter	. 180
No. 10 Torris & Wold Press, O. B. I,	. 160
Rockford Bench Press, O. B. I. on stand	175
15°x6' South Bend Lathe, fully equipped, like new	. 175
11 x4 Rockford Lathe, fully equipped, perfect condition	. 115
12º Springfield Crank Shaper, vise and C/S.	. 140
Sprue Cutter, 34" capacity, power driven	. 125
Acme Bolt Header, 1 inch capacity	. 350.
Air Compressor, 6"x8", horizontal, water cooled	100

SPECIAL

¹/₄" Capacity—Heavy Duty—Full Ball Bearing—Universal Current—Portable Electric Drills—Complete with Rubber Cord, Plug and 3 Jaw Jacobs Chuck, "Thor" Make—Guaranteed Fully Like New—Shipped on 10 Days Trial \$14.75 Each. ¹/₈" Capacity, Same As Above————\$22.50 Each.

Discount of 5% in orders of six or more.

Midwest Equipment Co., 1719 Van Buren St., CHICAGO, ILL.

WAYNE Greater Values

52* Niles-Bement-Pond Boring Mill; Two heads, single	
pulley gear box drive\$	800
24"x6' Ingersoll Horizontal Miller	500
42" Throat Lennox Splitting Shear, %" capacity, motor	
driven with motor	500
51 Niles Radial Drill, full universal, single pulley gear	
	600
61 Niles Radial Drill, full universal, motor drive	700
2" Universal Bolt Cutter, motor driven through gear	500

Photostats on all the above

Wayne Machinery Company FORT WAYNE, INDIANA

TUBOR-VELICK & CO.

GREATER VALUES — LOWER PRICES

MACHINE TOOLS and MOTORS

A FEW MACHINES PRICED FOR QUICK S	ALE
No. 11/2 Brown & Sharpe Universal Miller	\$800.
No. 2 Brown & Sharpe Plain Miller	500.
No. 2 Cincinnati Universal Miller	800.
No. 3 Becker Vertical Miller	325.
No. 4 Becker Vertical Miller	425.
16" Stockbridge Heavy Duty Shaper	500.
18 [®] American Shaper	350.
27x27x8 Ohio, Two Head Planer	650.
44x36x12 Gray Two Head Planer	

Wood or Steel Split Pulleys 60% Off List Prices LEATHER BELTING TRANSMISSION

630 West Lake St. CHICAGO Phone Monroe 4199


Immense Modern Plant Being Liquidated

36"x12" New Haven Planer, 2 heads. Price	400.
28°x 8' Fitchburg Planer, I head,	325.
8º Curtis & Curtis Pipe Machine.	400.
26°x 14' Putnam Engine Lathe, 98° centers.	425.
24"x 12" Reed Engine Lathe, 82" centers,	375.
	775
No. 2-A Warner & Swasey, bar and chuck equipment,	
21/4"x24" Jones & Lamson Turret Lathe,	300.
	1250.
42" Colburn Vertical Boring Mill, I head.	675.
21 Gisholt Turret Lathe, TAPER ATTACHMENT	375.
No. 70 Catlin Key Seater, 30" stroke.	400.
26°x 8° Brown & Sharpe Automatic Gear Cutter,	300.
34° cap. Kling Throatless Shear, motor drive,	450.
36" Pratt & Whitney Vertical Surface Grinder.	800.
6' Fordick Radial Drill, TAPPING ATTACHMENT	450.
5' Foodick Radial Drill, TAPPING ATTACHMENT	400.
No. 4 Becker Vertical Milling Machine, rotary table.	375.
No. 4 Cincinnati Plain Milling Machine.	675.
	900.
1100 lb. Niles Bement Pond Steam Hammer,	
14-spindle Baush Multiple Spindle Drill,	900.

Write for our Latest Illustrated News of High Grade Tools
We have over 200 tools to select from.

Bertolette Machine Tool Company, Incorporated 222-238 Culver Ave., Jersey City, N. J.

Pedrick Portable Tools



Portable Cylinder Boring Bars

For reboring in position locomotive cylinders and piston valves, cylinders of stationary engines, steam hammers, air compressors, and a wide range of other work. Often it finishes a job before it could be gotten into the shop, saving time, expense and costly delays. Its saving on work that is difficult to move is out of all proportion to its moderate cost.

As for durability, we doubt if you can wear out a Pedrick built bar. Many machines we made 25 years ago are still in use.

We also build Floor Type Boring Machines, Crank Pin Turning Machines, Pipe Benders, Portable Milling Machines, etc.

Write for the Catalog today

Pedrick Tool & Machine Co.

3644 N. Lawrence St., Philadelphia, Pa.



Designed and Built for Service

The Eincinnati

Drills—Grinders—Buffers

EVERY plant needs these tools......for speeding production.....greater economies......for that satisfaction which comes from having a job well done.

Let us send you catalog and full details

The Cincinnati Electrical Tool Co.

2701 Madison Rd., Cincinnati, Ohio



Tool Post Grinder



Floor Grinder

Index of Advertisers

Abbott Ball Co	Economy Engineering Co 88-89
And Manufacturing Co 90	Economy Machinery Co 129
American Hollow Boring Co. 95	Edgemont Machine Co
American Tool Works Co 4	Emerman & Co., Louis E., 160
American Tool Works, Inc 103	Empire Mchy. Exchange Co., Inc. 17
Anderson Bros. Mfg. Co 105	Essley Machinery Co., E. L 17
Armstrong Bros. Tool Co 72	Fall River Grinding & Mche, Co. 8:
Armstrong-Blum Mfg. Co	
Asher Machinery Co	
Atlas Press Co	Fitchburg Grinding Mche. Corp.
Atlas Press Co	35-124
Avev Drilling Machine Co	Foote Bros. Gear & Machine Co. 6
	Foote-Burt Co
Badger Metal Products Co., A.C. 117	Foster Machinery Co 120
Baker Brothers, Inc. 6 Bath & Co., Cyril J	Fulflo Specialties Co 60
Bath & Co., Cynl J 150-151	Gairing Tool Co 100
Behn, H. E	
Bennett Machinery Co	Gateman Mfg. Co. 36 Genesee Manufacturing Co. 52 Gits Bros. Mfg. Co. 95 Character G. 95
Bernstein & Co., Geo. M169-170 Bertolette Mche. Tool Co., Inc173	Genesee Manufacturing Co. 52
Bertolette Mche, Tool Co., Inc 173	Gits Bros. Mfg. Co. 99
Bessemer Gas Engine Co 123	Glenzez Co. I.C. 102
Bleser Manufacturing Co., J 117	Glenzer Co., J. C. 102 Goodnow Foundry Co., L. H. 122 Gorton Machine Co., Geo. 62
Borgeson Manufacturing Co 104	Corton Machine Co. Con. 62
Boston Gear Works Sales Co 65	Grant Mfg. & Machine Co 103
Bradford Machine Tool Co 21	Greene, Tweed & Co
Brewster Co., Wm., Inc	
Brown Machinery Co 130	Hamilton Tool Co 63
Brownell Machinery Co 120	Hammond Manufacturing Co 18
Buffalo Force Co Al	Hardinge Brothers, Inc65-104
Burka Machine Tool Co. 72	Harris Bros. Co 166
Buffalo Forge Co	Harris Bros. Co
Canada Oua Mia Ca 22 22	Hendley & Whittemore Co 28
Canedy-Otto Mfg. Co22-23 Canton Foundry & Miche, Co 70	Hill, Clarke & Co., of Chicago 146-147
	Hill-Curtis Co80
Carlson Machinery Co	Hill-Curtis Co
Carroll Manufacturing Co., L. W. 73	Hotchkiss, Blue & Co
Carroll & Jamieson Mch. Tool Co. 63	Hunt & Son, C. B 96
Central Distributing Co	Hunt & Son, C. B. 96 Huther Bros. Saw Mfg. Co., Inc. 31
Central States Machinery Co 168	Hyman & Sons, Joseph
Chattanooga Machinery Co 46	Hyro Manufacturing Co
Chicago Stock Gear Works 67	
Chicago Wire Chair Co 102	Illinois Machine & Mfg. Co 32
Cincinnati Automatic Mch. Co. 148-49	Indianapolis Machinery & Sup-
Cincinnati Bi kford Tool Co 5	ply Co 159
Sincippati Flectrical Tool Co. 175	ply Co. 159 International Machinery Co 169
Cincinnati Lathe & Tool Co 10	J. & H. Electric Co., Inc 84
Cincinnati Mchy. & Supply Co 156	Jarecki Machine & Tool Co 93
Cincinnati Planer Co.	Johnson & Sons Mchy. Co., Wm. C. 133
Cincinnati Specialty Mfg. Co 106	Jones Machine Tool Co
Seveland Planer Co. 12	
Cleveland Planer Co	Kearney & Trecker Corporation3-135
linton Machinery Co 126	Keller Mechanical Engineering
Colven, James M 70	Corporation 87 Kinsey Co., E. A 138 Klauber Machinery Co., E. L 127
Conway Clutch Co	Kinsey Co., E. A 138
Danly Machine Specialties, Inc 56	Klauber Machinery Co., E. L 127
Danly Machine Specialities, Inc 50	LeBlond Mch. Tool Co., R.K. 90-91
Davis Keyseater Co	Lee Machinery Co., Inc
Pavis iviachinery Exchange 120	Laborat Cifford Co., Inc
Defiance Machine Works	Leland-Gifford Co
Detroit Machinery Exchange 117	Lewinwaste Machine Co., 1. H. /9
Detroit Stamping Co 108	Linley Brothers Co 108
Oonahue Steel Products Co 154	Little Co., W. P 128
Dreses Machine Tool Co. 17	Little Co., W. P
astern Machinery Co140-141-142	Lourie Manufacturing Co 76
Lastern Tube & Tool Co., Inc 96	Lucas & Son, Inc., J. L 117



Patented April 24, 1928--No. 1,453,082

SHUR - GRIP Solder Iron Handle

Outlasts a Dozen Ordinary Handles

A hot soldering iron is a risky and cumbersome article to fool around with—you want to know it is under your control. With the HYRO Shur-Crip Soldering Iron Handle you know you are safe, for it holds the iron absolutely rigid, does not burn or heat up, and will not split. A safe and comfortable handle that will eliminate all of your troubles.



Showing inside construction of the SHUR-GRIP. The heat escapes through the hole in the direction indicated by arrows.

MADE IN THREE SIZES:

No. 7 for stem 3/8" to 1/2" dia. (Generally 11/2 to 4 lb. irons).

No. 8 for stem 1/2" to 5/8" dia. (Generally 4 to 8 lb. irons).

No. 9 for stem 5/8" to 3/4" dia. (Generally 8 to 12 lb. irons).

Carried in Stock by all Leading Jobbers

Hyro Manufacturing Co., Inc.

201 Variek St.



New York, N. Y.

XL

PRODUCTS

"Speed the Production"

Index of Advertisers-Continued

McCabe Lathe & Mch.Corp., J.J. 139	Schwerdtle Stamp Co	104
	Scriweruse Stamp Co	100
McDonald Machinery Company 129	Scott-Bansbach Machinery Co	12/
McMullen Machinery Co 125	Scully-Jones & Co	100
Mall Tool Co	Seifreat-Elstad Machinery Co	168
Manning, Maxwell & Moore, Inc. 136	Severin-Strafer Mchy, Corp	121
Marr-Galbreath Machinery Co 118	Shaw, Palmer, Bakewell Co.	37
Martin Tool & Die Works, J. E. 97	Sheldon Machine Co	5.8
Massachusetts Gear & Too I Co 64	Sidney Machine Tool Co. Siewek Tool & Die Co. Sigourney Tool Co.	12
Massachusetts Gear of 100 ICo 04	Sidney Machine 1 dol Co.	75
Midwest Equipment Co 172	Siewek I ool of Die Co	/3
Mid-West Machine Tool & Sup-	Sigourney I ool Co	91
ply Co	Summons Machine 1 oo 1 Corp	103
Miles Machinery Co	Simonda Saw & Steel Co.	8-9
Molitor Machinery Co , Chas 125	Smith & Milla Co	62
Monarch Machine Tool Co 11-166	Snow & Co Edges M	137
M 167	Smith & Mills Co	105
Morey and Co. Inc	Springheid iviachine 1 ooi Co	102
Motch & Merry weather Michy. Co.	Standard Electrical Tool Co	74
Muehkmatt, Adolph	Standard Shop Equip. Co., Inc	71
Muehlmatt, Adolph 66	Stecher Co., Chas	
	Stevens Inc., John B.	57
National Automatic Tool Co 19	Stoehr Machinery Co., A. M I	132
National Machine Tool Co.,	Stow Flexible Shaft Co	77
Cincinnati, Ohio 107	Stow I scalar Co. N. A	44
Cincinnati, Ohio	Strand & Cs., N. A	44
Racine Wis 76	Strong, Carlisle & Flammond Co.	
Nelson Machinery Co. 132	Sundstrand Machine Tool Co]	
New Britain Machine Co	Sundstrand Machine Tool Co 1	101
New Ditain Machine Co	Syracuse Supply Company 1	133
Nicholson & Co., W. H 98		126
Niles Tool Works Company 161 Norma-Hoffman Bearings Corp 29	Taylor-Hall Welding Corporation 1	20
Norma-Hoffman Bearings Corp., 29	Taylor-Winfield Corp	39
Norton-Broadway Mchy. Co 122	Taylor & Fenn Co	41
	Thompson Grinder Co	82
O'Brien Machinery Co	Tolhurst Machine Works	94
Desterlein Machine Co 20	Tolhurst Machine Works	71
Oliver Instrument Co 67	Touris Mic C. L.L. T	Δi
Osborne & Sexton Mchy. Co 165	Towarey Mig. Co., John 1	10
Passman Brothers 69	Tranter Manufacturing Co 1	10
Passman Drothers		68
Pedrick Tool & Machine Co 174	Tubor, Velick & Co., Inc 1	73
Peerless Machine Co	Tucker, W. W. & C. F	94
Peerless Surfacing Mche. Co., Inc. 34		85
Pioneer Caster & Mfg. Co 50		
Pollard Bros. Mfg. Co		23
Poster-Cable Machine Co. 77	United Metal Products Co 1	
Procunier Safety Chuck Co 85		86
Tocumer Darety Chuck Co 05	United States Machine Tool Co	86
Racine Tool & Machine Co 69	U. S. Tool Co., Inc.	55
Rahn-Larmon Co 14	Used and Rebuilt Machinery 117 to 1	73
Randle Machinery Co 128		80
Reed-Prentice Corporation		81
Geeve-Pritts Company		42
Reliance Elect. & Engineering Co. 2	Wayne Machinery Co 1	72
Reliance Mchy, Sales Co	Welding Appliance Co Wertman Machinery Co., M. A. 1	38
Reynolds Machine Company 53	Westman Machinery Co. M. A. I.	31
Rhodes Manufacturing Co 30	West Penn Machinery Co	24
Pickert Shefer Co. 43	Wastern Taral & Mile Co.	59
Rickert-Shafer Co		
Givernide Machinery Depot 143	White Machinery Co., A. D 19	02
Cockford from Works /9	Whitney Metal Tool Co	54
Rockford Fron Works 79 Rogers & Co., Samuel C. 66 Rosenfeld Machinery Co. 125	Wilson, K. R	92
Rosenfeld Machinery Co 125	Wilson-Maculen Co., Inc.	27
lussell Machine Co	Winterer Herman I	19
Ruthman Machinery Co	Wilson, K. R. Wilson-Maculen Co., Inc. Winterer, Herman L. Winterhoff Tool & Machine Co.	87
D. I.	Wine L Man Cotton Co.	51
altzman, B. L		
aunders Sons, D., Inc		84
chellenbach-Hunt Tool Co 116	Yohe Supply Co., Wm. S 9	95
4.9	10	



Portable Electric Grinders



1/3 H. P. for 5x3/4 wheel 1/2 H. P. 1 H. P. for 8x1/2 wheel 2 H. P. 3 H. P. for 14x2 wheel 1/2 H. P. for 6x11/4 wheel 2 H. P. for 8x2 wheel

Made in Universal, Direct Current and Alternating Current for all standard lighting and power circuits.

> Ball Bearing Motor and Timken Roller Bearing Grinding Spindle.

FOR SINGLE PHASE

(lamp socket A. C. Current)

These Grinders are equipped with Hisey Commutating Repulsion-Induction Motors, which, unlike the old fashioned split-phase motors, have no dragging centrifugal switch, pick up speed instantly, consume less current on start and will stand greater overloads.

40 degree C. Motor with 100 percent overload capacity. Two Pole (Underwriters approved) Switch. Adjustable steel wheel guards.

Write for Catalog 40-H

The Hisey-Wolf Machine Co. Cincinnati, Ohio

High Grade Electric Drills, Grinders and Buffers Authorized Distributors Everywhere

IT'S HIGH GRADE-IF HISEY MADE

179

XI

NEW BRITAIN Smooth Top STEEL BENCHES



A Smooth Top Steel Bench! The last word in Steel Benching

Among the many features are-

Perfectly smooth top.

No bolt or screw heads protruding.

No danger from splinters.

No fire hazard-no oil soaked top.

No warping or twisting. Several lengths and widths.

New Britain Smooth Top Steel Benches are in keeping with modern trends.

Send for new bulletin just issued.

Shop Furniture Division

The New Britain Machine Co. New Britain, Conn.

